BIOCHEMICAL JOURNAL

BIJOAK

AUTHOR AND KEYWORD INDEXES

for volumes

353–360 (2001)

The Biochemical Society, London © 2002

BIOCHEMICAL JOURNAL

Online Submission and Peer Review

The *Biochemical Journal* offers authors the opportunity to save time and money! Submit your papers electronically to the *Biochemical Journal*.

With the impact factor **4.28** in 2000 (**29.4** for Reviews and **6.1** for Research Communications*) and acceptance to publication online now only 9 weeks for full papers and 5 weeks for Research Communications, why not submit your next paper to the

***Biochemical Journal*?**

Chairman of the Editorial Board: **Peter Parker** (London)
Vice Chairman, the Americas: **Guy Salvesen** (La Jolla)

Authors should submit their papers online at **http://www.biochemj.org/submit/**

For further information in the Americas, contact:
Sharon Schendel PhD, Administrative Editor
BJ USA, The Burnham Institute,
10901 N. Torrey Pines Road, La Jolla, CA 92037
Phone +1 (858) 713 6283; Fax: +1 (858) 713 6284
editorial@biochemjusa.org

For rest of the world, contact:
Pauline Starley, Managing Editor,
Editorial Office, 59 Portland Place, London, UK
Phone +44(0)207 637 5873; Fax: +44(0)207 323 1136
editorial@portlandpress.com

BIOCHEMICAL JOURNAL Online
www.BiochemJ.org

*Derived for 1999 by the Research Department at ISI

ZPPA1356

Biochemical Journal

AUTHOR AND KEYWORD INDEXES

for volumes

353–360 (2001)

The Biochemical Society, London © 2002

Available from

Portland Customer Services, P.O. Box 32,
Commerce Way, Colchester CO2 8HP, U.K.
Fax (U.K.) 01206 799331
(from overseas) +44 1206 799331
e-mail sales@portland-services.com

All rights reserved. Apart from any fair dealing for the purposes of research or private study, or criticism or review, as permitted under the Copyright, Designs and Patents Act, 1988, this publication may be reproduced, stored or transmitted, in any forms or by any means, only with the prior permission in writing of the publishers, or in the case of reprographic reproduction in accordance with the terms of licences issued by the Copyright Licensing Agency. Inquiries concerning reproduction outside those terms should be sent to the publishers at the above-mentioned address.

Compiled and composed by Cadmus Journal Services, Linthicum, MD, U.S.A.

Printed in Great Britain by the University Press, Cambridge

Author Index

VOLUMES 353—360 (2001)

Abbott, W. M., *See* Follows, E. R.
Abboud, H. E., *See* Senthil, D.
Abel, M.
——: Planas, A.; Christensen, U.
Presteady-state kinetics of *Bacillus* 1,3–1,4-β-glucanase: binding and hydrolysis of a 4-methylumbelliferyl trisaccharide substrate, 357:195
Abo, A., *See* Paz, P. E.
Abu-Ghazaleh, R.
——: Kabir, J.; Jia, H.; Lobo, M.; Zachary, I.
Src mediates stimulation by vascular endothelial growth factor of the phosphorylation of focal adhesion kinase at tyrosine 861, and migration and anti-apoptosis in endothelial cells, 360:255
Abu-Ghazaleh, R., *See* Gliki, G.
Acerenza, L., *See* de Atauri, P.
Acosta, M., *See* Hernandez-Ruiz, J.
Adams, M. E., *See* Kiani, C.
Adams, S. H.
——: Chui, C.; Schilbach, S. L., Yu, X. X.; Goddard, A. D.; Grimaldi, J. C.; Lee, J.; Dowd, P.; Colman, S.; Lewin, D. A.
BFIT, a unique acyl-CoA thioesterase induced in thermogenic brown adipose tissue: cloning, organization of the human gene and assessment of a potential link to obesity, 360: 135
Adams, S. H., *See* Yu, X. X.
Adham, I. M., *See* Grzmil, P.
Aduib, O. M., *See* Veldman, R. J.
Agueli, C.
——: Geraci, F.; Giudice, G.; Chimenti, L.; Cascino, D.; Sconzo, G.
A constitutive 70 kDa heat-shock protein is localized on the fibres of spindles and asters at metaphase in an ATP-dependent manner: a new chaperone role is proposed, 360:413
Aguilar, J., *See* Nuñez, M. F.
Aguilar, R., *See* García Flores, C.
Aguilera, J., *See* Gil, C.
Aguis, L., *See* de Atauri, P.
Ahmad, F., *See* Choi, Y.-H.
Aiach, M., *See* Borgel, D.
Ainscow, E. K.
——: Rutter, G. A.
Mitochondrial priming modifies Ca^{2+} oscillations and insulin secretion in pancreatic islets, 353:175
Airiau, M., *See Wetzer, B.*
Aitken, A., *See* Suginta, W.
Akhtar, N., *see* Woodfield, R. J.
Aki, T.
——: Mizukami, Y.; Oka, K.; Yamaguchi, K.; Uemura, K.; Fujimiya, T.; Yoshida, K-i., 358:481
Albajar, M., *See* Galletto, R.
Albores, M., *See* García Flores, C.
Albrektsen, T.
——: Richter, H. E.; Clausen, J. T.; Fleckner, J.
Identification of a novel integral plasma membrane protein induced during adipocyte differentiation, 359:393
Albrethsen, J., *See* Jensen, R. B.
Alcázar, A., *See* Martín de la Vega, C.
Alderton, W. K., *See* Stevenson, T. H.
——; Cooper, C. E.; Knowles, R. G.
Nitric oxide synthases: structure, function and inhibition, 357:593
Alessi, D. R., *See* Thomas, C. C.
Alexandre, G. M. C., *See* Mariano, A. C.
Al-Hasani, H., *See* Lisinski, I.
Alhonen, L., *See* Suppola, S.
Ali, S.
——: Palmer, A. C. V.; Fritchley, S. J.; Maley, Y.; Kirby, J. A.
Multimerization of monocyte chemoattractant protein-1 is not required for glycosaminoglycan-dependent transendothelial chemotaxis, 358:737
Allewell, N. M., *See* Shi, D.
Allocati, M., *See* Tamburro, A.
Aloy, M.-T., *See* Rodriguez-Lafrasse, C.
Alphonse, G., *See* Rodriguez-Lafrasse, C.
Althausen, S., *See* Mengesdorf, T.
Altmann, M., *See* Dominguez, D.
Alvarez, E., *See* Sylvester, D. R.
Alves, E. W., *See* Follmer, C.
Amano, F., *See* Ishii, Y.
Amano, T.
——: Tanabe, K.; Eto, T.; Narumiya, S.; Mizuno, K.
LIM-kinase 2 induces formation to stress fibres focal adhesions and membrane blebs, dependent on its activation by Rho-associated kinase-catalysed phosphorylation at threonine-505, 354:149
Amano, T., *See* Konno, H.
Amery, L.
——: Sano, H.; Mannaerts, G. P.; Snider, J.; Van Looy, J.; Fransen, M.; Van Veldhoven, P. P.
Identification of PEX5p-related novel peroxisome-targeting signal 1 (PTS1)-binding proteins in mammals, 357:635
Amiot, M., *See* Thabard, W.
Ammon, H. P. T., *See* Lembert, N.
Amri, E.-Z., *See* Teboul, L.
Amutha, B., *See* Gordon, D. M.
An, C.-c., *See* Zhang, C.-y.
An, S. J., *See* Hodel, A.
Andersen, J. N.
——: Elson, A.; Lammers, R.; Rømer, J.; Clausen, J. T.; Møller, K. B.; Møller, N. P. H.
Comparative study of protein tyrosine phosphatase-ε isoforms: membrane localization confers specificity in cellular signalling, 354:581
Andersen, O. M.
——: Petersen, H. H.; Jacobsen, C.; Moestrup, S. K.; Etzerodt, M.; Andreasen, P. A.; Thøgersen, H. C.
Analysis of a two-domain binding site for the urokinase-type plasminogen activator-plasminogen activator inhibitor-1 complex in low-density-lipoprotein-receptor-related protein, 357:289
Anderson, H. M., *See* Jupp, O. J.
André, M., *See* Moulin, K.
Andreasen, P. A., *See* Andersen, O. M.
Anel, A., *See* Marzo, I.
Anglade, P., *See* Rouimi, P.
Annabi, B.
——: Lachambre, M.-P.; Bousquet-Gagnon, N.; Pagé, M.; Gingras, D.; Béliveau, R.
Localization of membrane-type 1 matrix metalloproteinase in caveolae membrane domains, 353:547
——; Pilorget, A.; Bousquet-Gagnon, N.; Gingras, D.; Béliveau, R.
Calmodulin inhibitors trigger the proteolytic processing of membrane type-1 matrix metalloproteinase, but not its shedding in glioblastoma cells, 359:325
Antunes, F.
——: Cadenas, E.; Brunk, U. T.
Apoptosis induced by exposure to a low steady-state concentration of H_2O_2 is a consequence of lysosomal rupture, 356:549
Aoki, M., *See* Goto, A.
Apasov, S., *See* Armstrong, J. M.
Appaix, F., *See* Saks, V. A.
Arai, H., *See* Yamasaki, M.
Aranburu, A.
——: Carlsson, R.; Persson, C.; Leanderson, T.
Transcription factor AP-4 is a ligand for immonoglobulin-κ promoter E-box elements, 354:431
Arimoto, E., *See* Okuno, M.
Arita, M., *See* Li, S.-W.
Ariyoshi, M., *See* Yamamoto-Katayama, S.
Armitage, I. M., *See* Zangger, K.
Armstrong, F. A., *See* Tilley, G. J.
Armstrong, J. M.
——: Chen, J. F.; Schwarzschild, M. A.; Apasov, S.; Smith, P. T.; Caldwell, C.; Chen, P.; Figler, H.; Sullivan, G.; Fink, S.; Linden, J.; Sitkovsky, M.
Gene dose effect reveals no G_s-coupled A_{2a} adenosine receptor reserve in murione T-lymphocytes: studies of cell from A_{2a}-receptor-gene-deficient mice, 354:123
Armugam, A., *See* Gong, N.
Arnao, M. B., *See* Hernandez-Ruiz, J.
Arnauld, E., *See* Moulin, K.
Arner, R. J.
——: Prabhu, S.; Thompson, J. T.; Hildenbrandt, G. R.; Liken, A. D.; Reddy, C. C.
myo-Inositol oxygenase: molecular cloning and expression of a unique enzyme that oxidizes *myo*-inositol and D-*chiro*-inositol, 360:313
Arroyo, M. M., *See* Cox, A.
Asamoto, Y.
——: Tazuma, S.; Ochi, H.; Chayama, K.; Suzuki, H.
Bile-salt hydrophobicity is a key factor regulating rat liver plasma-membrane communication: relation to bilayer structure, fluidity and transporter expression and function, 359:605
Asano, M., *See* Kotani, N.
Ashida, N., *See* Yamasaki, M.
Ashley, R. H., *See* Suginta, W.
Aslanian, A. M.
——: Fletcher, B. S.; Kilberg, M. S.
Asparagine synthetase expression alone is sufficient to induce L-asparaginase resistance in MOLT-4 human leukaemia cells, 357:321
——; Kilberg, M. S.
Multiple adaptive mechanisms affect asparagine synthetase substrate availability in asparaginase-resistant MOLT-4 human leukemia cells, 358: 59
Astancolle, S., *See* Scorcioni, F.
Astarita, G., *See* Palumbo, A.
Atemezem, A.

© 2002 Biochemical Society

——; Mbemba, E.; Vassy, R.; Slimani, H.; Saffar, L.; Gattegno, L.
Human α_1-acid glycoprotein binds to CCR5 expressed on the plasma membrane of human primary macrophages, 356:121
Atkinson, S. J., *See* Lafleur, M. A.
Attaix, D., *See* Deval, C.
Aubert, J.-P., *See* Escande, F.
Aubry, A., *See* Menchise, V.
Audinot, V., *See* Cogé, F.
Avella, M., *See* Zheng, X.
Averna, M.
——; de Tullio, R.; Passalacqua, M.; Salamino, F.; Pontremoli, S.; Melloni, E.
Changes in intracellular calpastatin localization are mediated by reversible phosphorylation, 354:25
Avigliano, L., *See* Catani, M. V.
Avila-Flores, A.
——; Rendón-Huerta, E.; Moreno, J.; Islas, S.; Betanzos, A.; Robles-Flores, M.; González-Mariscal, L.
Tight-junction protein zonula occludens 2 is a target of phosphorylation by protein kinase C, 360:295
Axer, H., *See* Doege, H.
Ayaki, H., *See* Orino, K.
Azulay, D.-O., *See* Di Luccio, E.

Baas, M.-J., *See* Ulsemer, P.
Baba, O., *See* García-Rocha, M.
Babal, P., *See* Goswami, T.
Babbarwal, V. K., *See* Pandey, A. V.
Bachelot-Loza, C., *See* Borgel, D.
Bachmann, H., *See* Wyss, A.
Badia, J., *See* Nuñez, M. F.
Bae, Y. S., *See* Sohn, B. H.
Bae, Y.-S., *See* Park, H.-S.
Baggerman, G., *See* Dircksen, H.
Baggott, J. E.
——; Robinson, C. B.; Johnston, K. E.
Bioactivity of [6R]-5-formyltetrahydrofolate, an unnaatural isomer, in human and *Enterococcus hirae*, and cytochrome *c* oxidation of 10-formyltetrahydrofolate to 10-formyldihydrofolate, 354:115
Bagni, N., *See* Franceschetti, M.
Bagryantsev, S., *See* Poliakov, A.
Bahbouhi, B.
——; Seidah, N. G.; Bahraoui, E.
Replication of HIV-1 viruses in the presence of the Portland α1-antitrypsin variant (α1-PDX) inhibitor, 360:127
Bahraoui, E., *See* Bahbouhi, B.
Bai, Y., *See* Lefebvre, D. L.
Bailey, T. S. F., *See* Reid, J. D.
Baker, D. L., *See* Liliom, K.
Bakker, B., *See* Helfert, S.
Bakos, É., *See* Szakács, G.
Balanzino, L., *See* Guérardel, Y.
Balciunaite, E.
——; Kazlauskas, A.
Early phosphoinositide 3-kinase activity is required for the late activation of protein kinase Cε in platelet-derived-growth-factor-stimulated cells: evidence for signalling across a large temporal gap, 358:281
Baldoma, L., *See* Nuñez, M. F.
Baldwin, S. A., *See* Yao, S. Y. M.
Bances, P., *See* Carcedo, M.-T.
Banerjea, A. C., *See* Unwalla, H.
Banga, J. P., *See* Siffori-Fernandez, S.
Bánhegyi, G., *See* Leuzzi, R.
Banville, D., *See* Yu, Z.
Bao, Y., *See* Li, S.-W.
Barber, M. C., *See* Travers, M. T.
Barber, M. J., *See* Franco, R.
Barcellos, G. B. S., *See* Follmer, C.
Barel, M., *See* Kikkert, M.
Barendsz-Janson, A. F., *See* Griffioen, A. W.
Barja-Fidalgo, C., *See* Follmer, C.
Barna, T., *See* Craig, D. H.
Barnham, K. J., *See* Corzo, G.
Barona, T. M., *See* Larijani, B.
Barrett, A. J., *See* Snipas, S. J.
Barritt, G. J., *See* Gregory, R. B.; Tesfai, Y.
Barthel, A., *See* Schmoll, D.; Woods, Y. L.
Basak, A.
——; Zhong, M.; Munzer, J. S.; Chrétien, M.; Seidah, N. G.
Implication of the proprotein convertases furin PC5 and PC7 in the cleavage of surfaceglycoproteins of Hong Kong, Ebola and respiratory syncytial viruses: a comparative analysis with fluorogenic peptides, 353:537
Bashan, N., *See* Tirosh, A.
Bassi, A. M., *See* Canuto, R. A.
Bataille, R., *See* Thabard, W.
Ba-Thein, W.
——; Caride, A. J.; Enyedi, A.; Pászty, K.; Croy, C. L.; Filoteo, A. G.; Penniston, J. T.
Chimaeras reveal the role of the catalytic core in the activation of the plasma membrane Ca^{2+} pump, 356: 241, Correction, 357:911
Batllori, X., *See Viladot, J.-L.*
Batta, A. K., *See* Powell, A. A.
Battistini, A., *See* Coccia, E. M.
Battistoni, A., *See* D'Orazio, M.
Baverel, G., *See* Conjard, A.
Bayliss, M. T., *See* Lauder, R. M.
Bean, R., *See* Martin, C.
Bearne, S. L.
——; Hekmat, O.; MacDonnell, J. E.
Inhibition of *Escherichia coli* CTP synthesis by glutamate γ-semialdehyde and the role of the allosteric effector GTP in glutamine hydrolysis, 356:223
Beattie, J. H., *See* Levadoux-Martin, M.
Beauchamp, J., *See* Prior, A.; Suire, S.
Beaumier-Gallon, G., *See* Sviridov, D.
Beauverger, P., *See* Cogé, F.
Bechet, D., *See* Deval, C.
Béchet, D. M., *See* Tournu, C.
Beck, K., *See* Goto, A.
Becker, D.
——; Braet, C.; Brumer, H. III; Claeyssens, M.; Divne, C.; Fagerström, B. R.; Harris, M.; Jones, T. A.; Kleywegt, G. J.; Koivula, A.; Mahdi, S.; Piens, K.; Sinnott, M. L.; Ståhlberg, J.; Teeri, T. T.; Underwood, M.; Wohlfahrt, G.
Engineering of a glycosidase Family 7 cellobiohydrolase to more alkaline pH optimum: the pH behaviour of *Trichoderma reesei* Cel7A and its E223S/A224H/L225V/T226A/D262G mutant, 356:19
Becker, W., *See* Himpel, S.; Woods, Y. L.
Beckingham, J. A.
——; Housden, N. G.; Muir, N. M.; Bottomley, S. P.; Gore, M. G.
Studies on a single immunoglobulin-binding domain of protein L from *Peptostreptococcus magnus*: the role of tyrosine-53 in the reaction with human IgG, 353:395
Bedino, S., *See* Piccinini, M.
Beecroft, T. L., *See* McMahon, K.-A.
Beermann, Br. B., *See* Rehm, B. H. A.
Beharry, S.
——; Bragg, P. D.
Phosphate exchange and ATP synthesis by DMSO-pretreated purified bovine mitochondrial ATP synthase, 353:215
Behrendt, N., *See* Hoyer-Hansen, G.
Behringer, R., *See* Han, E.
Behrmann, I., *See* Kortylewski, M.
Béliveau, R., *See* Annabi, B.
Béliveau, R., *See* Annabi, B.
Bell, S. L.
——; Xu, G.; Forstner, J. F.
Role of the cystine-knot motif at the C-terminus of rat mucin protein Muc2 in dimer formation and secretion, 357:203
Bellelli, A., *See* Wilson, E. K.
Beltrán, A., *See* Otero, K.
Bender, K., *See* Liliom, K.
Benedetti, A., *See* Leuzzi, R.
Benedetti, M., *See* Menchise, V.
Benfenati, F., *See* Cheetham, J. J.
Bennett, A. J., *See* Iddon, C. R.
Bennett, D., *See* Leslie, N. R.
Bennett, J., *See* Iddon, C. R.
Benz, K., *See* Steck, E.
Benzekri, A., *See* Rouimi, P.
Berdyshev, E. V.
——; Schmid, P. C.; Krebsbach, R. J.; Hillard, C. J.; Huang, C.; Chen, N.; Dong, Z.; Schmid, H. H. O.
Cannabinoid-receptor-independent cell signalling by *N*-acylethanolamines, 360:67
Bereiter-Hahn, J., *See* Wagner, O.
Bereton, H. M., *See* Tesfai, Y.
Berg, T., *See* Kjeken, R.
Bergquist, P. L., *See* Sunna, A.
Bergs, C., *See* Trost, C.
Bergsma, J. C. T.
——; Kasri, N. N.; Donaton, M. C. V.; De Wever, V.; Tisi, R.; de Winde, J. H.; Martegani, E.; Thevelein, J. M.; Wera, S.
PtdIns(4,5)P_2 and phospholipase C-independent Ins(1,4,5)P_3 signals induced by a nitrogen source in nitrogen-starved yeast cells, 359:517
Bermúdez Fajardo, A., *See* Waud, J. P.
Bernas, T., *See* Kasza, A.
Bernasconi, S., *See* Locati, M.
Berón, W.
——; Mayorga, L. S.; Colombo, M. I.; Stahl, P. D.
Recruitment of coat-protein-complex proteins on to phagosomal membranes is regulated by a brefeldin A-sensitive ADP-ribosylation factor, 355:409
Berrie, C. P., *See* Meijer, H. J. G.
Bertrand, O., *See* Camara-Clayette, V.
Besnard, P., *See* Poirier, H.
Best-Belpomme, M., *See* Josse, C.
Betanzos, A., *See* Avila-Flores, A.
Bettuzzi, S., *See* Scorcioni, F.
Betz, H., *See* Tintrup, H.
Bevan, D. R., *See* Czjzek, M.
Beyaert, R., *See* Evans, P. C.
Beylot, M.-H.
——; Emami, K.; McKie, V. A.; Gilbert, H. J.; Pell, G.
Pseudomonas cellulosa expresses a single membrane-bound glycoside hydrolase family 51 arabinofuranosidase, 358:599
——; McKie, V. A.; Voragen, A. G. J.; Doeswijk-Voragen, C. H. L.; Gilbert, H. J.
The *Pseudomonas cellulosa* glycoside hydrolase family 51 arabinofuranosidase exhibits wide substrate specificity, 358:607
Bhatnagar, A., *See* Srivastava, S.
Bhattacharjee, A., *See* Goswami, T.
Bianchi, M., *See* Fresu, M.
Bianco, A. E., *See* Tan, T. H. P.

© 2002 Biochemical Society

Bicknell, W., *See* Cross, K. J.
Bifulco, M., *See* Di Marzo, V.
Bikker, F. J., *See* Ligtenberg, T. J. M.
Billheimer, J. T., *See* Cheng, D.
Bindoli, A., *See* Rigobello, M. P.
Bird, M. M., *See* López-Lluch, G.
Bisht, H., *See* Pandey, A. V.
Bisio, A., *See* Hricovíni, M.
Bisogno, T., *See* Di Marzo, V.
Bisotto, S.
——: Fixman, E. D.
Src-family tyrosine kinases, phosphoinositide 3-kinase and Gab1 regulate extracellular signal-regulated kinase 1 activation induced by the type A endothelin-1 G-protein-coupled receptor, 360:77
Bissig, K.-D.
——: Wunderli-Ye, H.; Duda, P. W.; Solioz, M.
Structure–function analysis of purified *Enterococcus hirae* CopB coppper ATPase: effect of Menkes/Wilson disease mutation homologues, 357: 217
Biswal, S. S., *See* Kehrer, J. P.
Black, G. W., *See* Brown, I. E.
Black, K. M.
——: Clark-Lewis, I.; Wallace, C. J. A.
Conserved tryptophan in cytochrome *c*: importance of the unique side-chain features of the indole moiety, 359:715
Blackburn, G. M., *See* Maksel, D.
Blackwell, J. M., *See* Goswami, T.
Blanche, F., *See* Wetzer, B.
Blasi, J., *See* Gil, C.
Blok, V. C., *See* Prior, A.
Blumberg, J. B., *See* Kitta, K.
Blundell, T., *See* Himpel, S.
Bocianski, A., *See* Doege, H.
Böcking, D., *See* Dircksen, H.
Boehm, M. K., *See* Robertson, A.
Boelaert, J. R., *See* Josse, C.
Boersma, A., *See* Tetaert, D.
Boettcher, K., *See* Sommer, A.
Bofill-Cardona, E., *See* Klinger, M.
Böhm, M., *See* Kortylewski, M.
Boileau, G.
——: Tenenhouse, H. S.; DesGroseillers, L.; Crine, P.
Characterization of PHEX endopeptidase catalytic activity: identification of parathyroid-hormone-related peptide $_{107–139}$ as a substrate and osteocalcin, PP, and phosphate as inhibitors, 355:707
Boisteau, O., *See* Magrangeas, F.
Bokkala, S.
——: Reis, H. M.; Rubin, E.; Joseph, S. K.
Effect of angiotensin II and ethanol on the expression of connexin 43 in WB rat liver epithelial cells, 357:769
Boldt, H. B.
——: Overgaard, M. T.; Laursen, L. S.; Weyer, K.; Sottrup-Jensen, L.; Oxvig, C.
Mutational analysis of the proteolytic domain of pregnancy-associated plasma protein-A (PAPP-A): classification as a metzincin, 358:359
Bolliger, M. F.
——: Frei, K.; Winterhalter, K. H.; Gloor, S. M.
Identification of a novel neuroligin in humans which binds to PSD-95 and has a widespread expression, 356: 581
Bolsover, S.
——: Ibrahim, O.; O'Luanaigh, N.; Williams, H.; Cockcroft, S.
Use of fluorescent Ca^{2+} dyes with green fluorescent protein and its variants: problems and solutions, 356:345
Bonecchi, R., *See Locati, M.*
Boraston, A. B.
——: Warren, R. A. J.; Kilburn, D. G.
Glycosylation by *Pichia pastoris* decreases the affinity of a family 2a carbohydrate-binding module from *Cellulomonas fimi*: a functional and mutational analysis, 358:423
Bordas, A., *See* Raimbault, S.
Borgel, D.
——: Gaussem, P.; Garbay, C.; Bachelot-Loza, C.; Kaabache, T.; Liu, W.-Q.; Brohard-Bohn, B.; Le Bonniec, B.; Aiach, M.; Gandrille, S.
Implication of protein S thrombin-sensitive region with membrane binding via conformational changes in the g-carboxyglutamic acid-rich domain, 360:499
Borges-Walmsley, M. E., *See* Walmsley, A. R.
Borisenko, G. G., *See* Liu, S.-X
Bornens, M., *See* Ramos-Morales, F.
Börner, T., *See* Wilde, A.
Boronat, A., *See* Campos, N.
Bose, S.
——: Brooks, P.; Mason, G. G. F.; Rivett, A. J.
γ-interferon decreases the level of 26 S proteasomes and changes the pattern of phosphorylation, 353:291
Botha, F. C., *See* Rohwer, J. M.
Botham, K. M., *See* Zheng, X.
Bottema, C. B. K., *See* Travers, M. T.
Bottomley, S. p, *See* Beckingham, J. A.
Boucher, J., *See* Fontana, E.
Bouillaud, F., *See* Raimbault, S.
Boulatnikov, I., *See* Kolobova, E.
Bouloux, P.-M. G., *See* Robertson, A.
Bousquet-Gagnon, N., *See* Annabi, B.
Bousquet-Gagnon, N., *See* Annabi, B.
Boutet, S. C.
——: Quertermous, T.; Fadel, B. M.
Identification of an octamer element required for *in vivo* expression of the *TIE1* gene in endothelial cells, 360:23
Boutin, J. A., *See* Cogé, F.
Bouvier, N., *See* Tsang, S. H.
Bouw, G., *See* Kuiper, R. P.
Boveris, A., *See* Riobó, N. A.
Braam, J., *See* Steele, N. M.
Braet, C., *See* Becker, D.
Bragg, P. D., *See* Beharry, S.
Braissant, O., *See* Poirier, H.
Brand, M. D., *See* Stuart, J. A.
Brandt, R., *See* Eidenmüller, J.
Brandts, B., *See* Liliom, K.
Bravo, I. G.
——: Barrallo, S.; Ferrero, M. A.; Rodríguez-Aparacio, L. B.; Martíez-Bianco, H.; Reglero, A.
Kinetic properties of the acylneuraminate cytidylyltransferase from *Pasteurella haemolytica* $A2^1$, 358:585
——: Busto, F.; De Arriaga, D.; Ferrero, M. A.; Rodríguez-Aparacio, L. B.; Martíez-Bianco, H.; Reglero, A.
A normalized plot as a novel and time-saving tool in complex enzyme kinetic analysis, 358:573
Brdiczka, D., *See Vyssokikh, M. Y.*
Brech, A., *See* Kjeken, R.
Brechtel, K., *See* Kietzmann, T.
Bredoux, R., *See* Kovács, T.
Breton, C., *See* Videira, P.
Briat, J.-F., *See* Petit, J.-M.
Brigé, A.
——: Cole, J. A.; Hagen, W. R.; Guisez, Y.; Van Beeumen, J. J.
Overproduction, purification and novel redox properties of the dihaem cytochrome *c*, NapB, from *Haemophilus influenzae*, 356:851
Briggs, L. J.
——: Johnstone, R. W.; Elliot, R. M.; Xiao, C.-Y.; Dawson, M.; Trapani, J. A.; Jans, D. A.
Novel properties of the protein kinase CK2-site-regulated nuclear-localization sequence of the interferon-induced nuclear factor IFI 16, 353:69
Brindle, K. M., *See* Stuart, J. A.
Brinkman, H., *See* Wahab, N. A.
Brinkmann, U., *See* Stubenrauch, K.
Brittain, T., *See* Mathews, A. J.
Brock, T. G., *See* Sud'ina, G. F.
Brocklehurst, K., *See* Reid, J. D.
Bröer, A.
——: Friedrich, B.; Wagner, C. A.; Fillon, S.; Ganapathy, V.; Lang, F.; Bröer, S.
Association of 4F2hc with light chains LAT1, LAT2 or y+LAT2 requires different domains, 355:725
Bröer, S., *See* Bröer, A.
Brohard-Bohn, B., *See* Borgel, D.
Brooks, P., *See* Bose, S.
Brophy, P. M., *See* Sommer, A.
Broquet, P., *See* Rodriguez-Lafrasse, C.
Brown, A. J., *See* Hamilton, J. A.
Brown, G., *See* Hughes, P. J.
Brown, G. M., *See* Lauder, R. M.
Brown, H. A., *See* Ganley, I. G.
Brown, I. E.
——: Mallen, M. H.; Charnock, S. J.; Davies, G. J.; Black, G .W.
Pectate lyase 10A from *Pseudomonas cellulosa* is a modular enzyme containing a family 2a carbohydrate-binding module, 355:155
Brown, J.
——: Brown, T.; Fox, K. R.
Affinity of mismatch-binding protein MutS for heteroduplexes containing different mismatches, 354:627
Brown, K., *See* Keresztessy, Z.
Brown, K. D., *See* Ellis, P. D.
Brown, S. D. M., *See* Todorov, P. T.
Brown, T., *See* Brown, J.
Browne, G. J.
——: Delibegovic, M.; Keppens, S.; Stalmans, W.; Cohen, P. T. W.
The level of the glycogen targetting regulatory subunit R5 of protein phosphatase 1 is decreased in the livers of insulin-dependent diabetic rats and starved rats, 360:449
Bruce, N. C., *See* Craig, D. H.
Brugger, R., *See* Wyss, A.
Brumer, H. III, *See* Becker, D.
Brunati, A. M., *See* Donella-Deana, A.
Brunk, U. T., *See* Antunes, F.; Kågedal, K.
Brush, P. W., *See* Yu, X. X.
Buanne, P., *See* Gaitanou, M.
Buchanan, C. M.
——: Phillips, A. R. J.; Cooper, G. J. S.
Preptin derived from proinsulin-like growth factor II (proIGF-II) is secreted from pancreatic islet β-cells and enhances insulin secretion, 360: 431
Buendía-Clavería, A. M., *See* Rodríguez-Carvajal, M. A.
Buettner, R., *See* Weiskirchen, R.
Bugno, M., *See* Kasza, A.
Buisine, M.-P., *See* Escande, F.
Bultynck, G.
——: De Smet, P.; Rossi, D.; Callewaert, G.; Missiaen, L.; Sorrentino, V.; De Smedt, H.; Parys, J. B.

© 2002 Biochemical Society

Characterization and mapping of the 12 kDa FK506-binding protein (FKBP12)-binding site on different isoforms of the ryanodine receptor and of the inositol 1,4,5-trisphosphate receptor, 354:413

Bünemann, M., *See* Liliom, K.

Burchell, A., *See* Leuzzi, R.

Burchell, B., *See* Ding, S.

Burda, J., *See* Martín de la Vega, C.

Burger, H.-J., *See* Gustafson, L. A.

Burgess, B. K., *See* Tilley, G. J.

Burgoyne, R. D.
——: Weiss, J. L.
The neuronal calcium sensor family of Ca^{2+}-binding proteins, 353:1. Correction, 354:727

Burgoyne, R. D., *See Washbourne, P.*

Burgstahler, A. D., *See* Nathanson, M. H.

Burmeister, R., *See* Hilpert, J.

Burmeister, W. P., *See* Czjzek, M.

Burns, S. P.
——: Murphy, H. C.; Iles, R. A.; Cohen, R. D.
Lactate supply as a determinant of the distribution of intracellular pH within the hepatic lobule, 358:569

Burtin, D., *See* Franceschetti, M.

Burton, R. A., *See* Lee, R. C.

Burzlaff, J., *See* Mao, J.

Buss, J. E., *See* Mallis, R. J.

Busto, F., *See* Bravo, I. G.

Byk, G., *See* Wetzer, B.

Byrne, R., *See* Hamilton, J. A.

Cabantchik, Z. I., *See* Kakhlon, O.

Cadenas, E., *See* Antunes, F.; Riobó, N. A.

Cai, S.
——: Exton, J. H.
Determination of interaction sites of phospholipase D_1 for RhoA, 355: 779

Cain, K., *See* Thompson, G. J.

Cairns, F., *See* MacKenzie, C. J.

Cakir-Kiefer, C.
——: Muller-Steffner, H.; Oppenheimer, N.; Schuber, F.
Kinetic competence of the cADP-ribose-CD38 complex as an intermediate in the CD38/NAD+ glycohydrolase-catalysed reactions: implications for CD38 signalling, 358:399

Caldarera, C. M., *See* Stefanelli, C.

Caldwell, C., *See* Armstrong, J. M.

Callebaut, I., *See* Lemaitre, N.

Callewaert, G., *See* Bultynck, G.

Camara-Clayette, V.
——: Rahuel, C.; Lopez, C.; Hattab, C.; Verkarre, V.; Bertrand, O.; Cartron, J.-P.
Transcriptional regulation of the *KEL* gene and Kell protein expression in erythroid and non-erythroid cells, 356:171

Camba, R., *See* Tilley, G. J.

Cameron, L. C., *See* Mariano, A. C.

Campbell, A. K., *See* Waud, J. P.

Campbell, J. L., *See* Jang, S.-W.

Campbell, P., *See* Steele, N. M.

Campos, N.
——: Rodríguez-Concepción, M.; Sauret-Güeto, S.; Gallego, F.; Lois, L.-M.; Boronat, A.
Escherichia coli engineered to synthesize isopentenyl diphosphate and dimethylallyl diphosphate from mevalonate: a novel system for the genetic analysis of the 2-C-methyl-D-erythritol 4-phosphate pathway for isoprenoid biosynthesis, 353:59

Canals, F., *See* Viladot, J.-L.

Canas, B., *See* López-Lluch, G.

Cañas, X., *See* Kitamura, T.

Canepa, E., *See* García-Montero, A. C.

Cánepa, E. T., *See* Giono, L. E.

Cannata, J. J. B., *See* Wainszelbaum, M.

Cannon, B., *See* Thonberg, H.

Cansino, V., *See* Washbourne, P.

Canton, D. A.
——: Zhang, C.; Litchfield, D. W.
Assembly of protein kinase CK2: investigation of complex formation between catalytic and regulatory subunits using a zinc-finger-deficient mutant of CK2β, 358:87

Cantoni, O., *See* Guidarelli, A.

Canuto, R. A.
——: Ferro, M.; Salvo, R. A.; Bassi, A. M.; Trombetta, A.; Maggiora, M.; Martinasso, G.; Lindahl, R.; Muzio, G.
Increase in class 2 aldehyde dehydrogenase expression by arachidonic acid in rat hepatoma cells, 357:811

Cao, L., *See* Kiani, C.

Cao, Y.
——: Kang, Q.; Zolkiewska, A.
Metalloprotease-disintegrin ADAM 12 interacts with α-actinin-1, 357:353

Capasso, C., *See* D'Auria, S.

Capon, C.
——: Maes, E.; Michalski, J.-C.; Leffler, H.; Kim, Y. S.
Sd^a-antigen-like structures carried on core 3 are prominent features of glycans from the mucin of normal human descending colon, 358:657

Carayon, P., *See Duthoit, C.*

Carcedo, M.-T.
——: Iglesias, J.-M.; Bances, P.; Morgan, R. O.; Fernandez, M.-P.
Functional analysis of the human annexin A5 gene promoter: a downstream DNA element and an upstream long terminal repeat regulate transcription, 356:571

Cárdenas, M. L., *See* Cortés, A.

Carginale, V., *See* D'Auria, S.

Caride, A. J., *See* Ba-Thein, W.

Carlberg, C., *See* Quack, M.

Carlini, C. R., *See* Follmer, C.

Carlsson, R., *See* Aranburu, A.

Carpéné, C., *See* Fontana, E.

Carrega, L., *See* Di Luccio, E.

Carrière, V.
——: Lacasa, M.; Rousset, M.
Activity of hepatocyte nuclear factor 1α and hepatocyte nuclear factor 1β isoforms is differently affected by the inhibition of protein phosphatases 1/2A, 354:301

Carter, W. G., *See* Finch, A.

Cartron, J.-P., *See* Camara-Clayette, V.

Carver, J. A., *See* Lindner, R. A.

Casals, C., *See* Plasencia, I.

Cascante, M., *See* Cortés, A.; de Atauri, P.

Cascino, A., *See* Jori, F. P.

Cascino, D., *See* Agueli, C.

Casero, R. A., Jr., *See* Wang, Y.

Casey, J. R., *See* Taylor, A. M.

Casey, P. J., *See* Hightower, K. E.

Casey, R., *See* Hughes, R. K.

Cass, C. E., *See* Yao, S. Y. M.

Castagnola, M., *See* Misiti, F.

Casteilla, L., *See* Moulin, K.

Casu, B., *See* Hricovíni, M.

Catani, M. V.
——: Rossi, A.; Costanzo, A.; Sabatini, S.; Levrero, M.; Melino, G.; Avigliano, L.
Induction of gene expression via activator protein-1 in the ascorbate protection against UV-induced damage, 356:77

Cattini, P. A., *See* Norquay, L. D.

Cauda, R., *See* Matarrese, P.

Cazenave, J.-P., *See* Ulsemer, P.

Cellini, B., *See* Guidarelli, A.

Cesaro, L., *See* Donella-Deana, A.; Rigobello, M. P.

Chaib-Oukadour, I., *See* Gil, C.

Challiss, R. A. J., *See* Hermans, E.; Nash, M. S.

Chan, L., *See* Kendrick, J. S.

Chan, L., *See* Liao, W.

Chandra, A., *See* Srivastava, S.

Chandra, D., *See* Srivastava, S.

Chandraratna, R., *See* Hughes, P. J.

Chang, C.-P.
——: Chang, J.-C.; Chang, H.-H.; Tsai, W.-J.; Lo, S. J.
Positional importance of Pro^{53} adjacent to the Arg49-Gly50-Asp51 sequence of rhodostomin in binding to integrin $\alpha IIb\beta 3$, 357:57

Chang, H.-H., *See Chang, C.-P.*

Chang, J.-C., *See* Chang, C.-P.

Chang, S. C., *See* Wu, W. B.

Chang, Y.-F., *See* Lin, W.-J.

Chang, Z. F., *See* Lai, J.-M.

Chang, Z.-F., *See* Huang, D.-Y.

Chapman, J., *See* Cheng, H.

Chapman, M. J., *See* Hourton, D.; Tsoukatos, D. C.

Chapman, S. K., *See* Craig, D. H.

Charania, Z., *See* Gambling, L.

Charnock, S. J., *See* Brown, I. E.

Chase, P. B., *See* Mariano, A. C.

Chassagnole, C., *See* Raäis, B.
——: Fell, D. A.; Raäis, B.; Kudla, B.; Mazat, J.-P.
Control of the threonine-synthesis pathway in *Escherichia coli*: a theoretical and experimental approach, 356:433
——: Raäis, B.; Quentin, E.; Fell, D. A.; Mazat, J.-P.
An integrated study of theronine-pathway enzyme kinetics in *Escherichia coli*, 356:415

Chasserot-Golaz, S., *See* Ulsemer, P.

Chatelain, F., *See* Louet, J.-F.

Chauhan, R.
——: Mande, S. C.
Characterization of the *Mycobacterium tuberculosis H37Rv* alkyl hydroperoxidase AhpC points to the importance of ionic interactions in oligomerization and activity, 354:209

Chauhan, V. S., *See* Pandey, A. V.

Chayama, K., *See* Asamoto, Y.; Yasumiba, S.

Cheetham, J. J.
——: Hilfiker, S.; Benfenati, F.; Weber, T.; Greengard, P.; Czernik, A. J.
Identification of synapsin I peptides that insert into lipid membranes, 354:57

Chen, B. D.-M., *See* Lin, H.

Chen, C., *See* Lin, H.

Chen, D.-y., *See* Zhang, C.-y.

Chen, F.-Y., *See* Li, Y.-K.

Chen, H.-P., *See* Huhta, M. S.

Chen, J. F., *See* Armstrong, J. M.

Chen, L., *See* Clark, W. A.; Kiani, C.

Chen, M.
——: Narumiya, S.; Masaki, T.; Sawamura, T.
Conserved C-terminal residues within the lectin-like domain of LOX-1 are essential for oxidized low-density-lipoprotein binding, 355:289

Chen, N., *see* Berdyshev, E. V.

Chen, P., *See* Armstrong, J. M.; Plançon, S.

Chen, Y., *See* Han, W.; Mariano, A. C.

Chen, Z.
——: Eggerman, T. L.; Patterson, A. P.

© 2002 Biochemical Society

Phosphorylation is a regulatory mechanism in apolipoprotein B mRNA editing, 357:661
Cheng, D.
——: Meegalla, R. L.; He, B.; Cromley, D. A.; Billheimer, J. T.; Young, P. R.
Human acyl-CoA:diacylglycerol acyltransferase is a tetrameric protein, 359:707
Cheng, H.
——: Tchaikovskaya, T.; Tu, Y.-S. L.; Chapman, J.; Qian, B.; Ching, W.-M.; Tien, M.; Rowe, J. D.; Patskovsky, Y. V.; Listowsky, I.; Tu, C.-P. D.
Rat glutathione *S*-transferase M4–4: an isoenzyme with unique structural features including a redox-reactive cysteine-115 residue that forms mixed disulphides with glutathione, 356:403
Cheng, J., *See* Yusufi, A. N.-K.
Cheng, O. H., *See* Yoo, J.-H.
Cheung, P. C. F.
——: Trinkle-Mulcahy, L.; Cohen, P.; Lucocq, J. M.
Characterization of a novel phosphatidylinositol 3-phosphate-binding protein containing two FYVE fingers in tandem that is targeted to the Golgi, 355:113
Chiba, T., *See* Ueda, Y.
Chien, C.-S., *See* Yang, C.-M.
Chiesa, A.
——: Rapizzi, E.; Tosello, V.; Pinton, P.; de Virgillo, M.; Fogarty, K. E.; Rizzuto, R.
Recombinant aequorin and green fluorescent protein as valuable tools in the study of cell signalling, 355:1
Chimenti, L., *See* Agueli, C.
Ching, W.-M., *See* Cheng, H.
Chini, B., *See* Guzzi, F.
Chini, E. N., *See* Yusufi, A. N.-K.
Chir, J., *See* Li, Y.-K.
Chitlaru, T., *See* Cohen, O.
——: Kronman, C.; Velan, B.; Shafferman, A.
Effect of human acetylcholinesterase subunit assembly on its circulatory residence, 354:613
Chiu, C.-T., *See* Yang, C.-M.
Chmurzyńska, W., *See* Dudkowska, M.
Cho, W., *See* Stahelin, R. V.
Cho, Y.-D., *See* Lee, Y.-S.
Choi, K., *See* Park, S. W.
Choi, W., *See* Lee, Y. M.
Choi, Y.-H.
——: Ekholm, D.; Krall, J.; Ahmad, F.; Degerman, E.; Mananiello, V. C.; Movsesian, M. A.
Identification of a novel isoform of the cyclic-nucleotide phosphodiesterase PDE3A expressed in vascular smooth-muscle myocytes, 353:41
Choi, Y.-J., *See* Kim, H.
Chomey, E. G., *See* Yao, S. Y. M.
Choudhry, M. A., *See* Hughes, P. J.
Choudhury, G. G., *See* Senthil, D.
Chowdry, J., *See* Hayhurst, G. P.
Chrétien, M., *See* Mbikay, M.
Chrétien, M., *See* Basak, A.
Christensen, U., *See* Abel, M.
——: Jacobsen, N.; Rajwanshi, V. K.; Wengel, J.; Koch, T.
Stopped-flow kinetics of locked nucleic acid (LNA)-oligonucleotide duplex formation: studies of LNA-DNA and DNA-DNA interactions, 354: 481
Christie, G .R., *See* Hyde, R.
Chubb, A. J., *See* Pang, S.
Chui, C., *See* Adams, S. H.
Chun, J., *See* Kim, S.
Chung, J. S., *See* Dircksen, H.
Churchill, G. C., *See* Thomas, J. M.
Cianflone, K., *See* Scantlebury, T.
Cibelli, G., *See* Steinmüller, L.
Cicek, M., *See* Czjzek, M.
Cieniewski, C., *See* Lefebvre, T.
Ciereszko, I.
——: Johansson, H.; Kleczkowski, L. A.
Sucrose and light regulation of a cold-inducible UDP-glucose pyrophosphorylase gene via a hexokinase-indenpendent and abscisic acid-insensitive pathway in *Arabidopsis*, 354:67
Cinque, U., *See* Graack, H.-R.
Cipollaro, M., *See* Jori, F. P.
Cladaras, C., *See* Kistanova, E.
Claeyssens, M., *See* Becker, D.
Claparols, C., *See* Soulère, L.
Clark, R. A., *See* Xu, J.
Clark, W. A.
——: Jian, X.; Chen, L.; Northup, J. K.
Independent and synergistic interaction of retinal G-protein subunits with bovine rhodopsin measured by surface plasmon resonance, 358:389
Clarke, H., *See* Paz, P. E.
Clarke, J. H.
——: Letcher, A. J.; D'Santos, C. S.; Halstead, J. R.; Irvine, R. F.; Divecha, N.
Inositol lipids are regulated during cell cycle progression in the nuclei of murine erythroleukaemia cells, 357: 905
Clark-Lewis, I., *See* Black, K. M.
Clausen, J. T., *See* Albrektsen, T.; Andersen, J. N.
Claycombe, K., *See* Kim, S.
Clayton, C., *See* Helfert, S.
Clayton, P., *See* Mills, P.
Cleary, J., *See* Yowe, D.
Clément, S. A., *See* Kitta, K.
Clementi, E., *See* Riobó, N. A.
Clonis, Y. D., *See* Labrou, N. E.
Coadwell, J., *See* Evans, P. C.
Coccia, E. M.
——: Stellacci, E.; Valtieri, M.; Masella, B.; Feccia,T.; Marziali, G.; Hiscott, J.; Testa, U.; Peschle, C; Battistini, A.
Ectopic expression of interferon regulatory factor-1 potentiates granulocytic differentiation, 360:285
Cockcroft, S., *See* Bolsover, S.
Coddeville, B., *See* Guérardel, Y.
Cogé, F.
——: Guénin, S.-P.; Audinot, V.; Renouard-Try, A.; Beauverger, P.; Macia, C.; Ouvry, C.; Nagel, N.; Rique, H.; Boutin, J. A.; Galizzi, J.-P.
Genomic organization and characterization of splice variants of the human histamine H_3 receptor, 355:279
Cohen, G. M., *See* Thompson, G. J.
Cohen, O.
——: Kronman, C.; Chitlaru, T.; Ordentlich, A.; Velan, B.; Shafferman, A.
Effect of chemical modification of recombinant human acetylcholinesterase by polyethylene glycol on its circulatory longevity, 357:795
Cohen, P., *See* Cheung, P. C. F.; Frame, S.; Rena, G.; Woods, Y. L.
Cohen, P. T. W., *See* Browne, G. J.
Cohen, R. D., *See* Burns, S. P.
Cole, J., *See* Reid, E.
Cole, J. A., *See* Brigé, A.
Colemann, C. S.
——; Pegg, A. E.
Polyamine analogues inhibit the ubiquiitination of spermidine/spermine N^1-acetyltransferase and prevent its targeting to the proteasome for degradation, 358:137
Colizzi, V., *See D'Orazio, M.*
Collette, M., *See* Thabard, W.
Collings, D. A., *See* Kovar, D. R.
Collins, F. H., *See* Ranson, H.
Colman, S., *See* Adams, S. H.
Colombo, M. I., *See* Berón, W.
Combaret, L., *See* Deval, C.
Combettes, L., *See* Vallot, O.
Compe, E.
——: de Sousa, G.; François, K.; Roche, R.; Rahmani, R.; Torresani, J.; Raymondjean, M.; Planells, R.
Spot 14 protein interacts and co-operates with chicken ovalbumin upstream promoter-transcription factor 1 in the transcription of the L-type pyruvate kinase gene through a specificity protein 1 (Sp1) binding site, 358:175
Condron, M. M., *See* Walsh, D. M.
Conjard, A.
——: Martin, M.; Guitton, J.; Baverel, G.; Ferrier, B.
Gluconeogenesis from glutamine and lactate in the isolated human renal proximal tubule: longitudinal heterogeneity and lack of response to adrenaline, 360:371
Conley, E. C., *See* Thompson, G. J.
Cook, A. M., *See* Denger, K.
Cooke, E.-L.
——: Uings, I. J.; Xia, C. L.; Woo, P.; Ray, K. P.
Functional analysis of the interleukin-1-receptor-associated kinase (IRAK-1) in interleukin-1β-stimulated nuclear factor kB (NF-kB) essential modulator (NEMO) upon receptor stimulation, 359:403
Cooper, A., *See* Prior, A.
Cooper, C. E., *See* Alderton, W. K.
Cooper, G. J. S., *See* Buchanan, C. M.
Cooper, J. M., *See* Rafique, R.
Corbier, C., *See* Menchise, V.
Cormont, M.
——: Gautier, N.; Ilc, K.; Le Marchand-Brustel, Y.
Expression of a prenylation-deficient Rab4 inhibits the GLUT4 translocation induced by active phosphatidylinositol 3-kinase and protein kinase B, 356:143
Cornesse, Y., *See* Kietzmann, T.
Cornish, A. L., *See* Munday, J.
Cornish-Bowden, A., *See* Cortés, A.
Cortés, A.
——: Cascante, M.; Cárdenas, M. L.; Cornish-Bowden, A.
Relationships between inhibition constants, inhibitor concentrations for 50% inhibition and types of inhibition: new ways of analysing data, 357:263
Corti, A., *See* Scorcioni, F.
Corzo, G.
——: Escoubas, P.; Villegas, E.; Barnham, K.J.; He, W.; Norton, R. S.; Nakajima, T.
Characterization of unique amphipathic antimicrobial peptides from venom of the scorpion *Pandinus imperator*, 359:35
Costa, J., *See* Sousa, V. L.
Costa, M. T., *See* Sousa, V. L.
Costagliola, S., *See* Siffori-Fernandez, S.
Costanzo, A., *See* Catani, M. V.
Costet, P., *See* Poirier, H.; Rouimi, P.
Couchman, J. R., *See* Jeong, J.; Tapanadechopone, P.

© 2002 Biochemical Society

Coughlin, M. D., *See* Mwanjewe, J.
Couplan, E., *See* Raimbault, S.
Courtoy, P. J., *See* Rigot, V.
Cousin, B., *See* Moulin, K.
Cox, A., *See* Griffioen, A. W.
——; Arroyo, M. M.; Mayo, K. H.
Folding of βpep-4 β-sheet sandwich dimers and tetramers is influenced by aliphatic hydrophobic residues at the intersubunit interface, 357:739
Crabb, J. W., *See* Yu, Y.
Craig, D. H.
——; Barna, T.; Moody, P. C. E.; Bruce, N. C.; Chapman, S. K.; Munro, A. W.; Scrutton, N. S.
Effect of environment on flavin reactivity in morphinone reductase: analysis of enzymes displaying differential charge near the N-1 atom and C-2 carbonyl region of the active-site flavin, 359:315
Crescenzi, O., *See* D'Auria, S.
Crine, P., *See* Boileau, G.
Crocker, P. R., *See* Munday, J.
Cromley, D. A., *See* Cheng, D.
Crompton, M. R., *See* Neill, G. W.
Cron, P., *See* Myles, T.
Cross, K. J.
——; Huq, N. L.; Bicknell, W.; Reynolds, E. C.
Cation-dependent structural features of β-casein-(1–25), 356:277
Croy, C. L., *See* Ba-Thein, W.
Cruz, A., *See* Plasencia, I.
Csar, X. F., *See* McMahon, K.-A.
Cushman, S. W., *See* Lisinski, I.
Cutruzzolá, F., *See* Wilson, E. K.
Cybulsky, A. V., *See* Liu, J.
Czajkowska, H., *See* Himpel, S.
Czernik, A. J., *See* Cheetham, J. J.
Czjzek, M.
——; Cicek, M.; Zamboni, V.; Burmeister, W. P.; Bevan, D. R.; Henrissat, B.; Esen, A.
Crystal structure of a monocotyledon (maize ZMGlu1) β-glucosidase and a model of its complex with *p*-nitrophenyl β-D-thioglucoside, 354: 37

Dachà, M., *See* Guidarelli, A.
Dagher, M.-C., *See* Geiszt, M.
Dagorn, J. C., *See* García-Montero, A. C.
Dahmen, S., *See* Weiskirchen, R.
D'Alessio, G., *See* Di Gaetano, S.
Dancker, P., *See* Wagner, O.
Dani, C., *See* Moulin, K.
Danielisova, V., *See* Martín de la Vega, C.
Danielsen, E. M., *See* Riemann, D.
Daniotti, J. L., *See* Zurita, A. R.
Danker, K., *See* Löster, K.
Dano, K., *See* Hoyer-Hansen, G.
Danzeisen, R., *See* Gambling, L.
Daosukho, C., *See* Kiningham, K. K.
Das, N.
——; Levine, R. L.; Orr, W. C.; Sohal, R. S.
Selectivity of protein oxidative damage during aging in *Drosophila melanogaster,* 360:209
Datta, K., *See* Kehrer, J. P.
Daufeldt, S., *See* Dircksen, H.
D'Auria, S.
——; Carginale, V.; Scudiero, R.; Crescenzi, O.; Di Maro, D.; Temussi, P. A.; Parisi, E.; Capasso, C.
Structural characterization and thermal stability of *Nototheniа coriiceps* metallothionein, 354:291
Davalli, P., *See* Scorcioni, F.
Davidson, G., *See* Magnuson, T. S.
Davies, A. R. L., *See* Hawtin, S. R.
Davies, G. J., *See* Brown, I. E.
Davies, J. R., *See* Svitacheva, N.
Davies-Cox, E. V.
——; Laffafian, I.; Hallett, M. B.
Control of Ca^{2+} influx in human neutrophils by inositol 1,4,5-trisphosphate $(IP)_3$ binding: differential effects of micro-injected IP_3 receptor antagonists, 355:139
Davis, S. K., *See Mao, J.*
Davis, W., *See* Finch, A.
Dawson, M., *See* Briggs, L. J.
De, S., *See* Hightower, K. E.
Deak, M., *See* Thomas, C. C.
De Arriaga, D., *See* Bravo, I. G.
de Atauri, P.
——; Acerenza, L.; Kholodenko, B. N.; de la Iglesia, N.; Guinovart, J. J.; Agius, L.; Cascante, M.
Occurrence of paradoxical or sustained control by an enzyme when overexpressed: necessary conditions and experimental evidence with regard to hepatic glucokinase, 355:787
Debrauwer, L., *See* Rouimi, P.
Debyser, W., *See* Gebruers, K.
Decaux, J.-F., *See* Louet, J.-F.
de Crom, R., *See* Lie, J.
Deeni, Y. Y., *See* Ding, S.
Degand, P., *See* Tetaert, D.
Degerman, E., *See* Choi, Y.-H.
de Graaf, M.
——; van Veen, I. C.; van der Meulen-Muileman, I. H.; Gerritsen, W. R.; Pinedo, H. M.; Haisma, H. J.
Cloning and characterization of human liver cytosolic-β-glycosidase, 356:907
de Groot, H., *See* Petrat, F.
Dekker, L. V., *See* López-Lluch, G.
de la Cera, T., *See* Rodríguez, A.
de la Iglesia, N., *See* de Atauri, P.; García-Rocha, M.
de la Salle, C., *See* Ulsemer, P.
Delcour, J. A., *See* Gebruers, K.
Delerive, P., *See* Hourton, D.
Delgado, J., *See* Megías, A.
Delgado, R., *See* Otero, K.
Delibegovic, M., *See* Browne, G. J.
Dell, H., *See* Kistanova, E.
Deloménie, C., *See* Rodrigues-Lima, F.
de los Pinos, E.
——; Fernández de Mattos, S.; Joaquin, M.; Tauler, A.
Insulin inhibits glucocorticoid-stimulated L-type 6-phosphofructo-2-kinase/fructose-2,6 bisphosphatase gene expression by activation of the c-Jun N-terminal kinase pathway, 353:267
De Lucia, F.
——; Lorain, S.; Scamps, C.; Galisson, F.; Machold, J.; Lipinski, M.
Subnuclear localization and mitotic phosphorylation of HIRA, the human homologue of *Saccharomyces cerevisiae* transcriptional regulators Hir1p/Hir2p, 358:447
Demoulin, J.-B., *See* Lejeune, D.
Dempsey, M. J., *See* Patel, D.
Deng, F.-M., *See* Liang, F.-X.
Denger, K.
——; Ruff, J.; Rein, U.; Cook, A. M.
Sulphoacetaldehyde sulpho-lyase (EC 4.4.1.12) from *Desulfonispora thiosulfatigenes:* purification, properties and primary sequence, 357:581
Denis, S., *See* Magrangeas, F.
Denjean, F., *See* Raimbault, S.
De Petrocellis, L., *See* Di Marzo, V.
Dernedde, J., *See* Harms, G.
de Rocquigny, H., *See* Luciani, N.
De Sanctis, R., *See* Guidarelli, A.
DesGroseillers, L., *See* Boileau, G.
Desiderio, D. M., *See* Liliom, K.
De Smedt, H., *See* Bultynck, G.
De Smet, P., *See* Bultynck, G.
de Sousa, G., *See* Compe, E.
de Tullio, R., *See* Averna, M.
Deval, C.
——; Mordier, S.; Obled, C.; Bechet, D.; Combaret, L.; Attaix, D.; Ferrara, M.
Identification of cathepsin L as a differentially expressed message associated with skeletal muscle wasting, 360:143
Devereux, W., *See* Wang, Y.
Devinoy, E., *See* Millot, B.
de Virgillo, M., *See* Chiesa, A.
Devonshire, A. L., *See* Walsh, S. B.
De Waard, M., *See* Di Luccio, E.
DeWald, D. B., *See* Stratford, S.
de Weerd, W. F. C., *See* Lamb, M. E.
De Wever, V., *See* Bergsma, J. C. T.
de Winde, J. H., *See* Bergsma, J. C. T.
Dharmavaram, R., *See* Stokes, D. G.
Di, C., *See* Han, W.
Dianzani, U., *See* Piccinini, M.
Díaz-Guerra, M., *See* Garcia-Gallo, M.
DiBattista, E. R., *See* Wiebe, C. A.
Dickens, M., *See* Finn, S. G.
Didierjean, C., *See* Menchise, V.
Di Gaetano, S.
——; D'Alessio, G.; Piccoli, R.
Second generation antitumour human RNase: significance of its structural and functional features for the mechanism of antitumour action, 358:241
Di Ilio, C., *See* Tamburro, A.
Di Luccio, E.
——; Azulay, D.-O.; Regaya, I.; Fajloun, Z.; Sandoz, G.; Mansuelle, P.; Kharrat, R.; Fathallah, M.; Carrega, L.; Estéve, E.; Rochat, H.; De Waard, M.; Sabatier, J.-M.
Parameters affecting *in vitro* oxidation/folding of naurotoxin, a four-disulphide-bridged scorpion toxin, 358:681
Di Maro, D., *See* D'Auria, S.
Di Martino, E., *See* Molina, A.
Di Marzo, V.
——; Melck, D.; Orlando, P.; Bisogno, T.; Zagoory, O.; Bifulco, M.; Vogel, Z.; De Petrocellis, L.
Palmitoylethanolamide inhibits the expression of fatty acid amide hydrolase and enhances the anti-proliferative effect of anandamide in human breast cancer cells, 358:249
Ding, S.
——; Yao, D.; Deeni, Y. Y.; Burchell, B.; Wolf, C. R.; Friedberg, T.
Human NADPH-P450 oxidoreductase modultes th level of cytochrome P450 CYP2D6 holoprotein via haem oxygenase-dependent and independent pathways, 356:613
Dinser, R., *See* Zaucke, F.
Dircksen, H.
——; Böcking, D.; Heyn, U.; Mandel, C.; Chung, J. S.; Baggerman, G.; Verhaert, P.; Daufeldt, S.; Plösch, T.; Jaros, P. P.; Waelkens, E.; Keller, R.; Webster, S. G.
Crustacean hyperglycaemic hormone (CHH)-like peptides and CHH-precursor-related peptides from pericardial organ neurosecretory cells in the shore crab, *Carcinus maenas,* are putatively spliced and modified products of multiple genes, 356:159
d'Ischia, M., *See* Palumbo, A.
Dissing, S., *See* Looms, D. K.

© 2002 Biochemical Society

Divecha, N., *See* Clarke, J. H.; Meijer, H. J. G.
Divne, C., *See* Becker, D.
Dixit, B. L., *See* Srivastava, S.
Dixon, H. B. F., *See* Smith, G. A.
Dobner, T., *See* Kzhyshkowska, J.
Dobrucki, J., *See* Kasza, A.
Doege, H.
——; Bocianski, A.; Scheepers, A.; Axer, H.; Eckel, J.; Joost, H.-G.; Schürmann, A.
Characterization of human glucose transporter (GLUT) 11 (encoded by *SCL2A11*), a novel sugar-transport facilitator specifically expressed in heart and skeletal muscle, 359:443, Correction, 358:791
Doel, J. J., *See* Godber, B. L. J.
Doeswijk-Voragen, C. H. L., *See* Beylot, M.-H.
Doi, K., *See* Tsang, S. H.
Dolden, T. A., *See* Walsh, S. B.
Dominczak, A. F., *See* MacKenzie, C. J.
Dominguez, D.
——; Kislig, E.; Altmann, M.; Trachsel, H.
Structural and functional similarities between the central eukaryotic initiation factor (eIF)4A-binding domain of mammalian eIF4G and the eIf4A-binding domain of yeast eIF4G, 355:223
Donaton, M. C. V., *See* Bergsma, J. C. T.
Donella-Deana, A., *See* Rigobello, M. P.
——; Cesaro, L.; Sarno, S.; Brunati, A. M.; Ruzzene, M.; Pinna, L. A.
Autocatalytic tyrosine-phosphorylation of protein kinase CK2 α and α' subunits: implication of Tyr^{182}, 357: 563
Dong, Z., *see Berdyshev, E. V.; Nishiyama, J.*
Donnet, C., *See* Sweadner, K. J.
D'Orazio, M.
——; Folcarelli, S.; Mariani, F.; Colizzi, V.; Rotilio, G.; Battistoni, A.
Lipid modification of the Cu,Zn superoxide dismutase from *Mycobacterium tuberculosis*, 359:17
Dörner, A., *See* Vyssokikh, M. Y.
Dorner, F., *See* Plaimauer, B.
Doucet, J., *See* Provost, P.
Dove, S. K., *See* Westergren, T.
Dowd, C. A., *See* Sheehan, D.
Dowd, P., *See* Adams, S. H.
Dowler, S., *See* Thomas, C. C.
Downes, C. P., *See* Leslie, N. R.; Walker, S. M.
Draeger, A., *See* Walker, A. J.
Dransfeld, O.
——; Rakatzi, I.; Sasson, S.; Gruzman, A.; Schmitt, M.; Häussinger, D.; Eckel, J.
Eicosanoids participate in the regulation of cardiac glucose transport by contribution to a rearrangement of actin cytoskeletal elements, 359:47
Drayson, M., *See* Hughes, P. J.
Dreyfus, F., *See* Lopez, I.
Dridi, S., *See* Raimbault, S.
Drombrowski, F., *See* vom Dahl, S.
Drøbak, B. K., *See* Kovar, D. R.
Drucker, D. J., *See* Lefebvre, D. L.
D'Santos, C. S., *See* Clarke, J. H.
Du, G. G.
——; Oyamada, H.; Khana, V. K.; MacLennan, D. H.
Mutations to Gly^{2370}, Gly^{2373} or Gly^{2375} in malignant hyperthermia domain 2 decrease caffeine and cresol sensitivity of the rabbit skeletal-muscle Ca^{2+}-release channel (ryanodine receptir isoform 1), 360:97
Du, X.
——; Jiang, Y.; Qian, W.; Lu, X.; Walsh, J. P.
Fatty acids inhibit growth-factor-induced diacylglycerol kinase α activation in vascular smooth-muscle cells, 357:275
Duchamp, C., *See* Raimbault, S.
Duda, P. W., *See* Bissig, K.-D.
Dudkowska, M.
——; Stachurska, A.; Chmurzyńska, W.; Grzelakowska-Sztabert, B.; Manteuffel-Cymborowska, M.
Cross-talk between steroid-receptor-mediated and cell-membrane-receptor-mediated signalling pathways results in the *in vivo* modulation of c-Met and ornithine decarboxylase gene expression in mouse kidney, 353:317
Dugail, I., *See* Kim, S.
Duggleby, R. G., *See* Pang, S. S.
Duine, J. A., *See* Sato, A.
Dulin, N. O.
——; Orlov, S. N.; Kitchen, C. M.; Voyno-Yasenetskaya, T. A.; Miano, J. M.
G-protein-coupled-receptor activation of the smooth muscle calponin gene, 357:587
Dumaz, N., *See* Hjerrild, M.
——; Milne, D. M.; Jardine, L. J.; Meek, D. W.
Critical roles for the serine 20, but not the serine 15, phosphorylation site and for the polyproline domain in regulating p53 turnover, 359:459
Dumville, J. C., *See* Fry, S. C.
Dundr, M.
——; Misteli, T.
Functional architecture in the cell nucleus, 356:297
Dunn, M. A., *See* Keresztessy, Z.
Dupret, J.-M., *See* Rodrigues-Lima, F.
Duprez, V., *See* Lopez, I.
Durand-Gorde, J.-M., *See* Duthoit, C.
Durante, W., *See* Ensenat, D.
Durham, J., *See* Hughes, P. J.
Duronio, V., *See* Schubert, K. M.
Durrant, M. C.
——; Controlled protonation of iron-molybdenum cofactor by nitrogenase: a structural and theoretical analysis, 355:569
Durrington, P. N., *See* Rodrigo, L.
Duthoit, C.
——; Estienne, V.; Giraud, A.; Durand-Gorde, J.-M.; Rasmussen, A. K.; Feldt-Rasmussen, U.; Carayon, P.; Ruf, J.
Hydrogen peroxide-induced production of a 40 kDa immunoreactive thyroglobulin fragment in human thyroid cells: the onset of thyroid autoimmunity?, 360:557
Dziadek, M. A., *See* Williams, R. T.

Eady, R. R., *See* Prudêncio, M.
East, J. M., *See* Lee, A. G.
Eaves, D. J., *See* Reid, E.
Ebner, M., *See* Mwanjewe, J.
Eckel, J., *See* Doege, H.; Dransfeld, O.
Edge, M. D., *See* Patel, D.
Edgerton, S. A. V., *See* Tan, T. H. P.
Edwards, D. R., *See* Lafleur, M. A.
Edwards, M., *See* Muangmoonchai, R.
Edwards, P. N., *See* Franklin, T. J.
Edwardson, J. M., *See* Hodel, A.
Eeckhout, Y., *See* Rigot, V.
Eggerman, T. L., *See* Chen, Z.
Egglezou, S., *See* Lu, X.; Wattam, B.
Ehlers, M. R. W., *See* Pang, S.
Ehnholm, C., *See* Lie, J.
Eichstetter, I., *See* Ghiselli, G.
Eickel, A., *See* Liliom, K.
Eid, J.-P., *See* Williams, R. T.
Eidenmüller, J.
——; Fath, T.; Maas, T.; Pool, M.; Sontag, E.; Brandt, R.
Phosphorylation-mimicking glutamate clusters in the proline-rich region are sufficient to simulate the functional deficiencies of hyperphosphorylated tau protein, 357:759
Eigenbrodt, E., *See* Mazurek, S.
Eimre, M., *See* Saks, V. A.
Eirmbter, K., *See* Himpel, S.
Eis, C., *See* Nidetzky, B.
——; Watkins, M.; Prohaska, T.; Nidetzky, B.
Fungal trehalose phosphorylase: kinetic mechanism, pH-dependence of the reaction and some structural properties of the enzyme from *Schizophyllum commune*, 356:757
Eisenthal, R., *See* Godber, B. L. J.
Ek, B., *See* Haglund, Å. C.
Ek, P., *See* Haglund, Å. C.
Ekholm D., *See* Choi, Y.-H.
El Hadri, K., *See* Mercier, N.
Elliot, R. M., *See* Briggs, L. J.
Elliott, J. L.
——; Saliba, K. J.; Kirk, K.
Transport of lactate and pyruvate in the intraeryhrocytic malaria parasite, *Plasmodium falciparum*, 355:733
Ellis, P. D.
——; Hadfield, K. M.; PAscall, J. C.; Brown, K. D.
Heparin-binding epidermal-growth-factor-like growth factor gene expression is induced by scrape-wounding epithelial cell monolayers: involvement of mitogen-activatied protein kinase cascades, 354:99
Ellis, S. L., *See* O'Malley, C. J.
Ellis, S. W., *See* Hayhurst, G. P.
Elsasser, S., *See* Jang, S.-W.
Elson, A., *See* Andersen, J. N.
Emami, K., *See* Beylot, M.-H.
Endou, H., *See* Nii, T.
Engel, W., *See* Grzmil, P.
Engle, P. C., *See* Goyal, A.
Englund, P. T., *See* Jiang, D. W.
Enguita, F., *See* Sousa, V. L.
Engwerda, C., *See* Tan, T. H. P.
Enouf, J., *See* Kovács, T.
Ensenat, D.
——; Hassan, S.; Reyna, S. V.; Schafer, A. I.; Durante, W.
Transforming growth factor-β1 stimulates vascular smooth muscle cell L-proline transport by inducing system A amino acid transporter 2 (SAT2) gene expression, 360:507
Enyedi, A., *See* Ba-Thein, W.; Kovács, T.
Erdel, M., *See* Weiskirchen, R.
Errada, P., *See* Yowe, D.
Escande, F.
——; Aubert, J.-P.; Porchet, N.; Buisine, M.-P.
Human mucin gene *MUC5AC*: organization of its 5′-region and central repetitive region, 358:763
Escoubas, P., *See* Corzo, G.
Esen, A., *See* Czjzek, M.
Espartero, J. L., *See* Rodríguez-Carvajal, M. A.
Estéve, E., *See* Di Luccio, E.
Estévez, A. M., *See* Helfert, S.
Estienne, V., *See* Duthoit, C.
Eto, T., *See* Amano, T.
Etzerodt, M., *See* Andersen, O. M.
Evans, D. R. H., *See* Myles, T.
Evans, J. S., *See* Sharma, P.
Evans, P. C.

© 2002 Biochemical Society

——: Taylor, E. R.; Coadwell, J.; Heyninck, K.; Beyaert, R.; Kilshaw, P. J.
Isolation and characterization of two novel A20-like proteins, 357:617
Exton, J. H., *See* Cai, S.

Fabian, M. J., *See* Liliom, K.
Fabisiak, J. P., *See* Liu, S.-X
Fabry, M., *See* Flörke, R.-R.
Fadel, B. M., *See* Boutet, S. C.
Fagerström, B. R., *See* Becker, D.
Fairhurst, S. A., *See* Hughes, R. K.
Fajloun, Z., *See* Di Luccio, E.
Falany, C. N., *See* Tsoi, C.
Falvey, E., *See* Kistanova, E.
Fando, J. L., *See* Martín de la Vega, C.
Fang, J., *See* Han, Q.
Farber, D. B., *See* Tsang, S. H.
Farkaš, V., *See* Steele, N. M.
Faron, L., *See* Yowe, D.
Farris, J., *See* Kim, H.
Fath, T., *See* Eidenmüller, J.
Fathallah, M., *See* Di Luccio, E.
Fattori, M., *See* Stefanelli, C.
Faulkner, J. L., *See* Senthil, D.
Faure, J., *See* Geiszt, M.
Favaloro, B., *See* Tamburro, A.
Favatier, F.
——: Polla, B. S.
Tobacco-smoke-inducible human haem oxygenase-1 gene expression: role of distinct transcription factors and reactive oxygen intermediates, 353: 475
Febbraio, M., *See* Teboul, L.
Feccia, T., *See* Coccia, E. M.
Federwisch, M., *See* Flörke, R.-R.
Fedriani, C., *See* Ramos-Morales, F.
Feith, D. J., *See* Shantz, L. M.
Feldt-Rasmussen, U., *See* Duthoit, C.
Felföldi, F., *See* Kovács, T.
Fell, D. A., *See* Chassagnole, C.; Raäis, B.
Feltz, A., *See* Mouton, J.
Fernandez, M.-P., *See* Carcedo, M.-T.
Fernández, S., *See* de los Pinos, E.
Fernández-Novell, J. M., *See* García-Rocha, M.
Ferrara, M., *See* Deval, C.; Tournu, C.
Ferrari, D. M., *See* Kramer, B.
Ferraris, R. P.
——: Dietary and developmental regulation of intestinal sugar transport, 360:265
Ferreira, G. C., *See* Franco, R.
Ferrer, J. C., *See* García-Rocha, M.
Ferrero, M., *See* Bravo, I. G.
Ferrier, B., *See* Conjard, A.
Ferro, M., *See* Canuto, R. A.
Fertala, A., *See* Li, S.-W.
Fève, B., *See* Mercier, N.
Fialho, A., *See* Videira, P.
Fidge, N., *See* Sviridov, D.
Fielding, C., *See* Sviridov, D.
Figler, H., *See* Armstrong, J. M.
Filippi, C., *See* Sibille, B.
Fillon, S., *See* Bröer, A.
Filoteo, A. G., *See* Ba-Thein, W.
Finbow, M. E., *See* Shore, L.
Finch, A.
——: Davis, W.; Carter, W. G.; Saklatvala, J.
Analysis of mitogen-activated protein kinase pathways ued by interleukin 1 in tissues *in vivo*: activation of hepatic c-Jun N-terminal kinase 1 and 2 mitogen-activated protein kinase kinases 4 and 7, 353:275
Fincher, G. B., *See* Lee, R. C.
Fink, S., *See* Armstrong, J. M.
Finn, S. G.
——: Dickens, M.; Fuller, S. J.
c-Jun N-terminal kinase-interacting protein 1 inhibits gene expression in response to hypertrophic agonists in neonatal rat ventricular myocytes, 358:489
Fiorani, M., *See* Guidarelli, A.
Fischer, M., *See* Tintrup, H.
Fischer, P., *See* Sommer, A.
Fischer, S. M., *See* Kehrer, J. P.
Fixman, E. D., *See* Bisotto, S.
Flamigni, F., *See* Stefanelli, C.
Flanagan, J. U., *See* Jowsey, I. R.
Fleck, E., *See* Saks, V. A.
Fleckner, J., *See* Albrektsen, T.
Fliegel, L., *See* Wiebe, C. A.
Flockerzi, V., *See* Trost, C.
Florin-Christensen, J., *See* Wainszelbaum, M.
Florin-Christensen, M., *See* Wainszelbaum, M.
Flörke, R.-R.
——: Schnaith, K.; Passlack, W.; Wichert, M.; Kuehn, L.; Fabry, M.; Federwisch, M.; Reinauer, H.
Hormone-triggered conformational changes within the insulin-receptor ectodomain: requirement for transmembrane anchors, 360:189
Floyd, H., *See* Munday, J.
Fogarty, K. E., *See* Chiesa, A.
Folcarelli, S., *See* D'Orazio, M.
Foley, V. M., *See* Sheehan, D.
Follmer, C.
——: Barcellos, G. B. S.; Zingali, R. B.; Machado, O. L. T.; Alves, E. W.; Barja-Fidalgo, C.; Guimarães; Carlini, C. R.
Canatoxin, a toxic protein from jack beans *(Canavalia ensiformis)*, is a variant form of urease (EC 3.5.1.5): biological effects or urease independent of its ureolytic activity, 360:217
Follows, E. R.
——: McPheat, J. C.; Minshull, C.; Moore, N. C.; Pauptit, R. A.; Rowsell, S.; Stacey, C. L.; Stanway, J. J.; Taylor, I. W. F.; Abbott, W. M.
Study of the interaction of the medium chain $\mu 2$ subunit of the clathrin-associated adapter protein complex 2 with cytotoxic T-lymphocyte antigen 4 and CD28, 359:427
Fontaine, E., *See* Sibille, B.
Fontaine, M.-L., *See* Millot, B.
Fontana, E.
——: Boucher, J.; Marti, L.; Lizcano, J. M.; Testar, X.; Zorzano, A.; Carpéné, C.
Amine oxidase substrates mimic several of the insulin effects on adipocyte differentiation in 3T3 F442A cells, 356:769
Fontenay-Roupie, M., *See* Lopez, I.
Forstner, J. F., *See* Bell, S. L.
Foster, D. N., *See* Kim, H.
Foster, L. K., *See* Kim, H.
Fox, E. J.
——: Wright, S. C.
S-phase-specific expression of the *Mad3* gene in proliferating and differentiating cells, 359:361
Fox, J. E., *See* Goy, M. F.
Fox, K. R., *See* Brown, J.
Frame, S.
——: Cohen, P.
GSK3 takes centre stage more than 20 years after its discovery, 359:1
Franc, J.-L., *See* Siffori-Fernandez, S.
Franceschetti, M.
——: Hanfrey, C.; Scaramagli, S.; Torrigiani, P.; Bagni, N.; Burtin, D.; Michael, A. J.
Characterization of monocot and dicot plant S-adenosyl-L-methionine decarboxylase gene familes including identification in the mRNA of a highly conserved pair of upstream overlapping open reading frames, 353:403
Franco, R.
——: Pereira, A. S.; Tavares, P.; Mangravita, A.; Barber, M. J.; Moura, I.; Ferreira, G. C.
Substitution of murine ferrochelatase glutamate-287 with glutamine or alanine leads to porphyrin substrate-bound variants, 356:217
François, K., *See* Compe, E.
Frank, S. J., *See* Tu, Y.
Franklin, I. K.
——: Winz, R. A.; Hubbard, M. J.
Endoplasmic reticulum Ca^{2+}-ATPase pump is upregulated in calcium-transporting dental enamel cells: a non-housekeeping role for SERCA2b, 358:217
Franklin, T. J.
——: Morris, W. P.; Edwards, P. N.; Large, M. S.; Stephenson, R.
Inhibition of prolyl 4-hydroxylase *in vitro* and *in vivo* by members of a novel series of phenanthrolinones, 353:333
Fransen, M., *See* Amery, L.
Frederic, M., *See* Wetzer, B.
Freedman, R. B., *See* Klappa, P.
Freestone, N. S., *See* Smith, G. A.
Frei, K., *See* Bolliger, M. F.
Freissmuth, M., *See* Klinger, M.
Frenois, F., *See* Lemaitre, N.
Fresu, M.
——: Bianchi, M.; Parsons, J. T.; Villa-Moruzzi, E.
Cell-cycle-dependent association of protein phosphatase 1 and focal adhesion kinase, 358:407
Freulon, I.
——: Roche, A.-C.; Monsigny, M.; Mayer, R.
Delivery of oligonucleotides into mammalian cells by anionic peptides: comparison between monomeric and dimeric peptides, 354:671
Frey, A., *See* Pantke, M. M.
Friedberg, T., *See* Ding, S.
Friedlein, A., *See* Wyss, A.
Friedrich, B., *See* Bröer, A.
Friguet, B., *See* Petropoulos, I.
Fritchley, S. J., S., SeeAli
Fry, S. C., *See* Steele, N. M.
——: Dumville, J. C.; Miller, J. G.
Fingerprinting of polysaccharides attacked by hydroxyl radicals *in vitro* and in the cell walls of ripening pear fruit, 357:729
Fu, Y.
——: Porres, J. M.; Lei, X. G.
Comparative impacts of glutathione peroxidase-1 gene knockout on oxidative stress induced by reactive oxygen and nitrogen species in mouse hepatocytes, 359:687
Fuchs, H.
——: Gessner, R.
The result of equilibrium-constant calculations strongly depends on the evaluation method used and on the type of experimental errors, 359:411
Fujiki, Y., *See* Harano, T.; Tamura, S.
Fujimiya, T., *See* Aki, T.
Fujisawa, K., *See* Noma, T.
Fukasawa, K., *See* Fukasawa, K.
Fukasawa, K. M.
——: Fukasawa, K.; Higaki, K.; Shiina, N.; Ohno, M.; Ito, S.; Otogoto, J.; Ota, N.

© 2002 Biochemical Society

Cloning, and functional expression of rat kidney dipeptidyl peptidase II, 353:283
Fukiharu, M., *See* Oda, K.
Fukuda, M.
——: Mikoshiba, K.
Characterization of KIAA1427 protein as an atypical synaptotagmin (Syt XIII), 354:249
The N-terminal cysteine cluster is essential for membrane targeting of B/K protein, 360:441
Fukui, Y., *See* Kobayashi, S.
Fulceri, R., *See* Leuzzi, R.
Fuller, K. J., *See* Woodfield, R. J.
Fuller, S. J., *See* Finn, S. G.
Funahashi, H., *See* Kikumori, T.
Fürstenberger, G., *See* Siebert, M.
Furutani, M., *See* Ideno, A.

Gabius, H.-J., *See* Wu, A. M.
Gaggero, D., *See* Sparatore, B.
Gagnon, J., *See* Tetaert, D.
Gaillard, D., *See* Teboul, L.
Gair, S., *See* Gambling, L.
Gaitanou, M.
——: Buanne, P.; Pappa, C.; Georgopoulou, N.; Mamalaki, A.; Tirone, F.; Matsas, R.
Cloning, expression and localization of human BM88 shows that it maps to chromosome 11p15.5, a region implicated in Beckwith-Wiedemann syndrome and tumorigenesis, 355: 715
Galderisi, U., *See* Jori, F. P.
Galetto, R.
——: Albajar, M.; Polanco, J. I.; Zakin, M. M.; Rodríguez-Rey, J. C.
Identification of a peroxisome-proliferator-activated-receptor response element in the apolipoprotein E gene control region, 357:521
Galione, A., *See* Thomas, J. M.
Galisson, F., *See* De Lucia, F.
Galizzi, J.-P., *See* Cogé, F.
Galkina, S. I., *See* Sud'ina, G. F.
Gallacher, D. V., *See* Harmer, A. R.
Gallego, F., *See* Campos, N.
Gambardella, L., *See* Matarrese, P.
Gambling, L.
——: Danzeisen, R.; Gair, S.; Lea, R. G.; Charania, Z.; Solanky, N.; Joory, K. D.; Srai, S. K. S.; McArdle, H. J.
Effect of iron deficiency on placental transfer of iron and expression of iron transport proteins *in vivo* and *in vitro*, 356:883
Ganapathy, V., *See* Bröer, A.
Gancedo, J. M., *See* Zaragoza, O.
Gandrille, S., *See* Borgel, D.
Gangar, A.
——: Karande, A. A.; Rajasekharan, R.
Purification and characterization of acyl-acryl carrier protein synthetase from oleaginous yeast and its role in triacylglycerol biosynthesis, 360:471
Gange, C., *See* Maksel, D.
Gangloff, A.
——: Garneau, A.; Huang, Y.-W.; Yang, F.; Lin, S.-X.
Human oestrogenic 17β-hydroxysteroid dehydrogenase specificity: enzyme regulation through an NADPH-dependent substrate inhibition towards the highly specific oestrone reduction, 356:269
Ganley, I. G.
——: Walker, S. J.; Manifava, M.; Li, D.; Brown, H. A.; Ktistakis, N. T.
Interaction of phospholipase D1 with a casein-kinase-2-like serine kinase, 354:369
Gao, S., *See* Ren, X.
Gao, Y., *See* Sharma, P.
Garbay, C., *See* Borgel, D.
García-Borrón, J. C., *See* Olivares, C.
Garcia-Cánovas, F., *See* Hernandez-Ruiz, J.
García Flores, C.
——: Aguilar, R.; Reyes de la Cruz, H.; Albores, M.; Sánchez de Jiménez, E.
A maize insulin-like growth factor signals to a transduction pathway that regulates protein synthesis in maize, 358:95
Garcia-Gallo, M.
——: Renart, J.; Díaz-Guerra, M.
The NR1 subunit of the *N*-methyl-D-aspartate receptor can be efficiently expressed alone in the cell surface of mammalian cells and is required for the transport of the NR2A subunit, 356:539
García-Montero, A. C.
——: Vasseur, S.; Giono, L. E.; Canepa, E.; Moreno, S.; Dagorn, J. C.; Iovanna, J. L.
Transforming growth factor β-1 enhances Smad transcriptional activity through activation of p8 gene expression, 357:249
García-Rocha, M.
——: Roca, A.; de la Iglesia, N.; Baba, O.; Fernández-Novell, J. M.; Ferrer, J. C.; Guinovart, J. J.
Intracellular distribution of glycogen synthase and glycogen in primary cultured rat hepatocytes, 357:17
Garneau, A., *See* Gangloff, A.
Gasmi, L.
——: McLennan, A. G.
The mouse *Nudt7* gene encodes a peroxisomal nudix hydrolase specific for coenzyme A and its derivatives, 357:33
Gattegno, L., *See* Atemezem, A.
Gaussem, P., *See* Borgel, D.
Gautier, N., *See* Cormont, M.
Gawdi, G., *See* Gonzalez-Gronow, M.
Gayler, K. R., *See* Maksel, D.
Ge, L., *See* Zhang, L.
Ge, Y.
——: Konrad, M. A.; Matherly, L. H.; Taub, J. W.
Transcriptional regulation of the human cystathionine β-synthase-1b basal promoter: synergistic transactivation by transcription factors NF-Y and Sp1/Sp3, 357:97
Gebruers, K.
——: Debyser, W.; Goesaert, H.; Proost, P.; Van Damme, J.; Delcour, J. A.
Triticum aestivum L. endoxylanase inhibitor (TAXI) consists of two inhibitors, TAXI I TAXI II, with different specificities, 353:239
Geesey, G. G., *See* Magnuson, T. S.
Geiger, M., *See* Mwanjewe, J.
Geiszt, M.
——: Dagher, M.-C.; Molnár, G.; Havasi, A.; Faure, J.; Paclet, M.-H.; Morel, F.; Ligeti, E.
Characterization of membrane localized and cytosolic Rac GTPase-activating proteins in human neutrophil granulocytes: contribution to the regulation of NADPH oxidase, 355:851
Gendron, M.-C.
——: Schrantz, N.; Métivier, D.; Kroemer, G.; Maciorowska, Z.; Sureau, F.; Koester, S.; Petit, P. X.
Oxidation of pyridine nucleotides during Fas-and ceramide-induced apoptosis in Jurkat cells: correlation with changes in mitochondria, glutathione depletion, intracellular acidification and caspase 3 activation, 353:357, Correction, 354: 727
Georgopoulou, N., *See* Gaitanou, M.
Geraci, F., *See* Agueli, C.
Gerber, G. E., *See* Yoo, J.-H.
Geremia, R. A., *See* Videira, P.
Gerisch, G., *See* Provost, P.
Gerritsen, W. R., *See* de Graaf, M.
Gessner, R., *See* Fuchs, H.
Ghiselli, G.
——: Eichstetter, I.; Iozzo, R. V.
A role for the perlecan protein core in the activation of the keratinocyte growth factor receptor, 359:153
Giardina, B., *See* Misiti, F.
Gibbs, M. D., *See* Sunna, A.
Gibson, R. M.
——: Wilson-Delfosse, A. L.
RhoGDI-binding-defective mutant of Cdc42Hs targets to membranes and activates filopodia formation but does not cycle with the cytosol of mammalian cells, 359:285
Gierse, J. K., *See* Walker, M. C.
Giese, B., *See* Pflanz, S.
Gietz, R. D., *See* Norquay, L. D.
Gil, C.
——: Chaib-Oukadour, I., Blasi, J.; Aguilera, J.
H_c fragment (C-terminal portion of the heavy chain) of tetanus toxin activates protein kinase C isoforms and phosphoproteins involved in signal transduction, 356:97
Gilbert, H. J., *See* Beylot, M.-H.; McKie V. A.
Gill, C. A., *See* Travers, M. T.
Gillooly, D. J.
——: Simonsen, A.; Stenmark, H.
Cellular functions of phosphatidylinositol 3-phosphate and FYVE domain proteins, 355: 249
Gil-Serrano, A. M., *See* Rodríguez-Carvajal, M. A.
Gincel, D.
——: Zaid, H.; Soshan-Barmatz, V.
Calcium binding and translocation by the voltage-dependent anion channel: a possible regulatory mechanism in mitochondrial function, 358:147
Gingras, D., *See* Annabi, B.
Gingras, D., *See* Annabi, B.
Giono, L. E., *See* García-Montero, A. C.
——: Varone, C. L.; Cánepa, E. T.
5-Aminolaevulinate synthase gene promoter containes two cAMP-response element (CRE-)like sites that confer positive and negative responsiveness to CRE-binding protein (CREB), 353:307
Giordano, A., *See* Jori, F. P.
Giraldo, P., *See* Marzo, I.
Giralt, M., *See* Pedraza, N.
Girard, J., *See* Louet, J.-F.
Giraud, A., *See* Duthoit, C.; Siffori-Fernandez, S.
Giudice, G., *See* Agueli, C.
Giulivi, C., *See* Steffen, M.
Gleeson, P. A., *See* Opat, A. S.; Teasdale, R. D.
Gleiter, S., *See* Stubenrauch, K.
Gliki, G.
——: Abu-Ghazaleh, R.; Jezequel, S.; Wheeler-Jones, c.; Zachary, I.
Vascular endothelial growth factor-induced prostacyclin production is mediated by protein kinase C

© 2002 Biochemical Society

(PKC)-dependent activation of extracellular signal-regulated protein kinase 1 and 2 involving PKC-δ and by mobilization of intracellular Ca^{2+}, 353:503
Glimour, S. K., *See Shore, L.*
Gloor, S. M., *See* Bolliger, M. F.
Godber, B. L. J.
——: Doel, J. J.; Goult, T. A.; Eisenthal, R.; Harrison, R.
Suicide inactivation of xanthine oxidoreductase during reduction of inorganic nitrite to nitric oxide, 358: 325
Goddard, A. D., *See* Adams, S. H.
Godovac-Zimmerman, J., *See* López-Lluch, G.
Goedert, M., *See* Woods, Y. L.
Goenka, S.
——: Raman, B.; Ramakrishna, T.; Rao, Ch. M.
Unfolding and refolding of a quinone oxidoreductase: α-crystallin, a molecular chaperone, assists its reactivation, 359:547
Goesaert, H., *See* Gebruers, K.
Goff, S. P., *See* Tsang, S. H.
Golderer, G.
——: Werner, E. R.; Heufler, C.; Strohmaier, W.; Gröbner, P.; Werner-Felmayer, G.
GTP cyclohydrolase I mRNA: novel splice variants in the slime mould *Physarum polycephalum* and in human monocytes (THP-1-indicate convervation of mRNA processing, 355:499
Gomperts, B. D., *See* Pinxteren, J. A.
Gondo, T., *See* Noma, T.
Gong, N.
——: Armugam, A.; Mirtschin, P.; Jeyaseelan, K.
Cloning and characterization of the pseudonajatoxin b precursor, 358: 647
Gong, Y.-x., *See* Zhang, C.-y.
González, D., *See* Otero, K.
Gonzalez-Agosti, C., *See* James, M. F.
Gonzalez-Gronow, M.
——: Grenett, H. E.; Weber, M. R.; Gawdi, G.; Pizzo, S. V.
Interaction of plasminogen with dipeptidyl peptidase IV initiates a signal transduction mechanism which regulates expression of matrix metalloproteinase-9 by prostate cancer cells, 355:397
González-Mariscal, L., *See* Avila-Flores, A.
Goodfellow, G. H., *See* Rodrigues-Lima, F.
Goodger, S., *See* Vivès, R. R
Gooley, P. R., *See* Maksel, D.
Gordon, D. M.
——: Wang, J.; Amutha, B.; Pain, D.
Self-association and precursor protein binding of *Saccharomyces cerevisiae* Tom40p, the core component of the protein translocation channel of the mitochondrial outer membrane, 356: 207
Gore, M. G., *See* Beckingham, J. A.
Gorr, S.-U., *See* Jain, R. K.
Goswami, T.
——: Bhattacharjee, A.; Babal, P.; Searle, S.; Moore, E.; Li, M.; Blackwell, J. M.
Natural-resistance-associated macrophage protein 1 is an H+/ bivalent cation antiporter, 354:511
Goto, A.
——: Aoki, M.; Ichihara, S.; Kitagawa, Y.
α-, β- g-chain-specific RNA interference of laminin assembly in *Drosophila* Kc167 cells, 360:167
——; Kumagai, T.; Kumagai, C.; Hirose, J.; Narita, H.; Mori, H.; Kadowaki, T.; Beck, K.; Kitagawa, Y.
A *Drosophila* haemocyte-specific protein, hemolectin, similar to human von Willebrand factor, 359: 99
——: Matsushima, Y.; Kadowaki, T.; Kitagawa, Y.
Drosophila mitochondrial transcription factor A (*d*-TFAM) is dispensable for transcription of mitochondrial DNA in Kc167 cells, 354:243
Gould, G .W., *See* MacKenzie, C. J.
Goult, T. A., *See* Godber, B. L. J.
Gouras, P., *See* Tsang, S. H.
Gourlay, H. T., *See* Travers, M. T.
Goy, M. F.
——: Oliver, P. M.; Purdy, K. E.; Knowles, J. W.; Fox, J. E.; Mohler, P.; Qian, X.; Smithies, O.; Maeda, N.
Evidence for a novel natriuretic peptide receptor that prefers brain natriuretic peptide over atrial natriuretic peptide, 358:379
Goyal, A.
——: Wang, X.-G.; Engel, P. C.
Allosteric behaviour of 1:5 hybrids of mutant subunits of *Clostridium symbiosum* glutamate dehydrogenase differing in their amino acid specificity, 360:651
Graack, H.-R.
——: Cinque, U.; Kress, H.
Functional regulation of glutamine: fructose-6-phosphate aminotransferase 1 (GFAT1) of *Drosophila melanogaster* in a UDP-*N*-acetylglucosamine and cAMP-dependent manner, 360:401
Grabowski, P., *See* Wang, T.
Graham, A., *See* Lindholm, E. M.
Graham, G. J., *See* Ottersbach, K.
Graham, M., *See* Washbourne, P.
Grande, J. P., *See* Yusufi, A. N.-K.
Grant, D. M., *See* Rodrigues-Lima, F.
Gray, A., *See* Leslie, N. R.
Gray, C. A., *See* Tan, T. H. P.
Greengard, P., *See* Cheetham, J. J.
Gregory, R. B.
——: Rychkov, G.; Barritt, G. J.
Evidence that 2-aminoethyl diphenylborate is a novel inhibitor of store-operated Ca^{2+} channels in liver cells, and acts through a mechanism which does not involve inositol trisphosphate receptors, 354: 285
Grelle, G., *See Harms, G.*
Grempler, R., *See* Schmoll, D.
Grenett, H. E., *See* Gonzalez-Gronow, M.
Gress, T., *See* Steck, E.
Gressner, A. M., *See* Weiskirchen, R.
Griffioen, A. W.
——: van der Schaft, D. W. J.; Barendsz-Janson, A. F.; Cox, A.; Struijker Boudier, H. A. J.; Hillen, H. F. P.; Mayo, K. H.
Anginex, a designed peptide that inhibits angiogenesis, 354:233
Griffiths, G., *See* Kjeken, R.
Griffiths, W. J.
——: Jonsson, A. P.; Liu, S.; Rai, D. K.; Wang, Y.
Electrospray and tandem mass spectrometry in biochemistry, 355: 545
Grimaldi, J. C., *See* Adams, S. H.
Grimaldi, P. A., *See* Teboul, L.
Grishkovskaya, I., *See* Hilpert, J.
Gröbner, P., *See* Golderer, G.
Groen, A. K., *See* Voshol, P. J.
Groenink, J., *See* Ligtenberg, T. J. M.; Ruissen, A. L. A.
Gross, E., *See* Hayhurst, G. P.
Grosso, F., *See* Piccinini, M.
Grötzinger, J., *See* Himpel, S.; Pflanz, S.
Grover, A. K., *See* Mwanjewe, J.
Grover, P. K.
——: Stapleton, A. M. F.; Miyazawa, K.; Ryall, R. L.
Simple sensitive and accurate method for the quantification of prothrombin mRNA by using competitive PCR, 356:111
Gruenbaum, Y., *See* Kakhlon, O.
Grunicke, H. H., *See* Mwanjewe, J.
Gruzman, A., *See* Dransfeld, O.
Grzelakowska-Sztabert, B., *See* Dudkowska, M.
Grzmil, P.
——: Kim, Y.; Shamsadin, R.; Neesen, J.; Adham, I. M.; Heinlein, U. A. O.; Schwarzer, U. J.; Engel, W.
Human cyritesin genes *(CYRN1)* and *(CYRN2)* are non-functional, 357: 551
Gu, W., *See* Han, W.
Guarnieri, C., *See* Stefanelli, C.
Guénin, S.-P., *See* Cogé, F.
Guerardel, Y., *See* Lefebvre, T.
Guérardel, Y.
——: Balanzino, L.; Maes, E.; Leroy, Y.; Coddeville, B.; Oriol, R.; Strecker, G.
The nematode *Caenorhabditis elegans* synthesizes unusual O-linked glycans: identification of glucose-substituted mucin-type O-glycans and short chondroitin-like oligosaccharides, 357:167
Guerrini, M., *See* Hricovíni, M.
Gui, L., *See* Han, W.
Guidarelli, A.
——: De Sanctis, R.; Cellini, B.; Fiorani, M.; Dachà, M.; Cantoni, O.
Intracellular ascorbic acid enhances the DNA single-strand breakage and toxicity induced by peroxynitrite in U937 cells, 356:509
Guidotti, G., *See* Lee, K.
Guimarães, J. A., *See* Follmer, C.
Guinovart, J. J., *See* de Ataurí, P.; García-Rocha, M.
Guisez, Y., *See* Brigé, A.
Guitton, J., *See* Conjard, A.
Gumpricht, E., *See* Prabhu, S. K.
Guo, S., *See* Rena, G.; Woods, Y. L.
Guranowski, A., *See* Maksel, D.
Gustafson, L. A.
——: Neeft, M.; Reijingoud, D.-J.; Kuipers, F.; Sauerwein, H. P.; Romijn, J. A.; Herling, A. W.; Burger, H.-J.; Meijer, A. J.
Fatty acid and amino acid modulation of glucose cycling in isolated rat hepatocytes, 358:665
Gut, J., *See* Šijwali, P. S.
Gutierrez, A., *See* Wilson, E. K.
Gutierrez, A. F., *See* Stevenson, T. H.
Gutierrez-Ramos, C., *See* Yowe, D.
Guzzi, F.
——: Zanchetta, D.; Chini, B.; Parenti, M.
Thioacylation is required for targeting G-protein subunit $G_o1\alpha$ to detergent-insoluble caveolin-containing membrane domains, 355: 323
Gybina, A. A., *See* Steffen, M.

Habib, F., *See* Martin, C.
Haddad, J. J. E.

© 2002 Biochemical Society

——: Lauterbach, R.; Saddé, N. E.; Safieh-Garabedian, B.; Land, S. C.
α-Melanocyte-related tripeptide, Lys-D-Pro-Val,ameliorates endotoxin-induced nuclear factor κB translocation and activation: evidence for involvement of an interleukin-1β$^{193-195}$ receptor antagonism in the alveolar epithelium, 355:29
Hadfield, K. M., *See Ellis, P. D.*
Hadzopoulou-Cladaras, M., *See* Kistanova, E.
Hagedorn, C. H., *See* Saghir, A. N.
Hagen, W. R., *See* Brigé, A.
Haglund, Å. C.
——: Ek, B.; Ek, P.
Phosphorylation of human plasma α_2-Heremans-Schmid glycoprotein (human fetuin) *in vivo*, 357:437
Hahn, H., *See* Lee, Y. M.
Hahn, U., *See* Spencer, J. P. E.
Haisma, H. J., *See* de Graaf, M.
Hajduch, E., *See* Hyde, R.
Halban, P. A., *See* Jain, R. K.
Halestrap, A. P., *See* O'Toole, A.
Hallett, M. B., *See* Davies-Cox, E. V.
Halpin, P. A., *See* Maitra, R.
Halstead, J. R., *See* Clarke, J. H.
Hamada, S.
——: Nozaki, K.; Ito, H.; Yoshimoto, Y.; Yoshida, H.; Hiraga, S.; Onodera, S.; Honma, M.; Takeda, Y.; Matsui, H.
Two starch-branching-enzyme isoforms occur in diferent fractions of developing seeds of kidney bean, 359:23
Hamamoto, T., *See* Imamura, T.
Hamilton, J. A., *See* McMahon, K.-A.
——: Byrne, R.; Jessup, W.; Kanagasundaram, V.; Whitty, G.
Comparison of macrophage responses to oxidized low-density lipoprotein and macrophage colony-stimulating factor (M-CSF or CSF-1), 354:179
——: Jessup, W.; Brown, A. J.; Whitty, G.
Enhancement of macriphage survival and DNA synthesis by oxidized-low-density-lipoprotein (LDL)-derived lipids and by aggregates of lightly oxidized LDL, 355:207
Hamilton, J .W., *See* Maitra, R.
Han, D.
——: Williams, E.; Cadenas, E.
Mitochondrial respiratory chain-dependent generation of superoxide anion and its release into the intermembrane space, 353:411
Han, E.
——: Phan, D.; Lo, P.; Poy, M. N.; Behringer, R.; Najjar, S. M.; Lin, S.-H.
Differences in tissue-specific and embryonic expression of mouse *Ceacam1* and *Ceacam2* genes, 355: 417
Han, I., *See* Jeong, J.; Kim, J.
Han, Q.
——: Fang, J.; Li, J.
Kynureine aminotransferase and glutamine transaminase K of *Escherichia coli:* identity with aspartate aminotransferase, 360:617
Han, W.
——: Lou, Y.; Tang, J.; Zhang, Y.; Chen, Y.; Li, Y.; Gu, W.; Huang, J.; Gui, L.; Tang, Y.; Li, F.; Song, Q.; Di, C.; Wang, L.; Shi, Q.; Sun, R.; Xia, D.; Rui, M.; Tang, J.; Ma, D.
Molecular cloning and characterization of chemokine-like factor 1 (CKLF1) a novel human cytokine with unique structure and potential chemotactic activity, 357:127
Han, X., *See* Miao, Q.
Han, Y, *See* Wang, J.
Hancock, M. S., *See* Williams, R. T.
Hanfrey, C., *See* Franceschetti, M.
Hanselmann, C.
——: Mauch, C.; Werner, S.
Haem oxygenase-1: a novel player in cutaneous wound repair and psoriasis, 353:459
Hansen, G. H., *See* Riemann, D.
Hansen, N. J., *See* Hodel, A.
Hansen, P. E., *See* Hatzack, F.
Hansen, P. R., *See* Rasmussen, L. M.
Hanson, B., *See* Xu, Y.
Hao, Q.
——: Peumans, W. J.; Van Damme, E. J. M.
Type-1 ribosome-inactivating protein from iris (*Iris hollandica* var. Professor Blaauw) binds specific genomic DNA fragments, 357:875
Hara, A., *See* Ozeki, T.
Hara, K., *See* Hirano, K.
Harano, T.
——: Nose, S.; Uezu, R.; Shimizu, N.; Fujiki, Y.
Hsp70 regulates the interaction between the peroxisome targeting signal type 1 (PTS1)-receptor Pex5p and PTS1, 357:157
Hardisty, R. E., *See* Todorov, P. T.
Haribabu, B., *See* Locati, M.
Harlow, J., *See* Hayhurst, G. P.
Harmer, A. R.
——: Gallacher, D. V.; Smith, P. M.
Role of Ins(1,4,5)P_3′ cADP-ribose and nicotinic acid-adenine dionucleotide phosphate in Ca^{2+} signalling in mouse submandlbular acinar cells, 353:555
Harms, G.
——: Kraft, R.; Grelle, G.; Volz, B.; Dernedde, J.; Tauber, R.
Identification of nucleolin as a new L-selectin ligand, 360:531
Harper, J. A., *See* Stuart, J. A.
Harris, M., *See* Becker, D.
Harrison, R., *See* Godber, B. L. J.
Hartley, D. M., *See* Walsh, D. M.
Hartwig, J. H., *See* James, M. F.
Hasegawa, S., *See* Yoshida, I.
Hashii, M., *See* Higashida, H.
Hassan, S., *See* Ensenat, D.
Hassink, M., *See* Kikkert, M.
Hattab, C., *See* Camara-Clayette, V.
Hatzack, F.
——: Hübel, F.; Zhang, W.; Hansen, P. E.; Rasmussen, S. K.
Inositol phosphates from barley low-phytate grain mutants analysed by metal-dye detection HPLC and NMR, 354:473
Haugen, K. E., *See* Johannessen, L. E.
Häussinger, D., *See* Dransfeld, O.; vom Dahl, S.
Havasi, A., *See* Geiszt, M.
Hawkins, D., *See* Stokes, D. G.
Hawtin, S. R.
——: Davies, A. R. L.; Matthews, G.; Wheatley, M.
Identification of the glycosylation sites utilized on the V_{1a} vasopressin receptor and assessment of their role in receptor signalling and expression, 357:73
——: Howard, H. C.; Wheatley, M.
Identification of an extracellular segment of the oxytocin receptor providing agonist-specific binding epitopes, 354:465
Hay, T., *See* Hjerrild, M.
Hayashi, S., *See* Sarkar, S.
Hayes, J. D., *See* Jowsey, I. R.
Hayhurst, G. P.
——: Harlow, J.; Chowdry, J.; Gross, E.; Hilton, E.; Lennard, M. S.; Tucker, G. T.; Ellis, S. W.
Influence of phenylalanine-481 substitutions on the catalytic activity of cytochrome P450 2D6, 355:373
Haynes, T. E., *See* Wu, G.
Haze, K.
——: Okada, T.; Yoshida, H.; Yanagi, H.; Yura, T.; Negishi, M.; Mori, K.
Identification of the G13 (cAMP-response-element-binding protein-related protein) gene product related to activating transcription factor 6 as a transcriptional activator of the mammallan unfolded protein response, 355:19
Hazebrouck, S.
——: Machetlinckx-Delmas, V.; Kupiec, J.-J.; Sonigo, P.
Local and spatial factors determining HIV-1 protease substrate recognition, 358:505
He, B., *See* Cheng, D.
He, Q.-Y.
——: Mason, A. B.; Lyons, B. A.; Tam, B. M.; Nguyen, V.; MacGillivray, R. T. A.; Woodworth, R. C.
Spectral and metal-binding properties of three single-point tryptophan mutants of the human transferrin N-lobe, 354:423
He, S., *See* Lee, S. S.
He, W., *See* Corzo, G.
Hearing, V. J., *See* Toyofuku, K.
Hehl, S.
——: Stoyanov, B.; Oehrl, R.; Schönherr, R.; Wetzker, R.; Heinemann, S. H.
Phosphoinositide 3-kinase-g induces *Xenopus* oocyte maturation via lipid kinase activity, 360:691
Heikkinen, S., *See* Suppola, S.
Heinegård, D., *See* Säämänen, A.-M. K.
Heinemann, S. H., *See* Hehl, S.
Heinlein, U. A. O., *See* Grzmil, P.
Heinrich, P. C., *See* Kortylewski, M.; Pflanz, S.
Hekmat, O., *See* Bearne, S. L.
Helfert, S.
——: Estévez, A. M.; Bakker, B.; Michels, P.; Clayton, C.
Roles of triosephosphate isomerase and aerobic metabolism in *Trypanosoma brucei*, 357:117
Helmerhorst, E. J., *See* Ruissen, A. L. A.
Helminen, H. J., *See* Li, S.-W.
Helmy, M. E., *See* Lombard, S.
Hemann, C., *See* Huhta, M. S.
Hemingway, J., *See* Ranson, H.; Vontas, J. G.
Hemmings, B. A., *See* Myles, T.
Henderson, L. M., *See* Mankelow, T. J.
Henrissat, B., *See* Czjzek, M.
Herley, M. T., *See* Yu, Y.
Herling, A. W., *See* Gustafson, L. A.
Hermans, E.
——: Challiss, R. A. J.
Structural, signalling and regulatory properties of the group I metabotropic glutamate receptors: prototypic family C G-protein-coupled receptors, 359:465
Hernandez, A., *See* Rodrigo, L.
Hernandez-Ruiz, J.
——: Arnao, M. B.; Hiner, A. N. P.; Garcia-Cánóvas, F.; Acosta, M.
Catalase-like activity of horseradish peroxidase relationship to enzyme inactivation by H_2O_2, 354:107
Herrera, B., *See* Otero, K.
Herrero, P., *See* Rodríguez, A.
Herrmann, A., *See* Pflanz, S.
Hesketh, J. E., *See* Levadoux-Martin, M.

© 2002 Biochemical Society

Heufler, C., *See* Golderer, G.
Heyn, U., *See* Direksen, H.
Heyninck, K., *See* Evans, P. C.
Higaki, K., *See* Fukasawa, K.
Higashida, C., *See* Higashida, H.
Higashida, H.
——: Zhang, J.-S.; Hashii, M.; Shintaku, M.; Higashida, C.; Takeda, Y.
Angiotensin II stimulates cyclic ADP-ribose formation in neonatal rat cardiac myocytes. Correction, 354: 727
Higgins, J. A., *See* Iddon, C. R.; Kendrick, J. S.
Hightower, K. E.
——: De, S.; Weinbaum, C.; Spence, R. A.; and Casey, P. J.
Lysine $^{10+1}\alpha$ of protein farnesyltransferase is important for both CaaX substrate binding and catalysis, 360:625
Hijikata, M., *See Ueda, Y.*
Hildenbrandt, G. R., *See* Arner, R. J.; Prabhu, S. K.
Hilfiker, S., *See* Cheetham, J. J.
Hilkens, J., *See* Thingstad, T.
Hillard, C. J., *see* Berdyshev, E. V.
Hille, C. R., *See* Huhta, M. S.
Hillen, H. F. P., *See* Griffioen, A. W.
Hilpert, J.
——: Vorum, H.; Burmeister, R.; Spoelgen, R.; Grishkovskaya, I.; Misselwitz, R.; Nykjaer, A.; Willnow, T. E.
Efficient eukaryotic expression system for authentic human sex hormone-binding globulin, 360:609
Hilton, E., *See* Hayhurst, G. P.
Himmelspach, M., *See* Plaimauer, B.
Himmerkus, N., *See* Trost, C.
Himpel, S.
——: Panzer, P.; Eirmbter, K.; Czajkowska, H.; Sayed, M.; Packman, L. C.; Blundell, T.; Kentrup, H.; Grötzinger, J.; Joost, H.-G.; Becker, W.
Identification of the autophosphorylation sites and characterization of their effects in the protein kinase DYRK1A, 359: 497
Hiner, A. N. P., *See* Hernandez-Ruiz, J.
Hinz, H.-J., *See* Rehm, B. H. A.
Hiraga, S., *See* Hamada, S.
Hirai, I.
——: Wang, H.-G.
Survival-factor-induced phosphorylation of Bad results in its dissociation from Bcl-x_L byt not Bcl-2, 359:345
Hirakawa, T., *See* Takada, K.
Hirano, K.
——: Hirano, M.; Zeng, Y.; Nishimura, J.; Hara, K.; Muta, K.; Nawata, H.; Kanaide, H.
Cloning and functional expression of a degradation-resistant novel isoform of $p27^{kip1}$, 353:51
Hirano, M., *See Hirano, K.*
Hirano, T., *See* Yamamoto-Katayama, S.
Hiratsuka, A.
——: Tobita, K.; Saito, H.; Sakamoto, Y.; Nakano, H.; Ogura, K.; Nishiyama, T.; Watabe, T.
(S)-Preferential detoxification of 4-hydroxy-2(*E*)-nonenal enantiomers by hepatic glutathione S-transferase isoforms in guinea-pigs and rats, 355:237
Hirose, J., *See* Goto, A.
Hirose, M., *See* Oda, K.
Hirose, S., *See* Mistry, A. C.
Hirsch, C., *See* Kikkert, M.
Hisabori, T., *See* Konno, H.
Hisada, M., *See* Satake, H.
Hiscott, J., *See* Coccia, E. M.
Hjerrild, M.
——: Milne, D.; Dumaz, N.; Hay, T.; Issinger, O.-G.; Meek, D.
Phosphorylation of murine double minute clone 2 (MDM2) protein at serine-267 by protein kinase CK2 *in vitro* and in cultured cells, 355:347
Hjorth, J. P., *See* Svendsen, P.
Hoang-Xuan, K., *See* Leslie, N. R.
Hochstrasser, D., *See* Juge-Aubry, C. E.
Hockney, R. C., *See* Patel, D.
Hodel, A.
——: An, S. J.; Hansen, N. J.; Lawrence, J.; Wäsle, B.; Schrader, M.; Edwardson, J. M.
Cholesterol-dependent interaction of syncollin with the membrane of the pancreatic zymogen granule, 356:843
Hodge, M. R., *See* Yowe, D.
Hodges-Myerson, A. L., *See* Magnuson, T. S.
Hodgins, M. B., *See* Shore, L.
Hodgkin, M. N., *See* Woodfield, R. J.
Hoffmann, P., *See* Soulère, L.
Hofmann, J., *See* Mwanjewe, J.
Hofmann, P., *See* Wagner, O.
Hofmann, W., *See* Löster, K.
Hohenegger, M., *See* Klinger, M.
Hollenberg, M. D., *See* Lafleur, M. A.
Holm, A., *See* Hoyer-Hansen, G.
Holmskov, U., *See* Ligtenberg, T. J. M.
Honda, S., *See* Mistry, A. C.
Hong, W., *See* Xu, Y.
Honma, M., *See* Hamada, S.
Hooper, N. M., *See* Pang, S.; Parkin, E. T.
Hooper, N. M., *See* Park, S. W.
Hornostaj, A. R., *See* Hughes, R. K.
Hosogaya, S., *See* Osada, M.
Hosokawa, K.
——: Ohnishi, T.; Shima, M.; Nagata, M.; Koide, T.
Preparation of anhydrothrombin and characterization of its interaction with natural thrombin substrates, 354:309
Hough, R. O., *See* Hughes, R. K.
Houghton, F., *See* Opat, A. S.; Teasdale, R. D.
Hourton, D.
——: Delerive, P.; Stankova, J.; Staels, B.; Chapman, M. J.; Ninio, E.
Oxidized low-density lipoprotein and peroxisome-proliferator-activated receptor α down-regulate platelet-activating-factor receptor expression in human macrophages, 354:225
Housden, N. G., *See* Beckingham, J. A.
Houssa, B., *See* Walker, A. J.
Howard, H. C., *See* Hawtin, S. R.
Howard, M., *See* Hu, W.
Howes, B. D.
——: Veitch, N. C.; Smith, A. T.; White, C. G.; Smulevich, G.
Haem-linked interactions in horseradish peroxidase revealed by spectroscopic analysis of the Phe-221 → Met mutant, 353:181
Howitt, S. M., *See* Shelden, M. C.
Hoyer-Hansen, G.
——: Pessara, U.; Holm, A.; Pass, J.; Weidle, U.; Dano, K.; Behrendt, N.
Urokinase-catalysed cleavage of the urokinase receptor requires an intact glycolipid anchor, 358:673
Hricovíni, M.
——: Guerrini, M.; Bisio, A.; Torri, G.; Petitou, M.; Casu, B.
Conformation of heparin pentasaccharide bound to antithrombin III, 359:265
Hrmova, M., *See* Lee, R. C.
Hsiao, L.-D., *See* Yang, C.-M.
Hsu, Y.-M., *See* Yang, C.-M.
Hu, S.-M., *See* Wu, S.-J.
Hu, W.
——: Howard, M.; Lukacs, G. L.
Multiple endocytic signals in the C-terminal tail of the cystic fibrosis transmembrane conductance regulator, 354:561
Huang, C., *see* Berdyshev, E. V.; Somwar, R.
Huang, C.-Y. F., *See* Lin, W.-J.
Huang, D.-Y.
——: Chang, Z.-F.
Interaction of human thymidine kinase 1 with $p21^{Waf1}$, 356:829
Huang, H., *See Ren, X.*
Huang, J., *See* Han, W.
Huang, M., *See* Zhang, S.
Huang, T.-F., *See* Wu, W. B.
Huang, X., *See* Zhang, S.
Huang, Y.-W., *See* Gangloff, A.
Huang, Z.-Z., *See* Yang, H.
Hubbard, M. J., *See* Franklin, I. K.
Hübel, F., *See* Hatzack, F.
Huckerby,T. N., *See* Lauder, R. M.
Huellen, K., *See* Zhang, S.
Hughes, M. A., *See* Keresztessy, Z.
Hughes, M. N., *See* Mills, C. E.
Hughes, P. J.
——: Twist, L. E.; Durham, J.; Choudhry, M. A.; Drayson, M.; Chandraratna, R.; Michell, R. H.; Kirk, C. J.; Brown, G.
Up-regulation of steroid sulphatase activity in HL60 promyelocytic cells by retinoids and 1α,25-dihydroxyvitamin D_3, 355:361
Hughes, R. K.
——: West, S. I.; Hornostaj, A. R.; Lawson, D. M.; Fairhurst, S. A.; Sanchez, R. O.; Hough, P.; Robinson, B. H.; Casey, R.
Probing a novel potato lipoxygenase with dual positional specificity reveals primary determinants of substrate binding andrequirements for a surface hydrophobic loop and has implications for the role of lipoxygenases in tubers, 353:345
Hughes, T., *See* Lu, X.
Hughes, W. E.
——: Parker, P. J.
Endosomal localization of phospholipase D 1a and 1b is defined by the C-termini of the proteins, and is independent of activity, 356:727
Huh, W.-K.
——: Kang, S.-O.
Characterization of the gene family encoding alternative oxidase from *Candida albicans*, 356:595
Huhta, M. S.
——: Chen, H.-P.; Hemann, C.; Hille, C. R.; Marsh, E. N. G.
Protein-coenzyme interactions in adenosylcobalamin-dependent glutamate mutase, 355:131
Huhtaniemi, I., *See* Ścieglińska
Hui, B. K., *See* Mwanjewe, J.
Hulmes, J. D., *See* Yu, Y.
Hundal, H. S., *See* Hyde, R.
Hunziker, W., *See* Wyss, A.
Huq, N. L., *See* Cross, K. J.
Hussain, S., *See* Reid, J. D.
Hyde, E., *See* Lu, X.
Hyde, R.
——: Christie, G. R.; Litherland, G. J.; Hajduch, E.; Taylor, P. M.; Hundal, H. S.
Subcellular localization and adaptive up-regulation of the System A (SAT2) amino acid transporter in skeletal-muscle cells and adipocytes, 355:563
Hyttinen, M. M., *See* Li, S.-W.

© 2002 Biochemical Society

Ibrahim, O., *See* Bolsover, S.
Ichihara, S., *See* Goto, A.
Idahl, L.-Å., *See* Lembert, N.
Iddon, C. R.
——: Wilkinson, J.; Bennett, A. J.; Bennett, J.; Salter, A. M.; Higgins, J. A.
A role for smooth endoplasmic reticulum membrane cholesterol ester in determining the intracellular location and regulation of sterol-regulatory-element-binding protein-2, 358:415
Ide, T., *See* Murakami, K.
Ideno, A.
——: Yoshida, T.; Iida, T.; Furutani, M.; Maruyama, T.
FK506-binding protein of the hyperthermophilic archaeum, *Thermococcus sp.* KS-1, a cold-shock-inducible peptidyl-prolyl *cis-trans* isomerase with activities to trap and refold denatured proteins, 357:465
Igamberdiev, A. U.
——: Kleczkowski, L. A.
Implications of adenylate kinase-governed equilibrium of adenylates on contents of free magnesium in plant cells and compartments, 360:225
Igarashi, N., *See* Sarkar, S.
Igleaias, R., *See* Pedraza, N.
Iglesias, J.-M., *See* Carcedo, M.-T.
Iida, R., *See* Takeshita, H.
Iida, T., *See* Ideno, A.
Ikeda, T., *See* Sato, A.
Ikenobu, Y., *See* Okuno, M.
Ilc, K., *See* Cormont, M.
Iles, R. A., *See* Burns, S. P.
Imagawa, M., *See* Okuno, M.
Imamura, A., *See* Tamura, S.
Imamura, T.
——: Tanase, S.; Hamamoto, T.; Potempa, J.; Travis, J.
Activation of blood coagulation factor IX by gingipainis R, arginine-specific cysteine proteinases from *Porphyromonas gingivalis*, 353:325
Immerdal, L., *See* Riemann, D.
Inoue, M., *See* Nishikimi, A.
Iovanna, J. L., *See* García-Montero, A. C.
Iozzo, R. V., *See* Ghiselli, G.
Irie, S., *See* Kuwaba, K.
Irvine, R. F., *See* Clarke, J. H.
Isacke, C. M., *See* Lewis, C. A.
Isakson, P. C., *See* Walker, M. C.
Ishihara, K., *See* Yamamoto-Katayama, S.
Ishihara, T., *See* Noma, T.
Ishii, A.
——: Lo, S. H.
A role of tensin in skeletal-muscle regeneration, 356:737
Ishii, K., *See* Yamasaki, M.
Ishii, Y.
——: Amano, F.
Regulation of SuIA cleavage by Lon protease by the C-terminal amino acid of SuIA, histidine, 358:473
Islas, S., *See* Avila-Flores, A.
Isola, E., *See* Wainszelbaum, M.
Isoyama, N., *See* Magnuson, T. S.
Issinger, O.-G., *See* Hjerrild, M.
Ito, H., *See* Hamada, S.
Ito, M., *See* Nii, T.
Ito, S., *See* Oda, K.
Ito, S., *See* Fukasawa, K.
Iurisci, C., *See* Meijer, H. J. G.
Iwakura, Y., *See* Kotani, N.
Iwao, Y., *See* Watanabe, H.

Jacobsen, C., *See* Andersen, O. M.
Jacobsen, N., *See* Christensen, U.
Jacques, Y., *See* Magrangeas, F.
Jacquot, J.-P., *See* Menchise, V.
Jaffe, R. B., *See* Tee, M. K.
Jahangeer, S., *See* Sarkar, S.
Jai, H., *See* Abu-Ghazaleh, R.
Jain, R. K.
——: Joyce, P. D. M.; Molinete, M.; Halban, P. A.; Gorr, S.-U.
Oligomerization of green fluorescent protein in the secretory pathway of endocrine cells, 360:645
Jakes, R., *See* Woods, Y. L.
James, M. F.
——: Manchanda, N.; Gonzalez-Agosti, C.; Hartwig, J. H.; Ramesh, V.
The neurofibromatosis 2 protein product merlin selectively binds F-actin but not G-actin, and stabilizes the filaments through a lateral association, 356:377
James, T. L., *See* Song, M.
Jang, S.-W.
——: Elsasser, S.; Campbell, J. L.; Kim, J.
Identification of Cdc6 protein domains involved in interaction with Mcm2 protein and Cdc4 protein in budding yeast cells, 354:655
Jänis, J.
——: Rouvinen, J.; Leisola, M.; Turunen, O.; Vainiotalo, P.
Thermostability of *endo*-1,4-β-xylanase II from *Trichoderma reesei* studied by electrospray ionization Fourier-transform ion cyclotron resonance MS, hydrogen/deuterium-exchange reactions and dynamic light scattering, 356:453
Jänne, J., *See* Suppola, S.
Jans, D. A., *See* Briggs, L. J.
Jansen, H., *See* Lie, J.
Jansen-Dürr, P., *See* Mazurek, S.
Janssen, K. P. C., *See* Kuiper, R. P.
Jardine, L. J., *See* Dumaz, N.
Jarlier, V., *See* Lemaitre, N.
Jaros, P. P., *See* Direksen, H.
Jauhiainen, M., *See* Lie, J.
Jeffery, J., *See* Waud, J. P.
Jekabsons, M. B., *See* Stuart, J. A.
Jensen, B., *See* Ranson, H.
Jensen, R. B.
——: La Cour, T.; Albrethsen, J.; Nielsen, M.; Skriver, K.
FYVE zinc-finger proteins in the plant model *Arabidopsis thaliana*: identification of PtdIns3*P*-binding residues by comparison of classic and variant FYVE domains, 359:165
Jeong, J.
——: Han, I.; Lim, Y.; Kim, J.; Park, I.; Woods, A.; Couchman, J. R.; Oh, E.-S.
Rat embryo fibroblasts require both thye cell-binding and the heparin-binding domains of fibronectin for survival, 356:531
Jerlich, A., *See* Spickett, C. M.
Jessup, W., *See* Hamilton, J. A.
Jeyaseelan, K., *See* Gong, N.
Jezequel, S., *See* Gliki, G.
Jian, X., *See* Clark, W. A.
Jiang, D. W.
——: Englund, P. T.
Four *Trypanosoma brucei* fatty acyl-CoA synthetases: fatty acid specificity of the recombinant proteins, 358:757
Jiang, X., *See* Tapanadechopone, P.
Jiang, Y., *See* Du, X.
Jimenez, S. A., *See* Stokes, D. G.
Jiménez-Cervantes, C., *See* Olivares, C.
Jin, Y., *See* Norquay, L. D.
Jingami, H., *See* Yamamoto-Katayama, S.
Joaquin, M., *See* de los Pinos, E.
Johannessen, L. E.
——: Haugen, K. E.; Østvold, A. C.; Stang, E.; Madshus, I. H.
Heterodimerization of the epidermal-growth-factor (EGF) receptor and ErbB2 and the affinity of EGF binding are regulated by different mechanisms, 356:87
Johansson, H., *See* Cieresko, I.
Johnson, A., *See* Mills, P.
Johnston, K. E., *See* Baggott, J. E.
Johnstone, R. W., *See* Briggs, L. J.
Jones, A., *See* Waud, J. P.
Jones, J. T., *See* Prior, A.
Jones, T. A., *See* Becker, D.
Jonsson, A. P., *See* Griffiths, W. J.
Joo, C.-K., *See* Seomun, Y.
Joory, K. D., *See* Gambling, L.
Joos, H. C., *See* Lembert, N.
Joost, H.-G., *See* Doege, H.; Himpel, S.; Lisinski, I.; Schmoll, D.
Jori, F. P.
——: Galderisi, U.; Piegari, E.; Peluso, G.; Cipollaro, M.; Cascino, A.; Giordano, A.; Melone, M. A. B.
RB2/p130 ectopic gene expression in neuroblastoma stem cells: evidence of cell-fate restriction and induction of differentiation, 360:569
Joseph, S. K., *See* Bokkala, S.; Zhang, X.
Josse, C.
——: Boelaert, J. R.; Best-Belpomme, M.; Piette, J.
Importance of post-transcriptional regulation of chemokine genes by oxidative stress, 360:321
Jowsey, I. R.
——: Thomson, A. M.; Flanagan, J. U.; Murdock, P. R.; Moore, G. B. T.; Meyer, D. J.; Murphy, G. J.; Smith, S. A.; Hayes, J. D.
Mammalian class Sigma glutathione S-transferases: catalytic properties and tissue-specific expression of human and rat GSH-dependent prostaglandin D_2 synthases, 359:507
Joyce, P. D. M., *See* Jain, R. K.
Juge-Aubry, C. E.
——: Kuenzil, S.; Sanchez, J.-C.; Hochstrasser, D.; Meier, C. A.
Peroxisomal bifunctional enzyme binds and activates the activation function-1 region of the peroxisome proliferator-activated receptor α, 353:253
Jung, B. D., *See* Kitamura, T.
Jung, J., *See* Lee, K.
Jungermann, K., *See* Kietzmann, T.
Jupp, O. J.
——: McFarlane, S. M.; Anderson, H. M.; Littlejohn, A. F.; Mohamed, A. A. A.; MacKay, R. H.; Vandenabeele, P.; MacEwan, D. J.
Type II tumour necrosis factor-α receptor (TNFR2) activates c-Jun N-terminal kinase (JNK) but not mitogen-activated protein kinase (MAPK) or p38 MAPK pathways, 359:525

Kaabache, T., *See* Borgel, D.
Kaambre, T., *See* Saks, V. A.
Kabir, J., *See* Abu-Ghazaleh, R.
Kabiri, M.
——: Steverding, D.
Identification of a developmentally regulated iron superoxide dismutase of *Trypanosoma brucei*, 360:173
Kadowaki, T., *See* Goto, A.
Kadowaki, T., *See* Murakami, K.
Kagan, V. E., *See* Liu, S.-X
Kågedal, K.
——: Zhad, M.; Svensson, I.; Brunk, U. T.

© 2002 Biochemical Society

Sphingosine-induced apoptosis is dependent on lysosomal proteases, 359:335
Kahn, A., *See* Leroux, A.
Kajiyama, G., *See* Yasumiba, S.
Kakhlon, O.
——: Gruenbaum, Y.; Cabantchik, Z. I.
Repression of the heavy ferritin chain increases the labile iron pool of human K562 cells, 356:311
Kakkar, V., *See* Lu, X.; Wattam, B.
Kallender, H., *See* Sylvester, D. R.
Kaltner, H., *See* Wu, A. M.
Kaluz, S., *See* Kaluzová, M.
Kaluzová, M.
——: Pastroeková, S.; Svastová, E.; Pastorek, J.; Stanbridge, E. J.; Kaluz, S.
Characterization of the MN/CA 9 promoter proximal region: a role for specificity protein (SP) and activator protein 1 (AP1) factors, 359:669
Kamataki, T., *See* Ozeki, T.
Kambe, F., *See* Kikumori, T.
Kamino,K.
——: Novel barnacle underwater adhesive protein is a charged amino acid-rich protein consituted by a Cys-rich repetitive sequence, 356: 503
Kamisaka, Y., *See* Mishra, S.
Kamp, C., *See* Zhang, S.
Kampfer, S., *See* Mwanjewe, J.
Kamthong, P. J.
——: Wu, M.-c.
Inhibitor of nuclear factor-κB-induction by cAMP antagonizes interleukin-1-induced human macrophage-colony-stimulating-factor expression, 356:525
Kanagasundaram, V., *See* Hamilton, J. A.
Kanai, Y., *See* Nii, T.
Kanaide, H., *See* Hirano, K.
Kanda, T., *See* Tamama, K.-i.
Kaneko, Y., *See* Takeshita, H.
Kang, H.-S., *See* Sohn, B. H.
Kang, Q., *See* Cao, Y.
Kang, S.-O., *See* Huh, W.-K.
Kankaanranta, H., *See* Korhonen, R.
Kanno, T., *See* Nishikimi, A.
Kano, K., *See* Sato, A.
Kapeller, R., *See* Yowe, D.
Karande, A. A., *See* Gangar, A.
Karlson, K. H., *See* Maitra, R.
Karlsson, L., *See* Teasdale, R. D.
Karoulias, N., *See* Suginta, W.
Kasahara, E., *See* Nishikimi, A.
Kasinath, B. S., *See* Senthil, D.
Kasri, N. N., *See* Bergsma, J. C. T.
Kasza, A.
——: Rogowski, K.; Kilarski, W.; Sobota, R.; Bernas, T.; Dobrucki, J.; Travis, J.; Koj, A.; Bugno, M.; Kordula, T.
Differential effects of oncostatin M and leukaemia inhibitory factor expression in astrocytoma cells, 355: 307
Kato, N., *See* Sato, A.
Katz, A., *See* Vyssokikh, M. Y.
Kauffmann, M.-E., *See* Kortylewski, M.
Kaul, S. C., *See* Takano, S.
Kawada, T., *See* Satake, H.
Kawai, K., *See* Liu, S.-X
Kawasaki, K.
——: Kuge, O.; Yamakawa, Y.; Nishijima, M.
Purification of phosphatidylglycerophosphate synthase from Chinese hamster ovary cells, 354:9
Kay, L., *See* Saks, V. A.
Kazenwadel, J. S., *See* Williams, R. T.
Kazlauskas, A., *See* Balciunaite, E.
Kehlen, A., *See* Riemann, D.
Kehrer, J. P.
——: Biswal, S. S.; La, E.; Thuillier, P.; Datta, K.; Fischer, S. M.; Vanden Heuvel, J. P.
Inhibition of peroxisome-proliferator-activated receptor (PPAR)α by MK886, 356:899
Keinänen, T., *See* Suppola, S.
Keller, R., *See* Dircksen, H.
Kelley, M., *See* Vessey, D. A.
Kemp, B. E., *See* Warden, S. M.
Kendrick, J. S.
——: Chan, L.; Higgins, J. A.
Superior role of apolipoprotein B48 over apolipoprotein B100 in chylomicron assembly and fat absorption: an investigation of apobec-1 knock-out and wild-type mice, 356:821
Kennedy, M. W., *See* Prior, A.; Suire, S.
Kentrup, H., *See* Himpel, S.
Keppens, S., *See* Browne, G. J.
Keresztessy, Z.
——: Brown, K.; Dunn, M. A.; Hughes, M. A.
Identification of essential active-site residues in the cyanogenic β-glucosidase (linamarase) from cassava (*Manihot esculenta* Crantz) by site-directed mutagenesis, 353: 199
Kernebeck, T., *See* Pflanz, S.
Kerr, S., *See* Munday, J.
Kettle, A. J., *See* van Dalen, C. J.
Khadir, A., *See* Liu, J.
Khanna, V. K., *See* Du, G. G.
Kharrat, R., *See* Di Luccio, E.
Kholodenko, B. N., *See* de Atauri, P.
Kiani, C.
——: Lee, V.; Cao, L.; Chen, L.; Wu, Y.; Zhang, Y.; Adams, M. E.; Yang, B. B.
Roles of aggrecan domains in biosynthesis, modification by glycosaminoglycans and product secretion, 354:199
Kiefer, J. R., *See* Walker, M. C.
Kieffer, N., *See* Plançon, S.
Kietzmann, T.
——: Cornesse, Y.; Brechtel, K.; Modaressi, S.; Jungermann, K.
Perivenous expression of the mRNA of the three hypoxia-inducible factor α-subunits, HIF1α, HIF2α and HIF3α, in rat liver, 354:531
Kikkert, M.
——: Hassink, G.; Barel, M.; Hirsch, C.; van der Wal, F. J.; Wiertz, E.
Ubiquitination is essential for human cytomegalovirus US11-mediated dislocation of MHC class I molecules from the endoplasmic reticulum to the cytosol, 358:369
Kikuchi, N., *See* Oda, K.
Kikumori, T.
——: Kambe, F.; Nagaya, T.; Funahashi, H.; Seo, H.
Thyrotropin modifies activation of nuclear factor κB by tumour necrosis factor α in rat thyroid cell line, 354:573
Kilarski, W., *See* Kasza, A.
Kilberg, M. S., *See* Aslanian, A. M.
Kilburn, D. G., *See* Boraston, A. B.
Kilshaw, P. J., *See* Evans, P. C.
Kim, D. Y., *See* Somwar, R.
Kim, H.
——: You, S.; Foster, L. K.; Farris, J.; Choi, Y.-J.; Foster, D. N.
Differential expression of chicken dimerization cofactor of hepatocyte nuclear factor-1 (DcoH) and its novel counterpart, DcoHα, 354:645
Kim, I. C., *See* Park, S. W.
Kim, J., *See* Jang, S.-W.; Jeong, J.; Taylor, A. T. S.
——: Han, I.; Kim, Y.; Kim, S.; Oh, E.-S.
C-terminal heparin-binding domain of fibronectin regulates integrin-mediated cell spreading but not the activation of mitogen-activated protein kinase, 360:239
Kim, J.-a., *See* Seomun, Y.
Kim, M., *See* Lee, K.
Kim, S., *See* Kim, J.
——: Dugail, I.; Standridge, M.; Claycombe, K.; Chun, J.; Moustaïd-Moussa, N.
Angiotensin II-responsive element is the insulin-responsive element in the adipocyte fatty acid synthase gene: role of a dipocyte determination and differentiation factor 1/sterol-regulatory- element-binding protein 1c, 357:899
Kim, S. J., *See* Sohn, B. H.
Kim, T.-y., *See* Sohn, B. H.
Kim, W., *See* Lee, Y. M.
Kim, Y., *See* Grzmil, P.; Kim, J.
Kim, Y. S., *See* Capon, C.
Kim, Y.-S., *See* Park, H.-S.
Kimura, K., *See* Kitamura, T.
Kimura, T., *See* Tamama, K.-i.
Kini, R. M., *See* Torres, A. M.
Kiningham, K. K.
——: Xu, Y.; Daosukho, C.; popova, B.; St. Clair, D. K.
Nuclear factor κ-B-dependent mechanisms coordinate the synergistic effect of PMA and cytokines on the induction of superoxide dismutase 2, 353:147
Kira, Y., *See* Nishikimi, A.
Kirby, J. A., S., SeeAli
Kirk, C. J., *See* Hughes, P. J.
Kirk, K., *See* Elliott, J. L.
Kiselyov, K.
——: Shin, D. M.; Shcheynikov, N.; Kurosaki T.; Muallem, S.
Regulation of Ca^{2+}-release-activated Ca2+ current (I_{crac}) by ryanodine receptors in inositol 1,4,5-trisphosphate-receptor-deficient DT40 cells, 360:17
Kishi, K., *See Takeshita, H.*
Kishi, S., *See* Yabu, T.
Kishida, S., *See* Nii, T.
Kislig, E., *See* Dominguez, D.
Kistanova, E.
——: Dell, H.; Tsantili, P.; Falvey, E.; Cladaras, C.; Hadzopoulou-Cladaras, M.
The activation function-1 of hepatocyte nuclear factor-4 is an acidic activator that mediates interactions through bulky hydrophobic residues, 356:635
Kita, T., *See* Yamasaki, M.
Kitagawa, H.
——: Taoka, M.; Tone, Y.; Sugahara, K.
Human glycosaminoglycan glucoronyltransferase I gene and a related processed pseudogene: genomic structure, chromosomal mapping and characterization, 358: 539
Kitagawa, Y., *See* Goto, A.
Kitamura, T.
——: Kimura, K.; Jung, B. D.; Makondo, K.; Okamoto, S.; Cañas, X.; Sakane, N.; Yoshida, T.; Saito, M.
Proinsulin C-peptide rapidly stimulates mitogen-activated protein kinases in Swiss 3T3 fibroblasts: requirement of protein kinase C, phosphoinositide 3-kinase and

© 2002 Biochemical Society

pertussis toxin-sensitive G-protein, 355:123
Kitchen, C. M., *See* Dulin, N. O.
Kitigawa, Y., *See* Goto, A.
Kitta, K.
——; Clément, S. A.; Remeika, J.; Blumberg, J. B.; Suzuki, Y. J.
Endothelin-1 induces phosphorylation of GATA-4 transcription factor in the HL-1 atrial-muscle cell line, 359: 375
Kivirikko, K. I., *See* Mäki, J. M.
Kiyokawa, E., *See* Kobayashi, S.
Kjeken, R.
——; Mousavi, S. A.; Brech, A.; Griffiths, G.; Berg, T.
Wortmannin-sensitive trafficking steps in the endocytic-pathway in rat liver endothelial cells, 357:497
Klappa, P., *See* Kramer, B.
——; Freedman, R. B.; Langenbuch, M.; Lan, M. S.; Robinson, G. K.; Ruddock, L. W.
The pancreas-specific protein disulphide-isomerase PDIp interacts with a hydroxyaryl group in ligands, 354:553
Kleczkowski, L. A., *See* Ciereszko, I.; Igamberdiev, A. U.
Klein, I., *See* Travers, M. T.
Kleineidam, R. G., *See* Roelofs, J.
Kleywegt, G. J., *See* Becker, D.
Klinger, M.
——; Bofill-Cardona, E.; Mayer, B.; Nanoff, C.; Freissmuth, M.; Hohenegger, M.
Suramin and the suramin analogue NF307 discriminate among calmodulin-binding sites, 355:827
Klip, A., *See* Somwar, R.
Knäuper, V., *See* Lafleur, M. A.
Knowles, J. W., *See* Goy, M. F.
Knowles, R. G., *See* Alderton, W. K.; Korhonen, R.
Knuepfer, E.
——; Stierhof, Y.-D.; McKean, P. G.; Smith, D. F.
Characterization of a differentially expressed protein that shows an unusual localization to intracellular membranes in *Leishmania major*, 356:335
Kobayashi, I., *See* Tamama, K.-i.
Kobayashi, M., *See* Kuwaba, K.
Kobayashi, S.
——; Shirai, T.; Kiyokawa, E.; Mochizuki, N.; Matsuda, M.; Fukui, Y.
Membrane recruitment of DOCK180 by binding to PtdIns(3,4,5)P_3, 354:73
Koboldt, C. M., *See* Walker, M. C.
Koch, T., *See* Christensen, U.
Koester, S., *See* Gendron, M.-C.
Kohl, C., *See* Louet, J.-F.
Kohno, I., *See* Suzuki, S.
Koide, S., *See* Yoshida, I.
Koide, T., *See* Hosokawa, K.
Koivula, A., *See* Becker, D.
Koj, A., *See* Kasza, A.
Kolobova, E.
——; Tuganova, A.; Boulatnikov, I.; Popov, K. M.
Regulation of pyruvate dehydrogenase activity through phosphorylation at multiple sites, 358:69
Kominami, H., *See* Sarkar, S.
Kon, J., *See* Tamama, K.-i.
Kondo, N., *See* Tamura, S.
Kong, A. M., *See* O'Malley, C. J.
Kong, X.-P., *See* Liang, F.-X.
Konno, H.
——; Yodogawa, M.; Stumpp, M. T.; Kroth, P.; Strotmann, H.; Motohashi, K.; Amano, T.; Hisabori, T.
Inverse regulation of F_1-ATPase activity by a mutation at the regulatory region of the γ subunit of chloroplast ATP synthase, Correction, 357:911
Konopka, W., *See* Ścieglińska
Konrad, M. A., *See* Ge, Y.
Konrad, R. J.
——; Mikolaenko, I.; Tolar, J. F.; Liu, K.; Kudlow, J. E.
The potential mechanism in the diabetogenic action of streptozotocin: inhibition of pancreatic β-cell O-GlcNAc-selective *N*-acetyl-β-D-glucosaminidase, 356:31
Kopen, G. C., *See* Li, S.-W.
Kordula, T., *See* Kasza, A.
Korhonen, R.
——; Kankaanranta, H.; Lahti, A.; Lähde, M.; Knowles, R. G.; Moilanen, E.
Bi-directional effects of the elevation of intracellular calcium on the expression of inducible nitric oxide synthase in J774 macrophages exposed to low and to high concentrations of endotoxin, 354:351
Korhonen, V.-P., *See* Suppola, S.
Kortylewski, M.
——; Heinrich, P. C.; Kauffmann, M.-E.; Böhm, M.; Mackiewicz, A.; Behrmann, I.
Mitogen-activated protein kinases control p27/Kip1 expression and growth of human melanoma cells, 357:297
Korzeniewski, B.
——; Malgat, M.; Letellier, T.; Mazat, J.-P.
Effect of 'binary mitochondrial heteroplasmy' on respiration and ATP synthesis: implications for mitochondrial diseases, 357:835
Kosaka, H., *See* Yoneyama, H.
Kotani, N.
——; Asano, M.; Iwakura, Y.; Takasaki, S.
Knockout of mouse β1,4-galactosyltransferase-1 gene results in a dramatic shift of outer chain moieties of N-glycans from type 2 to type 1 chains in hepatic membrane and plasma glycoproteins, 357:827
Kovács, T.
——; Felföldi, F.; Papp, B.; Pászty, K.; Bredoux, R.; Enyedi, A.; Enouf, J.
All three splice variants of the human sarco/endoplasmic reticulum Ca^{2+}-ATPase 3 gene are translated to proteins: a study of their co-expression in platelets and lymphoid cells, 358:559
Kovar, D. R.
——; Drøbak, B. K.; Collings, D. A.; Staiger, C. J.
The characterization of ligand-specific maize *(Zea mays)* profilin mutants, 358:49
Koyama, Y.-i., *See* Kuwab-, K.
Kraft, R., *See* Harms, G.; Krippner-Heidenreich, A.
Kragh-Hansen, U., *See* Watanabe, H.
Krall, J., *See* Choi, Y.-H.
Kramer, B.
——; Ferrari, D. M.; Klappa, P.; Pöhlmann, N.; Söling, H.-D.
Functional roles and efficiencies of the thioredoxin boxes of calcium-binding proteins 1 and 2 in protein folding, 357:83
Kratky, D.
——; Strauss, J. G.; Zechner, R.
Tissue-specific activity of lipoprotein lipase in skeletal muscle regulates the expression of uncoupling protein 3 in transgenic mouse models, 355: 647
Krause, K., *See* Sommer, A.
Krawczyk, Z., *See* Ścieglińska
Krebsbach, R. J., *see* Berdyshev, E. V.
Kremmer, E., *See* Kzhyshkowska, J.
Kress, H., *See* Graack, H.-R.
Krieg, P., *See* Siebert, M.
Krieger, M., *See* Voshol, P. J.
Krippner-Heidenreich, A.
——; Talanian, R. V.; Sekul, R.; Kraft, R.; Thole, H.; Ottleben, H.; Lüscher, B.
Targeting of the transcription factor Max during apoptosis, phosphorylation-regulated cleavage by caspase-5 at an unusual glutamic acid residue in position P1, 358:705
Kristensen, M., *See* Walsh, S. B.
Kristiansen, K., *See* Svendsen, P.
Kristiansen, M. T., *See* Rasmussen, L. M.
Kroemer, G., *See* Gendron, M.-C.
Kronman, C., *See* Chitlaru, T.; Cohen, O.
Kroth, P., *See* Konno, H.
Krumschnabel, G., *See* Wieser, W.
Ktistakis, N. T., *See* Ganley, I. G.
Kübler, D.
——; Ecto-protein kinase substrate p120 revealed as the cell-surface-expressed nucleolar phosphoprotein Nopp140: a candidate protein for extracellular Ca^{2+}-sensing, 360:579
Kubo, T., *See Suzuki, S.*
Kuchel, P. W., *See* Torres, A. M.
Kudla, B., *See* Chassagnole, C.
Kudlow, J. E., *See* Konrad, R. J.
Kuehl, D., *See* Steffen, M.
Kuehn, L., *See* Flörke, R.-R.
Kuenzil, S., *See* Juge-Aubry, C. E.
Kuge, O., *See* Kawasaki, K.
Kuhnle, G., *See* Spencer, J. P. E.
Kuhse, J., *See* Tintrup, H.
Kuiper, R. P.
——; Bouw, G.; Janssen, K. P. C.; Rötter, J.; van Herp, F.; Martens, G. J. M.
Localization of p24 putative cargo receptors in the early secretory pathway depends on the biosynthetic activity of the cell, 360: 421
Kuipers, F., *See* Gustafson, L. A.; Voshol, P. J.
Kumagai, C., *See* Goto, A.
Kumagai, T., *See* Goto, A.
Kumari, R., *See* Tan, T. H. P.
Kume, T., *See* Ozeki, T.
Kupiec, J.-J., *See* Hazebrouck, S.
Kurosaki, T., *See* Kiselyov, K.
Kurumbail, R. G., *See* Walker, M. C.
Kuwaba, K.
——; Kobayashi, M.; Nomura, Y.; Irie, S.; Koyama, Y.-i.
Elongated dermatan sulphate in post-inflammatory healing skin distributes among collagen fibrils seperated by enlarged interfibrillar gaps, 358:157
Kuwabara, A., *See* Tamama, K.-i.
Kzhyshkowska, J.
——; Schütt, H.; Liss, M.; Kremmer, E.; Stauber, R.; Wolf, H.; Dobner, T.
Heterogeneous nuclear ribonucleoprotein E1B-AP5 is methylated in its Arg-Gly-Gly (RGG) box and interacts with human arginine methyltransferase HRMT1L1, 358:305

La, E., *See* Kehrer, J. P.
Labrou, N. E.
——; Mello, L. V.; Clonis, Y. D.

© 2002 Biochemical Society

Functional and structural roles of the glutathione-binding residues in maize *(Zea mays)* glutathione S-transferase I, 358:101
——; Rigden, D. J.
Active-site characterization of *Candida boidinii* formate dehydrogenase, 354: 455
Lacasa, M., *See* Carrière, V.
Lachambre, M.-P., *See* Annabi, B.
Lachuer, J., *See* Raimbault, S.
La Cour, T., *See* Jensen, R. B.
Lador, C., *See* Somwar, R.
Laffafian, I., *See* Davies-Cox, E. V.
Lafleur, M. A.
——; Hollenberg, M. D.; Atkinson, S. J.; Knäuper, V.; Murphy, G.; Edwards, D. R.
Activation of pro-(matrix metalloproteinase-2) (pro-MMP-2) by thrombin is membrane-type-MMp-dependent in human umbilical vein endothelial cells and generates a distinct 63 kDa active species, 357:107
Lähde, M., *See* Korhonen, R.
Lahti, A., *See* Korhonen, R.
Lai, J.-M.
——; Lu, C.-Y.; Yang-Yen, H.-F.; Chang, Z.-F.
Lysophosphatidic acid promotes phorbol-ester-induced apoptosis in TF-1 cells by interfering with adhesion, 359:227
Lamb, M. E.
——; de Weerd, W. F. C.; Leeb-Lundberg, L. M. F.
Agonist-promoted trafficking of human bradykinin receptors: arrestin-and dynamin-independent sequestration of the B_2 receptor and bradykinin in HEK293 cells, 355:741
Lammers, R., *See* Andersen, J. N.
Lan, M. S., *See* Klappa, P.
Land, S. C., *See* Haddad, J. J. E.
Landi, L., *See* Spickett, C. M.
Lang, F., *See* Bröer, A.
Langenbuch, M., *See* Klappa, P.
Langer, D., *See* Wagner, O.
Langlais, C., *See* Thompson, G. J.
Langner, J., *See* Riemann, D.
Långsjö, T. K., *See* Li, S.-W.
Lanza, F., *See* Ulsemer, P.
Large, M. S., *See* Franklin, T. J.
Larijani, B.
——; Barona, T. M.; Poccia, D. L.
Role for phosphatidylinositol in nuclear envelope formation, 356:495
LaRue, J. M., *See* Powell, A. A.
LaRusso, N. F., *See* Nathanson, M. H.
Lauder, R. M.
——; Huckerby, T. N.; Brown, G. M.; Bayliss, M. T.; Nieduszynski, I. A.
Age-related changes in the sulphation of the chondroitin sulphate linkage region from human articular cartilage aggrecan, 358:523
Laursen, L. S., *See* Boldt, H. B.
Lauterbach, R., *See* Haddad, J. J. E.
Laville, M., *See* Lefai, E.
Lawrence, J., *See* Hodel, A.
Lawson, D. M., *See* Hughes, R. K.
Lea, R. G., *See* Gambling, L.
Leanderson, T., *See* Aranburu, A.
Leavitt, M. O., *See* Maitra, R.
Lebo, R., *See* Zhang, S.
Le Bonniec, B., *See* Borgel, D.
Lechner, M.
——; Wojnar, P.; Redl, B.
Human tear lipocalin acts as an oxidative-stress-induced scavenger of potentially harmful lipid peroxidation products in a cell culture system, 356:129
Leclercq, P., *See* Sibille, B.
Ledet, T., *See* Rasmussen, L. M.
Lee, A. G.
——; East, J. M.
What the structure of a calcium pump tells us about its mechanism, 356: 665
Lee, C. H.
——; Um, P. Y.; Park, M. H.
Structure-function studies of human deoxyhypusine synthase: identification of amino acid residues critical for the binding of spermidine and NAD, 355:841
Lee, E., *See* Lee, Y. M.
Lee, E. H., *See* Seomun, Y.
Lee, H .H. B., *See* Park, S. W.
Lee, J., *See* Adams, S. H.
Lee, J. H., *See* Park, H.-S.
Lee, K.
——; Jung, J.; Kim, M.; Guidotti, G.
Interaction of the α subunit of Na,K-ATPase with cofilin, 353:377
Lee, K.-K., *See* Sohn, B. H.
Lee, R. C.
——; Burton, R. A.; Hrmova, M.; Fincher, G. B.
Barley arabinoxylan arabinofuranohydrolases: purification, characterization and determination of primary structures from cDNA clones, 356:181
Lee, S., *See* Lee, Y. M.
Lee, S. M., *See* Park, H.-S.
Lee, S. S.
——; He, S.; Withers, S. G.
Identification of the catalytic nucleophile of the Family 31 α-glucosidase from *Aspergillus niger* via trapping of a 5-fluoroglycosyl-enzyme intermediate, 359:381
Lee, V., *See* Kiani, C.
Lee, Y. M.
——; Lee, S.; Lee E.; Shin, H.; Hahn, H.; Choi, W.; Kim, W.
Human kinesin superfamily member 4 is dominantly localized in the nuclear matrix and is associated with chromosomes during mitosis, 360:549
Lee, Y.-S.
——; Cho, Y.-D.
Identification of essential active-site residues in ornithine decarboxylase of *Nicotiana glutinosa* decarboxylating both L-ornithine and L-lysine, 360:657
Leeb-Lundberg, L. M. F., *See* Lamb, M. E.
Lefai, E.
——; Roques, M.; Vega, A.; Laville, M.; Vidal H.
Expression of the splice variants of the p85α regulatory subunit of phosphoinositide 3-kinase in muscle and adipose tissue of healthy subjects and type 2 diabetic patients, 360:117
Lefebvre, D. L.
——; Bai, Y.; Shahmolky, N.; Sharma, M.; Poon, R.; Drucker, D. J.; Rosen, C. F.
Identification and characterization of a novel sucrose-non-fermenting protein kinase/AMP-activated protein kinase-related protein kinase, SNARK, 355:297
Lefebvre, T.
——; Cieniewski, C.; Lemoine, J.; Guerardel, Y.; Leroy, Y.; Zanetta, J.-P.; Michalski, J.-C.
Identification of *N*-acetyl-D-glucosamine-specific lectins from rat liver cytosolic and nuclear compartments as heat-shock proteins, 360:179
Leffler, H., *See* Capon, C.
Lehman, L., *See* Orino, K.
Lehmann, W. D., *See* Siebert, M.
Lei, X. G., *See* Fu, Y.
Leisola, M., *See* Jänis, J.
Lejeune, D.
——; Demoulin, J.-B.; Renauld, J.-C.
Interleukin 9 induces expression of three cytokine signal inhibitors: cytokin-inducible SH2-containing protein, suppressor of cytokine signalling (SOCS)-2 and SOCS-3, but only SOCS-3 overexpression suppresses interleukin 9 signalling, 353:109
Lemaitre, N.
——; Callebaut, I.; Frenois, F.; Jarlier, V.; Sougakoff, W.
Study of the structure-activity relationships for the pyrazinamidase (PncA) from *Mycobacterium tuberculosis*, 353:453
Le Marchand-Brustel, Y., *See* Cormont, M.
Lembert, N.
——; Joos, H. C.; Idahl, L.-Å.; Ammon, H. P. T.; Wahl, M. A.
Methyl pyruvate initiates membrane depolarization and insulin release by metabolic factors other than ATP, 354:345
Lemoine, J., *See* Lefebvre, T.
Lemoine, P., *See* Rigot, V.
Lennard, M. S., *See* Hayhurst, G. P.
Leroux, A.
——; Mota Vieira, L.; Kahn, A.
Transcriptional and translational mechanisms of cytochrome b_5 reductase isoenzyme generation in humans, 355:529
Leroy, Y., *See* Guérardel, Y.; Lefebvre, T.
Leslie, N. R., *See* Walker, S. M.
——; Bennett, D.; Gray, A.; Pass, I.; Hoang-Xuan, K.; Downes, C. P.
Targeting mutants of PTEN reveal distinct subsets of tumour suppressor functions, 357:427
Letcher, A. J., *See* Clarke, J. H.
Letellier, T., *See* Korzeniewski, B.; Raäis, B.
Leth-Larsen, R., *See* Ligtenberg, T. J. M.
Leuzzi, R.
——; Fulceri, R.; Marcolongo, P.; Bánhegyi, G.; Zammarchi, E.; Stafford, K.; Burchell, A.; Benedetti, A.
Glucose 6-phosphate trasport in fibroblast microsomes from glycogen storage disease type 1b patients: evidence for multiple glucose 6-phosphate transport systems, 357: 557
Levade, T., *See* Veldman, R. J.
Levadoux-Martin, M.
——; Hesketh, J. E.; Beattie, J. H.; Wallace, H. M.
Influence of metallothionein-1 localization on its function, 355:473
Leverve, X., *See* Sibille, B.
Levine, B. A., *See* Sharma, P.
Levine, R. L., *See* Das, N.
Levrero, M., *See* Catani, M. V.
Lévy-Tolédano, S., *See* Lopez, I.
Lewin, D. A., *See* Adams, S. H.
Lewin, D. A., *See* Yu, X. X.
Lewis, C. A.
——; Townsend, P. A.; Isacke, C. M.
Ca^{2+}/calmodulin-dependent protein kinase mediates the phosphorylation of CD44 required for cell migration on hyaluronan, 357:843
Lewis, T., *See Walsh, S. B.*
Li, D., *See* Ganley, I. G.
Li, F., *See* Han, W.

© 2002 Biochemical Society

Li, G.
——: Liang, Z.
Phosphate binding loop and Rab GTPase function: mutations at Ser^{29} and Ala30 of Rab5 lead to loss-of-function as well as gain-of-function phenotype, 355:681
Li, H., *See Wu, G.*
Li, J., *See* Han, Q.
Li, J.-H., *See* Phalip, V.
Li, L., *See* Zhu, Z.
Li, M., *See* Goswami, T.
Li, S.-C
——: Li, Y.-T.; Moriya, S.; Miyagi, T.
Degradation of G_{M1} and G_{M2} by mammalian sialidases, 360:233
Li, S.-W.
——: Arita, M.; Fertala, A.; Bao, Y.; Kopen, G. C.; Långsjö, T. K.; Hyttinen, M. M.; Helminen, H. J.; Prockop, D. J.
Transgenic mice with inactive alleles for procollagen *N*-proteinase (ADAMTS-2) develop fragile skin and male sterility, 355:271
Li, X. J., *See* Wahab, N. A.
Li, Y., *See* Han, W.
Li, Y.-K.
——: Chir, J.; Chen, F.-Y.
Catalytic mechanism of a family 3 β-glucosidase and mutagenesis study on residue Asp-247, 355:835
Li, Y.-T., *See* Li, S.-C
Lian, L.-Y., *See* Perry, A.
Lian, L.-y., *See* Stevenson, T. H.
Liang, F.-X.
——: Riedel, I.; Deng, F.-M.; Zhou, G.; Xu, C.; Wu, X.-R.; Kong, X.-P.; Moll, R.; Sun, T.-T.
Organization of uroplakin subunits: transmembrane topology, pair formation and plaque composition, 355:13
Liang, L., *See* Tu, Y.
Liang, Z., *See* Li, G.
Liao, W.
——: Chan, L.
Tunicamycin induces ubiquitination and degradation of apolipoprotein B in HepG2 cells, 353:493
Liapikos, T. A., *See* Tsoukatos, D. C.
Liau, M.-Y., *See* Wu, W. B.
Lie, J.
——: de Crom, R.; Jauhiainen, M., van Gent, T.; van Haperen, R.; Scheek, L.; Jansen, H.; Ehnholm, C.; van Tol, A.
Evaluation of phospholipid transfer protein and cholesteryl ester transfer protein as contributors to the generation of preβ-high-density lipoproteins, 360:379
Liebau, E., *See* Sommer, A.
Ligeti, E., *See* Geiszt, M.
Ligtenberg, T. J. M.
——: Bikker, F. J.; Groenink, J.; Tornoe, I.; Leth-Larsen, R.; Veerman, E. C. I.; Nieuw Amerongen, A. V.; Holmskov, U.
Human salivary agglutinin binds to lung surfactant protein-D and is identical with scavenger receptor protein gp-340, 359:243
Liken, A. D., *See* Arner, R. J.
Lilie, H., *See* Stubenrauch, K.
Liliom, K.
——: Sun, G.; Bünemann, M.; Virág, T.; Nusser, N.; Baker, D. L.; Wang, D.-a.; Fabian, M. J.; Brandts, B.; Bender, K.; Eickel, A.; Malik, K. U.; Miller, D. D.; Desiderio, D. M.; Tigyi, G.; Pott, L.
Sphingosylphosphocholine is a naturally occuring lipid mediator in blood plasma: a possible role in regulating cardiac function via sphingolipid receptors, 355:189
Lim, W. K.
——: Neubig, R. R.
Selective inactivation of guanine-nucleotide-binding regulatory protein (G-protein) α and βγ subunits by urea, 354:337
Lim, Y., *See* Jeong, J.
Lin, C.-C., *See* Yang, C.-M.
Lin, H.
——: Chen, C.; Chen, B. D.-M.
Resistance of bone marrow-derived macrophages to apoptosis is associated with expression of X-linked inhibitor of apoptosis protein in primary cultures of bone marrow cells, 353:299
Lin, L.
——: Lobel, P.
Production and characterization of recombinant human CLN2 protein for enzyme-replacement therapy in late infantile neuronal ceroid lipofuscinosis, 357:49
Lin, S.-H., *See* Han, E.
Lin, S.-X., *See* Gangloff, A.
Lin, W.-J.
——: Chang, Y.-F.; Wang, W.-L.; Huang, C.-Y. F.
Mitogen-stimulated TIS21 protein interacts with a protein-kinase-Cα-binding protein rPICK1, 354:635
Lindahl, R., *See* Canuto, R. A.
Linden, J., *See* Armstrong, J. M.
Lindgren, E. M., *See* Thonberg, H.
Lindholm, E. M.
——: Palmer, A. M.; Graham, A.
Triacylglycerol-rich lipoproteins alter the secretion and the cholesterol-effluxing function of apolipoprotein E-containing lipoprotein particles from human (THP-1) macrophages, 356:515, Correction, 357:911
Lindner, R. A.
——: Treweek, T. M.; Carver, J. A.
The molecular chaperone α-crystallin is in kinetic competition with aggregation to stabilize a monomeric molten-globule form of α-lactalbumin, 354:79
Ling, S., *See* Zhu, Z.
Linsenmayer, T. F., *See* Magee, C.
Lipinski, M., *See* De Lucia, F.
Lisanti, M. P., *See* Schlegel, A.
Lisinski, I.
——: Schürmann, A.; Joost, H.-G.; Cushman, S. W.; Al-Hasani, H.
Targeting of GLUT6 (formerly GLUT9) and GLUT8 in rat adipose cells, 358:517
Liss, M., *See* Kzhyshkowska, J.
Listowsky, I., *See* Cheng, H.
Litchfield, D. W., *See* Canton, D. A.
Litherland, G. J., *See* Hyde, R.
Littlejohn, A. F., *See* Jupp, O. J.
Liu, D., *See* Munday, J.
Liu, F.-H., *See* Wu, S.-J.
Liu, G., *See* Stokes, D. G.
Liu, J., *See* Ren, X.
Liu, J.
——: Takano, T.; Papillon, J.; Khadir, A.; Cybulsky, A. V.
Cytosolic phospholipase A_2-α associates with plasma membrane, endoplasmic reticulum and nuclear membrane in glomerular epithelial cells, 353:79
Liu, K., *See* Konrad, R. J.
Liu, S., *See* Griffiths, W. J.
Liu, S.-X.
——: Kawai, K.; Tyurin, V. A.; Tyurina, Y. Y.; Borisenko, G. G.; Fabisiak, J. P.; Quinn, P. J.; Pitt, B. R.; Kagan, V. E.
Nitric oxide-dependent pro-oxidant and pro-apoptotic effect of metallothioneins in HL-60 cells challenged with cupric nitrilotriacetate, 354:397
Liu, W.-Q., *See* Borgel, D.
Liu, X. Y.
——: Matherly, L. H.
Functional interactions between arginine-133 and aspartate-88 in the human reduced folate carrier: evidence for a charge-pair association, 358:511
Liu, Z., *See* Ren, X.
Lizcano, J. M., *See* Fontana, E.
Lo, P., *See* Han, E.
Lo, S.-C., *See* Yu, C.-C.
Lo, S. H., *See* Ishii, A.
Lo, S. J., *See* Chang, C.-P.
Lobel, P., *See* Lin, L.
Lobo, M., *See* Abu-Ghazaleh, R.
Lobréaux, S., *See* Petit, J.-M.
Locati, M.
——: Riboldi, E.; Bonecchi, R.; Transidico, P.; Bernasconi, S.; Haribabu, B.; Morris, A. J.; Mantovani, A.; Sozzani, S.
Selective induction of phospholipase D1 in pathogen-activated human monocytes, 358:119
Lochhead, P. A., *See* Patel, S.
Loci, D., *See* Teasdale, R. D.
Lockyer, P. J., *See* O'Toole, A.
Loew, M., *See* Steck, E.
Lois, L.-M., *See* Campos, N.
Lombard, S.
——: Helmy, M. E.; Piéroni, G.
Lipolytic activity of ricin from *Ricinus sanguineus* and *Ricinus communis* on neutral lipids, 358:773
Lompré, A.-M., *See* Vallot, O.
Looms, D. K.
——: Tritsaris, K.; Nauntofte, B.; Dissing, S.
Nitric oxide and cGMP activate Ca^{2+}-release processes in rat parotid acinar cells, 355:87
Lopez, C., *See Camara-Clayette, V.*
Lopez, I.
——: Duprez, V.; Melle, J.; Dreyfus, F.; Lévy-Tolédano, S.; Fontenay-Roupie, M.
Thrombopoietin stimulates cortactin translocation to the cytoskeleton independently of tyrosine phosphorylation, 356:875
López-Casillas, F., *See* Vilchis-Landeros, M. M.
López-Lluch, G.
——: Bird, M. M.; Canas, B.; Godovac-Zimmerman, J.; Ridley, A.; Segal, A. W.; Dekker, L. V.
Protein kinase C-δ C2-like domain is a binding site for actin and enables actin redistribution in neutrophils, 357:39
López-Rivas, A., *See* Muñoz-Pinedo, C.
Lorain, S., *See* De Lucia, F.
Lorenz, H., *See* Steck, E.
Löster,K.
——: Vossmeyer, D.; Hofmann, W.; Reutter, W.; Danker, K.
α1 Integrin cytoplasmic domain is involved in focal adhesion formation via association with intracellular proteins, 356:233
Lou, Y., *See* Han, W.
Louet, J.-F.
——: Chatelain, F.; Decaux, J.-F.; Park, E. A.; Kohl, C.; Pineau, T.; Girard, J.; Pegorier, J.-P.
Long-chain fatty acids regulate liver carnitine palmitoyltransferase I gene *(L-CPT I)* expression through a peroxisome-proliferator-activated

© 2002 Biochemical Society

receptor α (PPARα)-independent pathway, 354:189
Loughlin, P., *See* Shelden, M. C.
Louisot, P., *See* Rodriguez-Lafrasse, C.
Lövkvist Wallström, E.
——; Takao, K.; Wendt, A.; Vargiu, C.; Yin, H.; Persson, L.
Importance of the 3′ untranslated region of ornithine decarboxylase mRNA in the translational regulation of the enzyme, 356:627
Lovley, D. R., *See* Magnuson, T. S.
Low, P. S., *See* Taylor, A. T. S.
Lozano, J. A., *See* Olivares, C.
Lu, C.-Y., *See* Lai, J.-M.
Lu, S. C., *See* Yang, H.
Lu, X., *See* Du, X.; Paz, P. E.; Wattam, B.
——; Sun, Y.; Shang, D.; Wattam, B.; Egglezou, S.; Hughes, T.; Hyde, E.; Scully, M.; Kakkar, V.
Evaluation of the role of proline residues flanking the RGD motif of dendroaspin, an inhibitor of platelet aggregation and cell adhesion, 355: 633
Luciani, N.
——; de Rocquigny, H.; Turcaud, S.; Romieu, A.; Roques, B. P.
Highly sensitive and selective fluorescence assays for rapid screening of endothelin-converting enzyme inhibitors, 356:813
Lücke, C.
——; Rademacher, M.; Zimmerman, A. W.; van Moerkerk, H. T. B.; Veerkamp, J. H.; Rüterjans, H.
Spin-system heterogeneities indicate a selected-fit mechanism in fatty acid binding to heart-type fatty acid-binding protein (H-FABP), 354:259
Lucocq, J. M., *See* Cheung, P. C. F.
Lukacs, G. L., *See* Hu, W.
Lünser, K., *See* Wilde, A.
Luo, G., *See* Ren, X.
Luo, S.-F., *See* Yang, C.-M.
Lüscher, B., *See* Krippner-Heidenreich, A.
Lyons, B. A., *See* He, Q.-Y.

Ma, D., *See* Han, W.
Ma, H., *See* Zhang, C.-y.
Ma, L. K., *See* Slack, B. E.
Maas, T., *See* Eidenmüller, J.
Maccioni, H. J. F., *See* Zurita, A. R.
MacColl, G. S., *See* Robertson, A.
MacDonnell, J. E., *See* Bearne, S. L.
MacEwan, D. J., *See* Jupp, O. J.
MacGillivray, R. T. A., *See* He, Q.-Y.
Machado, O. L. T., *See* Follmer, C.
Machetlinckx-Delmas, V., *See* Hazebrouck, S.
Machold, J., *See* De Lucia, F.
Macia, C., *See* Cogé, F.
Maciorowska, Z., *See* Gendron, M.-C.
MacKay, R. H., *See* Jupp, O. J.
MacKenzie, C. J.
——; Wakefield, J. M.; Cairns, F.; Dominczak, A. F.; Gould, G .W.
Regulation of glucose transport in aortic smooth muscle cells by cAMP and cGMP, 353:513
Mackiewicz, A., *See* Kortylewski, M.
Mackintosh, C. A., *See* Stefanelli, C.
Mackness, B., *See* Rodrigo, L.
Mackness, M. I., *See* Rodrigo, L.
MacLennan, D. H., *See* Du, G. G.
Madshus, I. H., *See* Johannessen, L. E.
Maeda, M., *See* Sakata, K.
Maeda, N., *See* Goy, M. F.
Maes, E., *See* Capon, C.; Guérardel, Y.
Maestre, N., *See* Veldman, R. J.
Magee, C.
——; Nurminskaya, M.; Linsenmayer, T. F.
UDP-glucose pyrophosphorylase: up-regulation in hypertrophic cartilage and role in hyaluronan synthesis, 360:667
Maggiora, M., *See* Canuto, R. A.
Magías, A.
——; Martínez-Senac, M. M.; Delgado, J.; Saborido, A.
Regulation of transverse tubule ecto-ATPase activity in chicken skeletal muscle, 353:521
Magnuson, T. S.
——; Isoyama, N.; Hodges-Myerson, A. L.; Davidson, G.; Maroney, M. J.; Geesey, G. G.; Lovley, D. R.
Isolation, characterization and gene sequence analysis of a membrane-associated 89 kDa Fe(III) reducing cytochrome *c* from *Geobacter sulfurreducens*, 359:147
Magrangeas, F.
——; Boisteau, O.; Denis, S.; Jacques, Y.; Minvielle, S.
Negative cross-talk between interleukin-3 and interleukin-11 is mediated by suppressor of cytokine signalling-3 (SOCS-3), 353:223
Mahdi, S., *See* Becker, D.
Maitra, R.
——; Halpin, P. A.; Karlson, K. H.; Page, R. L.; Palk, D. Y.; Leavitt, M. O.; Moyer, B. D.; Stanton, B. A.; Hamilton, J. W.
Differential effects of mitomycin C and doxorubicin on P-glycoprotein expression, 355:617
Mäki, J. M.
——; Kivirikko, K. I.
Cloning and characterization of a fourth human lysyl oxidase isoenzyme, 355:381
Makondo, K., *See* Kitamura, T.
Maksel, D.
——; Gooley, P. R.; Swarbrick, J. D.; Guranowski, A.; Gange, C.; Blackburn, G. M.; Gayler, K. R.
Characterization of active-site residues in diadenosine tetraphosphate hydrolase from *Lupinus angustifolius*, 357:399
Maley, J., S., SeeAli
Malgat, M., *See* Korzeniewski, B.
Malik, K. U., *See* Liliom, K.
Mallen, M. H., *See* Brown, I. E.
Mallis, R. J.
——; Buss, J. E.; Thomas, J. A.
Oxidative modification of H-ras: *S*-thiolation and *S*-nitrosylation of reactive cysteines, 355:145
Malorni, W., *See* Matarrese, P.
Mamalaki, A., *See* Gaitanou, M.
Manchanda, N., *See* James, M. F.
Mande, S. C., *See* Chauhan, R.
Mandel, C., *See* Dircksen, H.
Manganiello, V. C., *See* Choi, Y.-H.
Mangravita, A., *See* Franco, R.
Manifava, M., *See* Ganley, I. G.
Manji, S. S. M., *See* Williams, R. T.
Mankelow, T. J.
——; Henderson, L. M.
Inhibition of neutrophil NADPH oxidase and associated H^+ channel by diethyl pyrocarbonate (DEPC) a histidine-modifying agent: evidence for at least two target sites, 358:315
Mannaerts, G. P., *See Amery, L.*
Mansuelle, P., *See* Di Luccio, E.
Manteuffel-Cymborowska, M., *See* Dudkowska, M.
Mantovani, A., *See* Locati, M.
Mao, J.
——; Marcos, S.; Davis, S. K.; Burzlaff, J.; Seyfert, H.-M.
Genomic distribution of three promoters of the bovine gene encoding acetyl-CoA carboxylase α and evidence that the nutritionally regulated promoter I contains a repressive element different from that in rat, 358:127
Maoui, M., *See* Yu, Z.
Marbaix, E., *See* Rigot, V.
Marchenko, G. N.
——; Ratnikov, B. I.; Rozanov, D. V.; Godzik, A.; Deryugina, E. I.; Strongin, A. Y.
Characterization of matrix metalloproteinase-26, a novel metalloproteinase widely expressed in cancer cells of epithelial orgin, 356:705
Marcolongo, P., *See* Leuzzi, R.
Marcos, S., *See* Mao, J.
Mariano, A. C.
——; Alexandre, G. M. C.; Silva, L. C.; Romeiro, A.; Cameron, L. C.; Chen, Y.; Chase, P. B.; Sorenson, M. M.
Dimethyl sulphoxide enhances the effects of P_i in myofibrils and inhibits the activity of rabbit skeletal muscle contractile properties, 358: 627
Marks, D. C., *See* McMahon, K.-A.
Marks, F., *See* Siebert, M.
Maroney, M. J., *See* Magnuson, T. S.
Marsh, E. N. G., *See* Huhta, M. S.
Martegani, E., *See* Bergsma, J. C. T.
Martens, G. J. M., *See* Kuiper, R. P.
Marti, L., *See* Fontana, E.
Martial, J. A., *See* Molina, A.
Martin, C.
——; Bean, R.; Rose, K.; Habib, F.; Seckl, J.
cyp7b1 catalyses the 7α-hydroxylation of dehydroepiandrosterone and 25-hydroxycholesterol in rat prostate, 355:509
Martin, M., *See* Conjard, A.
Martín, M. E., *See* Martín de la Vega, C.
Martinasso, G., *See* Canuto, R. A.
Martín de la Vega, C.
——; Burda, J.; Nemethova, M.; Quevedo, C.; Alcázar, A.; Martín, M. E.; Danielisova, V.; Fando, J. L.; Salinas, M.
Possible mechanisms involved in the down-regulation of translation during transient global ischaemia in the rat brain, 357:819
Martínez, F., *See* Otero, K.
Martinez, J. D., *See* Powell, A. A.
Martínez-Bianco, H., *See* Bravo, I. G.
Martínez-Senac, M. M., *See* Megías, A.
Marty, I., *See* Mouton, J.
Maruyama, T., *See* Ideno, A.; Watanabe, H.
Mary, J., *See* Petropoulos, I.
Marziali, G., *See* Coccia, E. M.
Marzo, I.
——; Pérez-Galán, P.; Giraldo, P.; Rubio-Félix, D.; Anel, A.; Naval, J.
Cladribine induces apoptosis in human leukaemia cells by caspase-dependent and -independent pathways acting on mitochondria, 359:537
Masaki, T., *See* Chen, M.
Masella, B., *See* Coccia, E. M.
Masgrau, R., *See* Thomas, J. M.
Mason, A. B., *See* He, Q.-Y.
Mason, G. G. F., *See* Bose, S.
Mason, R. M., *See* Wahab, N. A.
Masson, P., *See* Weingand-Zlade, A.
Masulli, M., *See* Tamburro, A.
Masyuk, A., *See* Nathanson, M. H.
Matarrese, P.
——; Testa, U.; Cauda, R.; Vella, S.; Gambardella, L.; Malorni, W.
Expression of P-170 glycoprotein sensitizes lymphoblastoid CEM cells

© 2002 Biochemical Society

to mitochondria-mediated apoptosis, 355:587
Matherly, L. H., *See* Ge, Y.; Liu, X. Y.
Mathews, A. J.
——: Brittain, T.
Haem disorder in recombinant- and reticulocyte-derived haemoglobins: evidence for stereoselective haem insertion in eukaryotes, 357:305
Mathews, J. R., *See* Washbourne, P.
Matsas, R., *See* Gaitanou, M.
Matsuda, M., *See* Kobayashi, S.
Matsuda, Y., *See* Yoshida, I.
Matsui, H., *See* Hamada, S.
Matsui, H., *See* Mehra-Chaudhary, R.
Matsumoto, N., *See* Tamura, S.
Matsushima, Y., *See* Goto, A.
Mattei, M.-G., *See* Munday, J.
Matthews, G., *See* Hawtin, S. R.
Mauch, C., *See* Hanselmann, C.
Maulet, Y., *See* Mouton, J.
Maurer, P., *See* Zaucke, F.
Mayer, B., *See* Klinger, M.
Mayer, R., *See* Freulon, I.
Mayo, K. H., *See* Cox, A.; Griffioen, A. W.
Mayorga, L. S., *See* Berón, W.
Mazat, J.-P., *See* Chassagnole, C.; Korzeniewski, B.; Raïs, B.
Mazurek, S.
——: Zwerschke, W.; Jansen-Dürr, P.; Eigenbrodt, E.
Effects of the human papilloma virus HPV-16 E7 oncoprotein on glycolysis and glutaminolysis: role of pyruvate kinase type M2 and the glycolytic enzyme complex, 356:247
Mbemba, E., *See* Atemezem, A.
Mbikay, M.
——: Seidah, N. G.; Chrétien, M.
Neuroendocrine secretory protein 7B2: structure, expression and functions, 357:329
McAlister, M. S. B., *See* Tan, T. H. P.
McArdle, H. J., *See* Gambling, L.
McColl, B. K., *See* O'Malley, C. J.
McDermott, L., *See* Prior, A.
McDermott, M., *See* Pettitt, T. R.
McDermott, P. J., *See* Saghir, A. N.
McFarlane, S. M., *See* Jupp, O. J.
McKean, P. G., *See* Knuepfer, E.
McKie, V. A., *See* Beylot, M.-H.
——: Vincken, J.-P.; Voragen, A. G. J.; van den Broek, L. A. M.; Stimson, E.; Gilbert, H. J.
A new family of rhamnogalacturonan lyases contains an enzyme that binds to cellulose, 355:167
McLean, P., *See* Shore, L.
McLennan, A. G., *See* Gasmi, L.
McMahon, K.-A.
——: Wilson, N. J.; Marks, D. C.; Beecroft, T. L.; Whitty, G. A.; Hamilton, J. A.; Csar, X. F.
Colony-stimulating factor-1 (CSF-1) receptor-mediated macrophage differentiation in myeloid cells: a role for tyrosine 559-dependent protein phosphatase 2A (PP2A) activity, 358:431
McPheat, J. C., *See* Follows, E. R.
Meade, G., *See* Sheehan, D.
Medin, J. A., *See* Veldman, R. J.
Meegalla, R. L., *See* Cheng, D.
Meek, D., *See* Hjerrild, M.
Meek, D. W., *See* Dumaz, N.
Mehdi, K.
——: Thierie, J.; Penninckx, M. J.
g-Glutamyl transpeptidase in the yeast *Saccharomyces cerevisiae* and its role in the vacuolar transport and metabolism of glutathione, 359:631
Mehra-Chaudhary, R.
——: Matsui, H.; Raghow, R.
Msx3 protein recruits histone deacetylase to down-regulate the Msx1 promoter, 353:13
Meier, C. A., *See* Juge-Aubry, C. E.
Meijer, A. J., *See* Gustafson, L. A.
Meijer, H. J. G.
——: Berrie, C. P.; Iurisci, C.; Divecha, N.; Musgrave, A.; Munnik, T.
Identification of a new polyphosphoinositide in plants, phosphatidylinositol 5-monophosphate, and its accumulation upon osmotic stress, 360:491
Meininger, C. J., *See* Wu, G.
Melani, M., *See* Riobó, N. A.
Melching, L., *See* Recklies, A. D.
Melck, D., *See* Di Marzo, V.
Melino, G., *See* Catani, M. V.
Melle, J., *See* Lopez, I.
Mello, L. V., *See* Labrou, N. E.
Melloni, E., *See* Averna, M.; Sparatore, B.
Melone, M. A. B., *See* Jori, F. P.
Menchise, V.
——: Corbier, C.; Didierjean, C.; Saviano, M.; Benedetti, E.; Jacquot, J.-P.; Aubry, A.
Crystal structure of the wild-type and D30A mutant thioredoxin *h* of *Chlamydomonas reinhardtii* and implications for the catalytic mechanism, 359:65
Mendelsohn, M., *See* Tsang, S. H.
Mendoza, V., *See* Vilchis-Landeros, M. M.
Mendoza-Hernández, G., *See* Vilchis-Landeros, M. M.
Mengesdorf, T.
——: Althausen, S.; Oberndorfer, I.; Paschen, W.
Response of neurons to an irreversible inhibition of endoplasmic reticulum Ca^{2+}-ATPase: relationship between global protein synthesis and expression and translation of individual genes, 356:805
Mercier, N.
——: Moldess, M.; El Hadri, K.; Fève, B.
Semicarbazide-sensitive amine oxidase activation promotes adipose conversion of 3T3-L1 cells, 358:335
Messana, I., *See* Misiti, F.
Métivier, D., *See* Gendron, M.-C.
Meunier, B.
——: Site-directed mutations in the mitochondrially encode subunits I and III yeast cytochrome oxidase, 354:407
Meunier-Durmort, C., *See* Poirier, H.
Meyer, D. J., *See* Jowsey, I. R.; Tan, T. H. P.
Mezzatesta, C., *See* Piccinini, M.
Miano, J. M., *See* Dulin, N. O.
Miao, Q.
——: Han, X.; Yang, F.
Phosphatidic acid-phosphatidylethanolamine interaction and apocytochrome *c* translocation across model membranes, 354:681
Michael, A. J., *See* Franceschetti, M.
Michalski, J.-C., *See* Capon, C.; Lefebvre, T.
Michell, R. H., *See* Hughes, P. J.
Michels, P., *See* Helfert, S.
Mikolaenko, I., *See* Konrad, R. J.
Mikoshiba, K., *See* Fukuda, M.
Miller, D. D., *See* Liliom, K.
Miller, J. G., *See* Fry, S. C.
Miller, W. L., *See* Song, M.
Millot, B.
——: Fontaine, M.-L.; Thepot, D.; Devinoy, E.
A distal region, hypersensitive to DNase I, plays a key role in regulating rabbit whey acidic protein gene expression, 359:557
Mills, C. E.
——: Sedelinkova, S.; Søballe, B.; Hughes, M. N.; Poole, R. K.
Escherichia coli flavohaemoglobin (Hmp) with equistoichiometric FAD and haem contents has a low affinity for dioxygen in the absence or presence of nitric oxide, 353:207
Mills, K., *See* Mills, P.
Mills, P.
——: Mills, K.; Clayton, P.; Johnson, A.; Whitehouse, D.; Winchester, B.
Congenital disorders of glycosylation type I leads to altered processing of N-linked glycans, as well as underglycosylation, 359:249
Milne, D., *See* Hjerrild, M.
Milne, D. M., *See* Dumaz, N.
Milunsky, A., *See* Zhang, S.
Minakata, H., *See* Satake, H.
Minatogawa, Y., *See* Suzuki, S.
Minshull, C., *See* Follows, E. R.
Minvielle, S., *See* Magrangeas, F.
Mira, H.
——: Vilar, M.; Pérez-Payá, E.; Peñarrubia, L.
Functional and conformational properties of the exclusive C-domain from the *Arabidopsis* copper chaperone (CCH), 357:545
Miriani, F., *See* D'Orazio, M.
Mirtschin, P., *See* Gong, N.
Mishra, S.
——: Kamisaka, Y.
Purification and characterization of thiol-reagent-sensitive glycerol-3-phosphate acyltransferase from the membrane fraction of an oleaginous fungus, 355:315
Misiti, F.
——: Castagnola, M.; Zuppi, C.; Giardina, B.; Messana, I.
Role of ergothioneine on *S*-nitrosoglutathione catabolism, 356: 799
Misselwitz, R., *See* Hilpert, J.
Missiaen, L., *See* Bultynck, G.
Misteli, T., *See* Dundr, M.
Mistry, A. C.
——: Honda, S.; Hirose, S.
Structure, properties and enhanced expression of galactose-binding C-type lectins in mucous cells of gills from freshwater eels *(Anguilla japonica)*, 360:107
Mitarai, M., *See* Watanabe, H.
Mitchell, C. A., *See* O'Malley, C. J.
Mitchell, S. A., *See* Subkhankulova, T.
Mitsui, Y., *See* Takano, S.
Miwa, N., *See* Sarkar, S.
Miyagawa, Y., *See* Oda, K.
Miyagi, T., *See* Li, S.-C
Miyamoto, K.-i., *See* Nii, T.
Miyazawa, K., *See* Grover, P. K.
Mizukami, Y., *See* Aki, T.
Mizuno, K., *See* Amano, T.
Mizuno, S., *See* Nishikawa, A.
Mochizuki, N., *See* Kobayashi, S.
Mochizuki, T., *See* Murakami, K.
Modaressi, S., *See* Kietzmann, T.
Moestrup, S. K., *See* Andersen, O. M.
Mogi, K., *See* Takeshita, H.
Mohamed, A. A. A., *See* Jupp, O. J.
Mohler, P. J., *See* Goy, M. F.
Mohr, G., *See* Plaimauer, B.
Moilanen, E., *See* Korhonen, R.
Moldess, M., *See* Mercier, N.
Molina, A.
——: Di Martino, E.; Martial, J. A.; Muller, M.

© 2002 Biochemical Society

Heat shock stimulation of a tilapia heat shock protein 70 promoter is mediated by a distal element, 356: 353
Molinete, M., *See* Jain, R. K.
Moll, J. R., *See* Steinmüller, L.
Moll, R., *See* Liang, F.-X.
Molnár, G., *See* Geiszt, M.
Moncada, S., *See* Riobó, N. A.
Monnot, M.-C., *See* Poirier, H.
Monsigny, M., *See* Freulon, I.
Montiel, J. L., *See* Vilchis-Landeros, M. M.
Moody, P. C. E., *See* Craig, D. H.
Moon, H.-B., *See* Sohn, B. H.
Moore, E., *See* Goswami, T.
Moore, G. B. T., *See* Jowsey, I. R.
Moore, N. C., *See* Follows, E. R.
Moore, P., *See* Munday, J.
Moores, G. D., *See* Walsh, S. B.
Mordier, S., *See* Deval, C.
Morel, F., *See* Geiszt, M.
Moreland, K. T., *See* Walker, M. C.
Morel-Kopp, M.-C., *See* Plançon, S.
Moreno, F., *See* Rodríguez, A.
Moreno, J., *See* Avila-Flores, A.
Moreno, S., *See* García-Montero, A. C.
Morgan, H. D., *See* Rakyan, V. K.
Morgan, R. O., *See* Carcedo, M.-T.
Morgenstern, R., *See* Tsoi, C.
Mori, H., *See* Goto, A.
Mori, K., *See* Haze, K.
Mori, S., *See* Takeshita, H.
Morikawa, K., *See* Yamamoto-Katayama, S.
Moriya, S., *See* Li, S.-C
Moriyama, Y., *See* Sakata, K.
Morizono, H., *See* Shi, D.
Morrice, N., *See* Woods, Y. L.
Morris, A. J., *See* Locati, M.
Morris, S. A., *See* Swatton, J. E.
Morris, W. P., *See* Franklin, T. J.
Morse, M. A., *See* Woodfield, R. J.
Moser, M., *See* Weiskirchen, R.
Mostert, M., *See* Piccinini, M.
Mota Vieira, L., *See* Leroux, A.
Motohashi, K., *See* Konno, H.
Moule, S. K., *See* O'Toole, A.
Moulin, K.
——: Truel, N.; André, M.; Arnauld, E.; Nibbelink, M.; Cousin, B.; Dani, C.; Pénicaud, L.; Casteilla, L.
Emergence during development of the white-adipocyte cell phenotype is independent of the brown-adipocyte cell phenotype, 356:659
Moura, I., *See* Franco, R.
Mousavi, S. A., *See* Kjeken, R.
Moustaïd-Moussa, N., *See* Kim, S.
Mouton, J.
——: Marty, I.; Villaz, M.; Feltz, A.; Maulet, Y.
Molecular interaction od dihydropyridine receptors with type-1 ryanodine receptors in rat brain, 354:597
Movsesian, M. A., *See* Choi, Y.-H.
Moyer, B .D., *See* Maitra, R.
Møller, K. B., *See* Andersen, J. N.
Møller, N. P. H., *See* Andersen, J. N.
Mu, Y., *See* Ren, X.
Muallem, S., *See* Kiselyov, K.
Muangmoonchai, R.
——: Smirlis, D.; Wong, S.-C.; Edwards, M.; Phillips, I. R.; Shephard, E. A.
Xenobiotic induction of cytochrome P450 2B1 (CYP2B1) is mediated by the orphan nuclear receptor constitutive androstane receptor (CAR) and requires steroid co-activator 1 (SRC-1) and the transcription factor Sp1, 355:71
Muir, N. M., *See* Beckingham, J. A.
Mujeeb, A., *See* Song, M.
Muller, M., *See* Molina, A.
Müller-Newen, G., *See* Pflanz, S.
Muller-Steffner, H., *See* Cakir-Kiefer, C.
Munday, J.
——: Kerr, S.; Ni, J.; Cornish, A. L.; Zhang, J. Q.; Nicoll, G.; Floyd, H.; Mattei, M.-G.; Moore, P.; Liu, D.; Crocker, P. R.
Identification characterization and leucocyte expression of Siglec-10, a novel human sialic acid-binding receptor, 355:489
Munnik, T., *See* Meijer, H. J. G.
Muñoz-Pinedo, C.
——: Oliver, F. J.; López-Rivas, A.
Apoptosis of haematopoietic cells upon thymidylate synthase inhibition is independent of p53 accumulation and CD95-CD95 ligand interaction, 353:101
Munro, A. W., *See* Craig, D. H.
Munzer, J. S., *See* Basak, A.
Murakami, K.
——: Ide, T.; Nakazawa, T.; Okazaki, T.; Mochizuki, T.; Kadowaki, T.
Fatty-acyl-CoA thioesters inhibit recruitment of steroid receptor co-activator 1 to α and κ isoforms of peroxisome-proliferator-activated receptors by competing with agonists, 353:231
Murdock, P. R., *See* Jowsey, I. R.
Murphy, G., *See* Lafleur, M. A.
Murphy, G. J., *See* Jowsey, I. R.
Murphy, H. C., *See* Burns, S. P.
Murthy, K. S.
——: Activation of phosphodiesterase 5 and inhibition of guanylate cyclase by cGMP-dependent protein kinase in smooth muscle, 360:199
Musgrave, A., *See* Meijer, H. J. G.
Musso, A., *See* Piccinini, M.
Muta, K., *See* Hirano, K.
Muzio, G., *See* Canuto, R. A.
Mwanjewe, J.
——: Hui, B. K.; Coughlin, M. D.; Grover, A. K.
Treatment of PC12 cells with nerve growth factor increases iron uptake, 357:881
——: Spitaler, M.; Ebner, M.; Windegger, M.; Geiger, M.; Kampfer, S.; Hofmann, J.; Überall, F.; Grunicke, H. H.
Regulation of phospholipase D isoenzymes by transforming Ras and atypical protein kinase C-i, 359:211
Myles, T.
——: Schmidt, K.; Evans, D. R. H.; Cron, P.; Hemmings, B. A.
Active-site mutations impairing the catalytic function of the catalytic subunit of human protein phosphatase 2A permit baculovirus-mediated overexpression in insect cells, 357:225

Nabipour, M. T., *See* Rasmussen, L. M.
Nagata, M., *See* Hosokawa, K.
Nagaya, T., *See* Kikumori, T.
Nagel, N., *See* Cogé, F.
Nagl, S., *See* Tan, T. H. P.
Nagy, L. E., *See* Poirer, L. A.
Nahorski, S. R., *See* Nash, M. S.
Najjar, S. M., *See* Han, E.
Nakagawara, A., *See* Yoshida, I.
Nakajima, T., *See* Corzo, G.; Takeshita, H.
Nakajou, K., *See* Watanabe, H.
Nakamura, H., *See* Yamamoto-Katayama, S.
Nakamura, S.-i., *See* Sarkar, S.
Nakano, H., *See* Hiratsuka, A.
Nakayama, K., *See* Ozeki, T.
Nakayama, T., *See* Oda, K.
Nakazawa, A., *See* Noma, T.
Nakazawa, T., *See* Murakami, K.
Nanjundan, M.
——: Possmayer, F.
Pulmonary lipid phosphate phosphohydrolase in plasma membrane signalling platforms, 358: 637
Nanoff, C., *See* Klinger, M.
Narita, H., *See* Goto, A.
Narumiya, S., *See* Amano, T.; Chen, M.
Nash, J. A. B., *See* Robertson, A.
Nash, M. S.
——: Young, K. W.; Willars, G. B.; Challiss, R. A. J.; Nahorski, S. R.
Single-cell imaging of graded $Ins(1,4,5)P_3$ production following G-protein-coupled-receptor activation, 356:137
Nathanson, M. H.
——: Burgstahler, A. D.; Masyuk, A.; LaRusso, N. F.
Stimulation of ATP secretion in the liver by therapeutic bile acids, 358:1
Nauntofte, B., *See* Looms, D. K.
Naval, J., *See* Marzo, I.
Nawata, H., *See* Hirano, K.
Nedergaard, J., *See* Thonberg, H.
Neeft, M., *See* Gustafson, L. A.
Neesen, J., *See* Grzmil, P.
Negishi, M., *See* Haze, K.
Neill, G. W.
——: Crompton, M. R.
Binding of the merlin-1 product of the neurofibromatosis type 2 tumour suppressor gene to a novel site in β-todrin is regulated by association between merlin domains, 358:727
Nemethova, M., *See* Martín de la Vega, C.
Nemoto, T. K.
——: Ono, T.; Tanaka, K.-i.
Substrate-binding characteristics of proteins in the 90 kDa heat shock protein family, 354:663
Nerou, E. P.
——: Riley, A. M.; Potter, B. V. L.; Taylor, C. W.
Selective recognition of inositol phosphates by subtypes of the inositol trisphosphate receptor, 355: 59
Neubig, R. R., *See* Lim, W. K.
Nguyen, V., *See* He, Q.-Y.
Ni, J., *See* Munday, J.
Nibbelink, M., *See* Moulin, K.
Nickelsen, J., *See* Wilde, A.
Nicoll, G., *See* Munday, J.
Nidetzky, B., *See* Eis, C.
——: Eis, C.
α-Retaining glucosyl transfer catalysed by trehalose phosphorylase from *Schizophyllum commune:* mechanistic evidence obtained from steady-state kinetic studies with substrate analogues and inhibitors, 360:727
Nieduszynski, I. A., *See* Lauder, R. M.
Niels-Christiansen, L.-L., *See* Riemann, D.
Nielsen, M., *See* Jensen, R. B.
Nielsen, T. H., *See* Villadsen, D.
Nieuw Amerongen, A. V., *See* Ligtenberg, T. J. M.; Ruissen, A. L. A.
Nigam, S., *See* Sutherland, M.
Nii, T.
——: Segawa, H.; Taketani, Y.; Tani, Y.; Ohkido, M.; Kishida, S.; Ito, M.; Endou, H.; Kanai, Y.; Takeda, E.; Miyamoto, K.-i.
Molecular events involved in up-regulation human Na+-independent neutral amino acid transporter LAT1 during T-cell activation, 358: 693

© 2002 Biochemical Society

Ninio, E., *See* Hourton, D.; Tsoukatos, D. C.
Niot, I., *See* Poirier, H.
Nishihara, T., *See* Okuno, M.
Nishijima, M., *See* Kawasaki, K.
Nishikawa, A.
——: Mizuno, S.
The efficiency of N-linked glycosylation of bovine DNase I depends on the Asn-Xaa-Ser/Thr sequence and the tissue of origin, 355:245
Nishikimi, A.
——: Kira, Y.; Kasahara, E.; Sato, E. F.; Kanno, T.; Utsumi, K.; Inoue, M.
Tributyltin interacts with mitochondria and induces cytochrome *c* release, 356:621
Nishimura, J., *See* Hirano, K.
Nishiyama, J.
——: Yi, X.; Venkatachalam, M. A.; Dong, Z.
cDNA cloning and promoter analysis of rat caspase-9, 360:49
Nishiyama, T., *See* Hiratsuka, A.
Niu, W., *See* Somwar, R.
Noma, T.
——: Fujisawa, K.; Yamashiro, Y.; Shinohara, M.; Nakazawa, A.; Gondo, T.; Ishihara, T.; Yoshinobu, K.
Structure and expression of human mitochondrial adenylate kinase targeted to the mitochondrial matrix, 358:225
Nomura, Y., *See* Kuwaba, K.
Norquay, L. D.
——: Jin, Y.; Surabhi, R. M.; Gietz, R. D.; Tanese, N.; Cattini, P. A.
A member of the nuclear factor-1 family is involved in the pituitary repression of the human placental growth hormone genes, 354:387
Northup, J. K., *See* Clark, W. A.
Norton, R. S., *See* Corzo, G.
Nose, S., *See* Harano, T.
Nozaki, K., *See* Hamada, S.
Nørgaard, P.
——: Winther, J. R.
Mutation of yeast Eug1p CXXS active sites to CXXC results in a dramatic increase in protein disulphide isomerase activity, 358:269
Nuñez, M. F.
——: Pellicer, M. T.; Badia, J.; Aguilar, J.; Baldoma, L.
Biochemical characterization of the 2-ketoacid reductases encoded by *ycdW* and *yiaE* genes in *Escherichia coli*, 354:707
Nunoya, K.-I., *See* Ozeki, T.
Nurminskaya, M., *See* Magee, C.
Nusser, N., *See* Liliom, K.
Nykjaer, A., *See* Hilpert, J.

O, K., *See* Wang, G.
Oakmoto, S., *See* Kitamura, T.
Oberndorfer, I., *See* Mengesdorf, T.
Obled, A., *See* Tournu, C.
Obled, C., *See* Deval, C.
Ochi, H., *See* Asamoto, Y.; Yasumiba, S.
Oda, K.
——: Oyama, H.; Ito, S.; Fukiharu, M.; Miyagawa, Y.; Takahashi, S.; Hirose, M.; Kikuchi, N.; Nakayama, T.; Shibano, Y.
Cloning and rational mutagenesis of kexstatin I, a potent proteinaceous inhibitor of Kex2 proteinase, 355: 339
O'Donnell, J., Jr., *See* Warden, S. M.
Oehrl, W., *See* Hehl, S.
Ogura, K., *See* Hiratsuka, A.
Oh, E.-S., *See* Jeong, J.; Kim, J.
Ohanian, J., *See* Walker, A. J.
Ohanian, V., *See* Walker, A. J.
Ohkawa, K., *See* Takada, K.
Ohkido, M., *See* Nii, T.
Ohmori, T., *See* Osada, M.
Ohnishi, T., *See* Hosokawa, K.
Ohno, M., *See* Fukasawa, K.
Ohta, H., *See* Tamama, K.-i.
Oka, Y., *See* Aki, T.
Okada, T., *See* Haze, K.; Sarkar, S.
Okajima, F., *See* Tamama, K.-i.
Okawa, Y., *See* Takada, K.
Okazaki, T., *See* Yabu, T.
Okazaki, T., *See* Murakami, K.
Okuno, M.
——: Arimoto, E.; Ikenobu, Y.; Nishihara, T.; Imagawa, M.
Dual DNA-binding specicicity of peroxisome-proliferator-activated receptor γ controlled by heterodimer formation with retinoid X receptor α, 353:193
Olesen, P., *See* Rasmussen, L. M.
Olivares, C.
——: Jiménez-Cervantes, C.; Lozano, J. A.; Solano, F.; García-Borrón, J. C.
The 5,6-dihydroxyindole-2-carboxylic acid (DHICA) oxidase activity of human tyrosinase, 354:131
Oliver, F. J., *See* Muñoz-Pinedo, C.
Oliver, P. M., *See* Goy, M. F.
Ollero, F. J., *See* Rodríguez-Carvajal, M. A.
O'Luanaigh, N., *See* Bolsover, S.
O'Malley, C. J.
——: McColl, B. K.; Kong, A. M.; Ellis, S. L.; Wijayaratnam, A. P. W.; Sambrook, J.; Mitchell, C. A.
Mammalian inositol polyphosphate 5-phosphatase it can compensate for the absence of all three yeast Sac1-like domain containing 5-phosphatases, 355:805
Omura, S., *See* Tournu, C.
Ono, T., *See* Nemoto, T. K.
Onodera, S., *See* Hamada, S.
Opat, A. S.
——: Houghton, F.; Gleeson, P. A.
Steady-state localizationj of a *medial*-Golgi glycosyltransferase involves transit through the *trans*-Golgi network, 358:33
Oppenheimer, N., *See* Cakir-Kiefer, C.
O'Rand, M. G., *See* Wen, Y.
Ordentlich, A., *See* Cohen, O.
Orino, K.
——: Lehman, L.; Tsuji, Y.; Ayaki, H.; Torti, S. V.; Torti, F. M.
Ferritin and the response to oxidative stress, 357:241
Oriol, R., *See* Guérardel, Y.
Orlando, P., *See* Di Marzo, V.
Orlov, S. N., *See* Dulin, N. O.
Orlova, E., *See* Saks, V. A.
Orr, W. C., *See* Das, N.
Ortelli, F., *See* Ranson, H.
Osada, M.
——: Ohmori, T.; Yalomi, Y.; Satoh, K.; Hosogaya, S.; Ozaki, Y.
Involvement of Hic-5 in platelet activation: integrin αIIbβ3-dependent tyrosine phosphorylation and association with proline-rich tyrosine kinase 2, 355:691
Ossenbühl, F., *See* Wilde, A.
Ostvold, A. C., *See* Johannessen, L. E.
Ota, N., *See* Fukasawa, K.
Otagiri, M., *See* Watanabe, H.
Otero, K.
——: Martínez, F.; Beltrán, A; González, D.; Herrera, B.; Quintero, G.; Delgado, R.; Rojas, A.
Albumin-derived advanced glycation end-products trigger the disruption of the vascular endothelial cadherin complex in cultured human and murine endothelial cells, 359:567
Otogoto, J., *See* Fukasawa, K.
O'Toole, A.
——: Moule, S. K.; Lockyer, P. J.; Halestrap, A. P.
Tumour necrosis factor-α activation of protein kinase B in WEHI-164 cells is accompanied by increased phosphorylation of Ser^{473}, but not Thr308, 359:119
Ottersbach, K.
——: Graham, G. J.
Aggregation-independent modulation of proteoglycan binding by neutralization of C-terminal acidic resdues in the chemokine macrophage inflammatory protein 1α, 354:447
Ottleben, H., *See* Krippner-Heidenreich, A.
Otvos, J. D., *See* Zangger, K.
Ou, X., *See* Yang, H.
Ouvry, C., *See* Cogé, F.
Ovchinnikova, T., *See* Poliakov, A.
Overgaard, M. T., *See* Boldt, H. B.
Oxvig, C., *See* Boldt, H. B.
Oyama, H., *See* Oda, K.
Oyamada, H., *See* Du, G. G.
Öz, G., *See* Zangger, K.
Ozaki, Y., *See* Osada, M.
Ozeki, T.
——: Takahashi, Y.; Kume, T.; Nakayama, K.; Yokoi, T.; Nunoya, K.-I.; Hara, A.; Kamataki, T.
Co-operative regulation of the transcription of human dihydrodiol dehydrogenase *(DD)4*/aldo-keto reductase *(AKR)1C4* gene by hepatocyte nuclear factor (HNF)-4α/γ and HNF-1α, 355:537
Özvegy, C., *See* Szakács, G.

Pachta-Nick, M., *See* Pflanz, S.
Packman, L. C., *See* Himpel, S.
Paclet, M.-H., *See* Geiszt, M.
Page, D. y., *See* Maitra, R.
Pagé, M., *See* Annabi, B.
Pain, D., *See* Gordon, D. M.
Paju, K., *See* Saks, V. A.
Palk, D. Y., *See* Maitra, R.
Palma, A. S., *See* Sousa, V. L.
Palmer, A. C. V., S., SeeAli
Palmer, A. M., *See* Lindholm, E. M.
Palumbo, A.
——: Astarita, G.; d'Ischia, M.
Inhibition of neuronal nitric oxide synthase by 6-nitrocatecholamines, putative reaction products of nitric oxide with catecholamines under oxidative stress conditions, 356:105
Pan, A., *See* Zhang, S.
Pan, G., *See* Yu, X. X.
Pandey, A. V.
——: Bisht, H.; Babbarwal, V. K.; Srivastava, J.; Pandey, K. C.; Chauhan, V. S.
Mechanism of malarial haem detoxification inhibition by chloroquine, 355:333
Pandey, K. C., *See* Pandey, A. V.
Pang, S.
——: Chubb, A. J.; Schwager, S. L .U.; Ehlers, M. R. W.; Sturrock, E. D.; Hooper, N. M.
Roles of the juxtamembrane and extracellular domains of angiotensin-converting enzyme in ectodomain shedding, 358:185
Pang, S. S.
——: Duggleby, R. G.

© 2002 Biochemical Society

Regulation of yeast acetohydroxyacid synthase by valine and ATP, 357:749
Pantke, M. M.
——: Reif, A.; Valtschanoff, J. G.; Shutenko, Z.; Frey, A.; Weinberg, R. J.; Pfleiderer, W.; Schmidt, H. H. H. W.
Pterin interactions with distinct reductase activities of NO synthase, 356:43
Panzer, P., *See* Himpel, S.
Papillon, J., *See* Liu, J.
Papp, B., *See* Kovács, T.
Pappa, C., *See* Gaitanou, M.
Parenti, M., *See* Guzzi, F.
Parisi, E., *See* D'Auria, S.
Park, E. A., *See* Louet, J.-F.
Park, H. S., *See* Park, S. W.
Park, H.-S.
——: Lee, S. M.; Lee, J. H.; Kim, Y.-S.; Bae, Y.-S.; Park, J.-W.
Phosphorylation of the leucocyte NADPH oxidase subunit $P47^{phox}$ by casein kinase 2: conformation-dependent phosphorylation and modulation of oxidase activity, 358: 783
Park, I., *See Jeong, J.*
Park, J.-W., *See* Park, H.-S.
Park, M. H., *See* Lee, C. H.
Park, S. W.
——: Choi, K.; Kim, I. C.; Lee, H. H. B.; Hooper, N. M.; Park, H. S.
Endogenous glycosylphosphatidylinositol-specific phospholipase C releases renal dipeptidase from kidney proximal tubules *in vitro*, 353:339
Parker, N. J., *See* Williams, R. T.
Parker, P. J., *See* Hughes, W. E.
Parkin, E. T.
——: Turner, A. J.; Hooper, N. M.
Differential effects of glycosphingolipids on the detergent-insolubility of the glycosylphosphatidylinositol-anchored membrane dipeptidase, 358:209
Parkkinen, J. J., *See* Suppola, S.
Parks, W. C., *See* Xu, J.
Parry, N. J.
——: Beever, D. E.; Owen, E.; Vandenberghe, I.; Van Beeumen, J.; Bhat, M. K.
Biochemical characterization and mechanism of action of a thermostable β-glucosidase purifed from *Thermoascus aurantiacus*, 353: 117
Parsons, J. T., *See* Fresu, M.
Parys, J. B., *See* Bultynck, G.
Pascall, J. C., *See* Ellis, P. D.
Paschen, W., *See* Mengesdorf, T.
Pass, I., *See* Leslie, N. R.
Pass, J., *See* Hoyer-Hansen, G.
Passalacqua, M., *See* Averna, M.; Sparatore, B.
Passlack, W., *See* Flörke, R.-R.
Pastorek, J., *See* Kaluzová, M.
Pastroeková, S., *See* Kaluzová, M.
Pászty, K., *See* Ba-Thein, W.; Kovács, T.
Patchell, V. B., *See* Sharma, P.
Patel, A., *See* Sylvester, D. R.
Patel, D.
——: Vitovski, S.; Senior, H. J.; Edge, M. D.; Hockney, R. C.; Dempsey, M. J.; Sayers, J. R.
Continuous affinity-based selection: rapid screening and simultaneous amplification of bacterial surface-display libraries, 357:779
Patel, J.
——: Wang, X.; Proud, C. G.
Glucose exerts a permissive effect on the regulation of the initiation factor 4E binding protein 4E-BP1, 358:497
Patel, S.
——: Lochhead, P. A.; Rena, G.; Sutherland, C.
Antagonistic effects of phorbol esters on insulin regulation of insulin-like growth factor-binding protein-1 (IGFBP-1) but not glucose-6-phosphatase gene expression, 359: 611
Patrone, M., *See* Sparatore, B.
Patskovsky, Y. V., *See* Cheng, H.
Patterson, A. P., *See* Chen, Z.
Paulsson, M., *See* Zaucke, F.
Paumel, S., *See* Siffori-Fernandez, S.
Pauptit, R. A., *See* Follows, E. R.
Paz, P. E.
——: Wang, S.; Clarke, H.; Lu, X.; Stokoe, D.; Abo, A.
Mapping the Zap-70 phosphorylation sites on LAT (linker for activation of T cells) required for recruitment and activation of signalling proteins in T cells, 356:461
Pearl, L. H., *See* Tan, T. H. P.
Pedraza, N.
——: Solanes, G.; Iglesias, R.; Vázquez, M.; Giralt, M.; Villarroya, F.
Differential regulation of expression of genes encoding uncoupling proteins 2 and 3 in brown adipose tissue during lactation in mice, 355:105
Pedrazzi, M., *See* Sparatore, B.
Pegg, A. E., *See* Colemann, C. S.; Shantz, L. M.; Stefanelli, C.
Pegorier, J.-P., *See* Louet, J.-F.
Pei, L.
——: Transcriptional repressor of vasoactive intestinal peptide receptor mediates repression through interactions with TFIIB and TFIIEβ, 360:633
Pell, G., *See* Beylot, M.-H.
Pellicer, M. T., *See* Nuñez, M. F.
Peluso, G., *See* Jori, F. P.
Peñarrubia, L., *See* Mira, H.
Pénicaud, L., *See* Moulin, K.
Penninckx, M. J., *See* Mehdi, K.
Penniston, J. T., *See* Ba-Thein, W.
Pereira, A. S., *See* Franco, R.
Pérez-Galán, P., *See* Marzo, I.
Pérez-Gil, J., *See* Plasencia, I.
Pérez-Payá, E., *See* Mira, H.
Perichon, M., *See* Petropoulos, I.
Périé, J., *See* Soulère, L.
Perkins, S. J., *See* Robertson, A.
Perry, A.
——: Lian, L.-Y.; Scrutton, N. S.
Two-iron rubredoxin of *Pseudomonas oleovorans:* production, stability and characterization of the individual iron-binding domains by optical, CD and NMR spectroscopies, 354:89
Persson, C., *See* Aranburu, A.
Peschle, C., *See* Coccia, E. M.
Pessara, U., *See* Hoyer-Hansen, G.
Pestell, R. G., *See* Schlegel, A.
Petersen, H. H., *See* Andersen, O. M.
Peters-Golden, M., *See* Sud'ina, G. F.
Petit, J.-M.
——: Briat, J.-F.; Lobréaux, S.
Structure and differential expression of the four members of the *Arabidopsis thaliana* ferritin gene family, 359:575
Petit, P. X., *See* Gendron, M.-C.
Petitou, M., *See* Hricovíni, M.
Petrash, J. M., *See* Srivastava, S.
Petrat, F.
——: de Groot, H.; Rauen, U.
Subcellular distribution of chelatable iron: a laser scanning microscopic study in isolated hepatocytes and liver endothelial cells, 356:61
Petropoulos, I.
——: Mary, J.; Perichon, M.; Friguet, B.
Rat peptide methionine sulphoxide reductase: cloning of the cDNA and down regulation of gene expression and enzyme activity during aging, 355:819
Pettitt, T. R.
——: McDermott, M.; Saqib, K. M.; Shimwell, N.; Wakelam, M. J. O.
Phospholipase D1b D2a generate structurally identical phosphatidic acid species in mammalian cells, 360:707
Peumans, W. J., *See* Hao, Q.
Pfeifer, U., *See* vom Dahl, S.
Pflanz, S.
——: Kernebeck, T.; Giese, B.; Herrmann, A.; Pachta-Nick, M.; Stahl, J.; Wollmer, A.; Heinrich, P. C.; Müller-Newen, G.; Grötzinger, J.
Signal transducer gp 130: biochemical characterization of the three membrane-proximal extracellular domains and evaluation of their oligomerization potential, 356:605
Pfleiderer, W., *See* Pantke, M. M.
Phalip, V.
——: Li, J.-H.; Zhang, C. C.
HstK, a cyanobacterial protein with both a serine-threonine kinase domain and a histidine kinase domain: implication for the mechanism of signal transduction, 360:639
Phan, D., *See* Han, E.
Phillips, A. R. J., *See* Buchanan, C. M.
Phillips, I. R., *See* Muangmoonchai, R.
Phillips, S. E., *See* Pinxteren, J. A.
Pical, C., *See* Westergren, T.
Piccinini, M.
——: Tazartes, O.; Mezzatesta, C.; Ricotti, E.; Bedino, S.; Grosso, F.; Dianzani, U.; Tovo, P.-A.; Mostert, M.; Musso, A.; Rinaudo, M. T.
Proteasomes are a target of the anti-tumour drug vinblastine, 356:835
Piccoli, R., *See* Di Gaetano, S.
Piegari, E., *See* Jori, F. P.
Piens, K., *See* Becker, D.
Piera-Velazquez, S., *See* Stokes, D. G.
Piéroni, G., *See* Lombard, S.
Piette, J., *See* Josse, C.
Pignatti, C., *See* Stefanelli, C.
Pilorget, A., *See* Annabi, B.
Pineau, T., *See* Louet, J.-F.; Poirier, H.; Rouimi, P.
Pinedo, H. M., *See* de Graaf, M.
Pinitglang, S., *See* Reid, J. D.
Pinna, L. A., *See* Donella-Deana, A.
Pinton, P., *See* Chiesa, A.
Pinxteren, J. A.
——: Gomperts, B. D.; Rogers, D.; Phillips, S. E.; Tatham, P. E. R.; Thomas, G. M. H.
Phosphatidylinositol transfer proteins and protein kinase C make seperate but non-interacting contributions to the phosphorylation state necessary for secretory competence in rat mast cells, 356:287
Piquet, M.-A., *See* Sibille, B.
Pirsoo, A., *See* Saks, V. A.
Pitard, B., *See* Wetzer, B.
Pitt, A. R., *See* Spickett, C. M.
Pitt, B. R., *See* Liu, S.-X
Pizzo, S. V., *See* Gonzalez-Gronow, M.
Plaimauer, B.
——: Mohr, G.; Wernhart, W.; Himmelspach, M.; Dorner, F.; Schlokat, U.

© 2002 Biochemical Society

'Shed' furin: mapping of the cleavage determinants and identification of its C-terminus, 354:689
Planas, A., *See* Abel, M.; Viladot, J.-L.
Planells, R., *See* Compe, E.
Plançon, S.
——: Morel-Kopp, M.-C.; Schaffner-Reckinger, E.; Chen, P.; Kieffer, N.
Green fluorescent protein (GFP) tagged to the cytoplasmic tail of αIIb or β3 allows the expression of a fully functional integrin αIIbβ3: effect of $\beta3_{GFP}$ on αIIbβ3 ligand binding, 357:529
Plasencia, I.
——: Cruz, A.; Casals, C.; Pérez-Gil, J.
Superficial disposition of the N-terminal region of the surfactant protein SP-C and the absence of specific SP-B-SP-C interactions in phospholipid bilayers, 359:651
Plösch, T., *See* Dircksen, H.
Poccia, D. L., *See* Larijani, B.
Poderoso, J. J., *See* Riobó, N. A.
Pöhlmann, N., *See* Kramer, B.
Poirer, L. A.
——: Rachdaoui, N.; Nagy, L. E.
GLUT4 vesicle trafficking in rat adipocytes after ethanol feeding: regulation by heterotrimeric G-proteins, 354:323
Poirier, H.
——: Niot, I.; Monnot, M.-C.; Braissant, O.; Meunier-Durmort, C.; Costet, P.; Pineau, T.; Wahli, W.; Willson, T. M.; Besnard, P.
Differential involvement of peroxisome-proliferator-activated receptors α and δ in fibrate and fatty-acid-mediated inductions of the gene encoding liver fatty-acid-binding protein in the liver and the small intestine, 355:481
Poisson, L., *See* Yowe, D.
Polanco, J. I., *See* Galletto, R.
Poliakov, A.
——: Tkachuk, V.; Ovchinnikova, T.; Potapenko, N.; Bagryantsev, S.; Stepanova, V.
Plasmin-dependent elimination of the growth-factorlike domain in urokinase causes its rapid cellular uptake and degradation, 355:639
Polla, B .S., *See* Favatier, F.
Pontremoli, S., *See* Averna, M.; Sparatore, B.
Pool, M., *See* Eidenmüller, J.
Poole, R. K., *See* Mills, C. E.
Poon, R., *See* Lefebvre, D. L.
Popov, K. M., *See* Kolobova, E.
Popova, B., *See* Kiningham, K. K.
Porchet, N., *See* Escande, F.
Porres, J. M., *See* Fu, Y.
Possmayer, F., *See* Nanjundan, M.
Potapenko, N., *See* Poliakov, A.
Potashnik, R., *See* Tirosh, A.
Potempa, J., *See* Snipas, S. J.
Potempa, J., *See* Imamura, T.
Pott, L., *See* Liliom, K.
Potter, B. V. L., *See* Nerou, E. P.
Poutanen, M., *See* Ścieglińska
Powell, A. A.
——: LaRue, J. M.; Batta, A. K.; Martinez, J. D.
Bile acid hydrophobicity is correlated with induction of apoptosis and/or growth arrest in HCT116 cells, 356: 481
Poy, M. N., *See* Han, E.
Prabhu, S., *See* Arner, R. J.
Prabhu, S. K.
——: Reddy, P. V.; Gumpricht, E.; Hildenbrandt, G. R.; Scholz, R. W.; Sordillo, L. M.; Reddy, C. C.
Microsomal glutathione S-transferase A1–1 with glutathione peroxidase activity from sheep liver: molecular cloning, expression and characterization, 360:345
Prabhudas, M., *See* Yowe, D.
Preis, J., *See* Rakyan, V. K.
Prescott, A. R., *See* Rena, G.
Presson, L., *See* Lövkvist Wallström, E.
Prior, A.
——; Jones, J. T.; Blok, V. C.; Beauchamp, J.; McDermott, L.; Cooper, A.; Kennedy, M. W.
A surface-associated retinol-and fatty acid-binding protein (Gp-FAR-1) from the potato cyst nematode *Globodera pallida:* lipid binding activities, structural analysis and expression pattern, 356:387
Prockop, D. J., *See* Li, S.-W.
Prohaska, T., *See* Eis, C.
Proost, P., *See* Gebruers, K.
Proud, C. G., *See* Patel, J.; Woods, Y. L.
Prouty, S. M., *See* Zhang, L.
Provost, P.
——; Doucet, J.; Stock, A.; Gerisch, G.; Samuelsson, B.; Rådmark, O.
Coactosin-like protein, a human F-actin-binding protein: critical role of lysine-75, 359:255
Prudêncio, M.
——; Eady, R. R.; Sawersw, G.
Catalytic and spectroscopic analysis of blue copper-containing nitrite reductase mutants altered in the enviroment of the type 2 copper centre: implications for substrate interaction, 353:259
Prydz, K.
——; Simons, K.
Cholesterol depletion reduces apical transport capacity in epithelial Madin-Darby canine kidney cells, 357:11
Purdy, K. E., *See* Goy, M. F.
Pushkareva, M. A., *See* Sud'ina, G. F.
Pye, D. A., *See* Vivès, R. R

Qi, Q., *See* Rehm, B. H. A.
Qian, B., *See* Cheng, H.
Qian, W., *See* Du, X.
Qian, X., *See* Goy, M. F.
Quack, M.
——; Carlberg, C.
Single thyroid hormone receptor monomers are competent for co-activator-mediated transactivation, 360:387
Quentin, E., *See* Chassagnole, C.
Quertermous, T., *See* Boutet, S. C.
Quevedo, C., *See* Martín de la Vega, C.
Qui, W., *See* Zhang, S.
Quinn, P. J., *See* Liu, S.-X
Quintero, G., *See* Otero, K.

Rachdaoui, N., *See* Poirer, L. A.
Rademacher, M., *See* Lücke, C.
Rådmark, O., *See* Provost, P.
Rafique, R.
——; Schapira, A. H. V.; Cooper, J. M.
Sensitivity of respiratory chain activities to lipid peroxidation: effect of vitamin E deficiency, 357:887
Raggers, R. J.
——; Vogels, I.; van Meer, G.
Multidrug-resistance P-glycoprotein (MDR1) secretes platelet-activating factor, 357:859
Raghow, R., *See* Mehra-Chaudhary, R.
Rahman, S., *See* Wattam, B.
Rahmani, R., *See* Compe, E.
Rahuel, C., *See* Camara-Clayette, V.
Rai, D. K., *See* Griffiths, W. J.
Raimbault, S.
——; Dridi, S.; Denjean, F.; Lachuer, J.; Couplan, E.; Bouillaud, F.; Bordas, A.; Duchamp, C.; Taouis, M.; Ricquier, D.
An uncoupling protein homologue putatively involved in facultative muscle thermogenesis in birds, 353: 441
Raäis, B., *See* Chassagnole, C.
——; Chassagnole, C.; Letellier, T.; Fell, D. A.; Mazat, J.-P.
Theronine synthesis from aspartate in *Escherichia coli* cell-free extracts: pathway dynamics, 356:425
Rajasekharan, R., *See* Gangar, A.
Rajwanshi, V. K., *See* Christensen, U.
Rakatzi, I., *See* Dransfeld, O.
Rakyan, V. K.
——; Preis, J.; Morgan, H. D.; Whitelaw, E.
The marks, mechanisms and memory of epigenetic states in mammals, 356:1
Ramakrishna, T., *See* Goenka, S.
Raman, B., *See* Goenka, S.
Ramana, K. V., *See* Srivastava, S.
Ramesh, V., *See* James, M. F.
Ramlal, T., *See* Somwar, R.
Ramos-Morales, F.
——; Vime, C.; Bornens, M.; Fedriani, C.; Rios, R. M.
Two splice variants of Golgi-microtubule-associated protein of 210 κDa (GMAP-210) differ in their binding to the *cis*-Golgi network, 357:699
Ranson, H.
——; Rossiter, L.; Ortelli, L.; Jensen, B.; Wang, X.; Roth, C. W.; Collins, F. H.; Hemingway, J.
Identification of a novel class of insect glutathione S-transferases involved in resistance of DDT in the malaria vector *Anopheles gambiae*, 359:295
Rantakokko, A. J., *See* Säämänen, A.-M. K.
Rao, Ch. M., *See* Goenka, S.
Rapizzi, E., *See* Chiesa, A.
Rasmussen, Å. K., *See* Duthoit, C.
Rasmussen, L. M.
——; Hansen, P. R.; Nabipour, M. T.; Olesen, P.; Kristiansen, M. T.; Ledet, T.
Diverse effects of inhibition of 3-hydroxy-3-methylglutaryl-CoA reductase on the expression of VCAM-1 and E-selectin in endothelial cells, 360:363
Rasmussen, S. K., *See* Hatzack, F.
Ratham, K., *See* Sylvester, D. R.
Ratnikov, B. I., *See* Marchenko, G. N.
Rauen, U., *See* Petrat, F.
Ray, K. P., *See* Cooke, E.-L.
Raymondjean, M., *See* Compe, E.
Recklies, A. D.
——; White, C.; Melching, L.; Roughley, P. J.
Differential regulation and expression of hyaluronan synthases in human articular chondrocytes, synovial cells and osteosarcoma cells, 354:17
Reddy, C. C., *See* Arner, R. J.; Prabhu, S. K.
Reddy, P. V., *See* Prabhu, S. K.
Redl, B., *See* Lechner, M.
Regaya, I., *See* Di Luccio, E.
Regitz-Zagrosek, V., *See* Saks, V. A.
Reglero, A., *See* Bravo, I. G.
Rehm, B. H. A.
——; Qi, Q.; Beermann, Br. B.; Hinz, H.-J.; Steinbüchel, A.
Matrix-assisted *in vitro* refolding of *Pseudomonas aeruginosa* class II polyhydroxyalkanoate synthase from inclusion bodies produced in

© 2002 Biochemical Society

recombinant *Escherichia coli*, 358: 263
Reid, E.
——; Cole, J.; Eaves, D. J.
The *Escherichia coli* CcmG protein fulfils a specific role in cytochrome *c* assembly, 355:51
Reid, J. D.
——; Hussain, S.; Sreedharan, S. K.; Bailey, T. S. F.; Pinitglang, S.; Thomas, E. W.; Verma, C. S.; Brocklehurst, K.
Variation is aspects of cysteine proteinase catalytic mechanism deduced by spectroscopic observation of dithioester intermediates, kinetic analysis and molecular dynamics simulations, 357:343
Reif, A., *See* Pantke, M. M.
Reijngoud, D.-J., *See* Gustafson, L. A.
Rein, U., *See* Denger, K.
Reinauer, H., *See* Flörke, R.-R.
Reis, H. M., *See* Bokkala, S.
Remeika, J., *See* Kitta, K.
Ren, X.
——; Gao, S.; You, D.; Huang, H.; Liu, Z.; Mu, Y.; Liu, J.; Zhang, Y.; Yan, G.; Luo, G.; Yang, T.; Shen, J.
Cloning and expression of a single-chain catalytic antibody that acts as a glutathione peroxidase mimic with high catalytic efficiency, 359:369
Rena, G., *See* Patel, S.; Woods, Y. L.
——; Prescott, A. R.; Guo, S.; Cohen, P.; Unterman, T. G.
Roles of the forkhead in rhabdomyosarcoma (FKHR) phosphorylation sites in regulating 14–3-3 binding, transactivation and nuclear targetting, 354:605
Renart, J., *See* García-Gallo, M.
Renauld, J.-C., *See* Lejeune, D.
Renault, F., *See* Weingand-Zlade, A.
Rendón-Huerta, E., *See* Avila-Flores, A.
Rennie, N., *See* Spickett, C. M.
Renouard-Try, A., *See* Cogé, F.
Reutter, W., *See* Löster, K.
Reyes, de la Cruz, H., *See* García Flores, C.
Reyna, S. V., *See* Ensenat, D.
Reynolds, E. C., *See* Cross, K. J.
Rhaman, N., *See* Scieglińska
Ribes, F., *See* Weingand-Zlade, A.
Riboldi, E., *See* Locati, M.
Rice, Evans, C., *See* Schroeter, H.
Rice-Evans, C., *See* Spencer, J. P. E.
Richardson, C., *See* Warden, S. M.
Richardson, R. T., *See* Wen, Y.
Richet, C., *See* Tetaert, D.
Richter, H. E., *See* Albrektsen, T.
Richter, W., *See* Steck, E.
Ricotti, E., *See* Piccinini, M.
Ricquier, D., *See* Raimbault, S.
Ridley, A., *See* López-Lluch, G.
Riedel, I., *See* Liang, F.-X.
Riedl, S., *See* Snipas, S. J.
Riemann, D.
——; Hansen, G. H.; Niels-Christiansen, L.-L.; Thorsen, E.; Immerdal, L.; Santos, A. N.; Kehlen, A.; Langner, J.; Danielsen, E. M.
Caveolae/lipid rafts in fibroblast-like synoviocytes: ectopeptidase-rich membrane microdomains, 354:47
Rigden, D. J., *See* Labrou, N. E.
Rigobello, M. P.
——; Donella-Deana, A.; Cesaro, L.; Bindoli, A.
Distribution of protein disulphide isomerase in rat liver mitochondria, 356:567
Rigot, V.
——; Marbaix, E.; Lemoine, P.; Courtoy, P. J.; Eeckhout, Y.
In vivo premenstrual activation of progelatinase B (proMMP-9) in the human endometrium and its dependence on stromelysin 1 (MMP-3) *ex vivo*, 358:275
Rigotti, A., *See* Voshol, P. J.
Rigoulet, M., *See* Sibille, B.
Riley, A. M., *See* Nerou, E. P.
Rinaudo, M. T., *See* Piccinini, M.
Riobó, N. A.
——; Clementi, E.; Melani, M.; Boveris, A.; Cadenas, E.; Moncada, S.; Poderoso, J. J.
Nitric oxide inhibits mitochondrial NADH: ubiquinone reductase activity through peroxynitrite formation, 359:139
Rios, R. M., *See* Ramos-Morales, F.
Rique, H., *See* Cogé, F.
Riss, G., *See* Wyss, A.
Ritchie, J. W. A.
——; Taylor, P. M.
Role of the System L permease LAT1 in amino acid and iodothyronine transport in placenta, 356:719
Rivett, A. J., *See* Bose, S.
Rizzuto, R., *See* Chiesa, A.
Roberts, T., *See* Wahab, N. A.
Robertson, A.
——; MacColl, G. S.; Nash, J. A. B.; Boehm, M. K.; Perkins, S. J.; Bouloux, P.-M. G.
Molecular modelling and experimental studies of mutation and cell-adhesion sites in the fibronectin type III and whey acidic protein domains of human anosmin-1, 357:647
Robinson, B. H., *See* Hughes, R. K.
Robinson, C. B., *See* Baggott, J. E.
Robinson, G. K., *See* Klappa, P.
Robles-Flores, M., *See* Avila-Flores, A.
Roca, A., *See* García-Rocha, M.
Rochat, H., *See* Di Luccio, E.
Roche, A.-C., *See* Freulon, I.
Roche, R., *See* Compe, E.
Rodrigo, L.
——; Mackness, B.; Durrington, P. N.; Hernandez, A.; Mackness, M. I.
Hydrolysis of platelet-activating factor by human serum paraoxonase, 354:1
Rodrigues-Lima, F.
——; Deloménie, C.; Goodfellow, G. H.; Grant, D. M.; Dupret, J.-M.
Homology modelling and structural analysis of human arylamine *N*-acetyltransferase NAT1 evidence for the conservation of a cysteine protease catalytic domain and an active-site loop, 356:327
Rodríguez, A.
——; de la Cera, T.; Herrero, P.; Moreno, F.
The hexokinase 2 protein regulates the expression of the GLK1, HXK1 and HXK2 genes of *Saccharomyces cerevisiae*, 355:625
Rodríguez-Aparacio, L. B., *See* Bravo, I. G.
Rodríguez-Carvajal, M. A.
——; Tejero-Mateo, P.; Espartero, J. L.; Ruiz-Sainz, J. E.; Buendía-Clavería, A. M.; Ollero, F. J.; Yang, S. S.; Gil-Serrano, A. M.
Determination of the chemical structure of the capsular polysaccharide of strain B33, a fast-growing soya bean-nodulating bacterium isolated from an arid region of China, 357:505
Rodríguez-Concepción, M., *See* Campos, N.
Rodriguez-Lafrasse, C.
——; Alphonse, G.; Broquet, P.; Aloy, M.-T.; Louisot, P.; Rousson, R.
Temporal relationships between ceramide production, caspase activation and mitochondrial dysfunction in cell lines with varying sensitivity to anti-Fas-induced apoptosis, 357:407
Rodríguez-Rey, J. C., *See* Galletto, R.
Roelofs, J.
——; Snippe, H.; Kleineidam, R. G.; Van Haastert, P. J. M.
Guanylate cyclase in *Dictyostelium discoideum* with the topology of mammalian adenylate cyclase, 354: 697
Rogers, D., *See* Pinxteren, J. A.
Rogowski, K., *See* Kasza, A.
Rohwer, J. M.
——; Botha, F. C.
Analysis of sucrose accumulation in the sugar cane culm on the basis of *in vitro* kinetic data, 358:437
Rojas, A., *See* Otero, K.
Romeiro, A., *See* Mariano, A. C.
Romieu, A., *See* Luciani, N.
Romijn, J. A., *See* Gustafson, L. A.
Ronot, X., *See* Sibille, B.
Roques, B. P., *See* Luciani, N.
Roques, M., *See* Lefai, E.
Rosado, J. A.
——; Sage, S. O.
Activation of store-mediated calcium entry by secretion-like coupling between the inositol 1,4,5-trisphosphate receptor type II and human transient receptor potential (hTrp1) channels in human platelets, 356:191
Rose, K., *See* Martin, C.
Rosen, B. P., *See* Walmsley, A. R.
Rosen, C. F., *See* Lefebvre, D. L.
Rosenberg, R. D., *See* Yabe, T.
Rosenberry, T. L., *See* Wongkajornsilp, A.
Rosenthal, P. J., *See* Sijwali, P. S.
Rossi, A., *See* Catani, M. V.
Rossi, D., *See* Bultynck, G.
Rossiter, L., *See* Ranson, H.
Roth, C. W., *See* Ranson, H.
Rotilio, G., *See* D'Orazio, M.
Rotillo, D., *See* Tamburro, A.
Rötter, J., *See* Kuiper, R. P.
Roughley, P. J., *See* Recklies, A. D.
Rouimi, P.
——; Anglade, P.; Benzekri, A.; Costet, P.; Debrauwer, L.; Pineau, T.; Tulliez, J.
Purification and characterization of a glutathione S-transferase Omega in pig: evidence for two distinct organ-specific transcripts, 358:257
Rousset, M., *See* Carrière, V.
Rousson, R., *See* Rodriguez-Lafrasse, C.
Rouvinen, J., *See* Jänis, J.
Roux, M.-P., *See* Tournu, C.
Rowe, J. D., *See* Cheng, H.
Rowe, S. M., *See* Tan, T. H. P.
Rowsell, S., *See* Follows, E. R.
Rømer, J., *See* Andersen, J. N.
Rubin, E., *See* Bokkala, S.
Rubio-Félix, D., *See* Marzo, I.
Ruddock, L. W., *See* Klappa, P.
Rudich, A., *See* Tirosh, A.
Rudolph, R., *See* Stubenrauch, K.
Rueck, A., *See* Vyssokikh, M. Y.
Ruf, J., *See* Duthoit, C.
Ruff, J., *See* Denger, K.
Rui, M., *See* Han, W.
Ruissen, A. L. A.
——; Groenink, J.; Helmerhorst, E. J.; Walgreen-Weterings, E.; van't Hof, W.; Veerman, E. C. I.; Nieuw Amerongen, A. V.
Effects of histatin 5 and derived peptides on *Candida albicans*, 356: 361

© 2002 Biochemical Society

Ruiz-Sainz, J. E., *See* Rodríguez-Carvajal, M. A.
Ruoho, A. E., *See* Wu, Z.
Rüterjans, H., *See* Lücke, C.
Rutter, G. A., *See* Ainscow, E. K.
Ruzzene, M., *See* Donella-Deana, A.
Ryall, R. L., *See* Grover, P. K.
Rychkov, G., *See* Gregory, R. B.

Saadé, N. E., *See* Haddad, J. J. E.
Säämänen, A.-M. K.
——: Salminen, H. J.; Rantakokko, A. J.; Heinegård, D.; Vuorio, E. I.
Murine fibomodulin: cDNA and genomic structure, and age-related expression and distribution in the knee joint, 355:577
Sabatier, J.-M., *See* Di Luccio, E.
Sabatini, S., *See* Catani, M. V.
Saborido, A., *See* Megías, A.
Sá-Correia, I., *See* Videira, P.
Saffar, L., *See* Atemezem, A.
Safieh-Garabedian, B., *See* Haddad, J. J. E.
Sage, S. O., *See* Rosado, J. A.
Saghir, A. N.
——: Tuxworth, W. J., Jr.; Hagedorn, C. H.McDermott, P. J.
Modifications of eukaryotic initiation factor 4F (eIF4F) in adult cardiocytes by adenoviral gene transfer: differential effects on eIF4F activity and total protein synthesis rates, 356:557
Saint, R., *See* Williams, R. T.
Saito, H., *See* Hiratsuka, A.
Saito, M., *See* Kitamura, T.
Sakamoto, Y., *See* Hiratsuka, A.
Sakane, N., *See* Kitamura, T.
Sakata, K.
——: Yamashita, T.; Maeda, M.; Moriyama, Y.; Shimada, S.; Tohyama, M.
Cloning of a lymphatic peptide/histidine transporter, 356:53
Saklatvala, J., *See* Finch, A.
Saks, V. A.
——: Kaambre, T.; Sikk, P.; Eimre, M.; Orlova, E.; Paju, K.; Pirsoo, A.; Appaix, F.; Kay, L.; Regitz-Zagrosek, V.; Fleck, E.; Seppet, E.
Intacellular energetic units in red muscle cells, 356:643
Salamero, J., *See* Ulsemer, P.
Salamino, F., *See* Averna, M.
Salchow, D. J., *See* Tsang, S. H.
Saliba, K. J., *See* Elliott, J. L.
Salinas, M., *See* Martín de la Vega, C.
Salminen, H. J., *See* Säämänen, A.-M. K.
Salter, A. M., *See* Iddon, C. R.
Saltiel, A. R., *See* Skinner, J. A.
Salvayre, R., *See* Veldman, R. J.
Salvesen, G. S., *See* Snipas, S. J.
Salvo, R. A., *See* Canuto, R. A.
Sambrook, J., *See* O'Malley, C. J.
Samuelsson, B., *See* Provost, P.
Sanchez, J.-C., *See* Juge-Aubry, C. E.
Sanchez, R. O., *See* Hughes, R. K.
Sánchez de Jiménez, E., *See* García Flores, C.
Sandoz, G., *See* Di Luccio, E.
Sandy, J. D.
——; Verscharen, C.
Analysis of aggrecan in human knee cartialge and synovial fluid indicates that aggrecanase (ADAMTS) activity is responsible for the catabolic turnover and loss of whole aggrecan whereas protease activity is required for C-terminal processing *in vivo*, 358:615
Sano, H., *See* Amery, L.
Santos, A. N., *See* Riemann, D.
Saqib, K., *See* Woodfield, R. J.
Saqib, K. M., *See* Pettitt, T. R.
Sarkadi, B., *See* Szakács, G.
Sarkar, S.
——: Miwa, N.; Kominami, H.; Igarashi, N.; Hayashi, S.; Okada, T.; Jahangeer, S.; Nakamura, S.-i.
Regulation of mammalian phospholipase D2: interaction with and stimulation by G_{M2} activator, 359:599
Sarkela, T. M., *See* Steffen, M.
Sarno, S., *See* Donella-Deana, A.
Satake, H.
——: Hisada, M.; Kawada, T.; Minakata, H.; Ukena, K.; Tsutsui, K.
Characterization of a cDNA encoding a novel avian hypothalamic neuropeptide exerting an inhibitory effect on gonadotropin release, 354: 379
Sato, A., *See* Yamamoto-Katayama, S.
——: Takagi, K.; Kano, K.; Kato, N.; Duine, J. A.; Ikeda, T.
Ca^{2+} stabilizes the semiquinone radical of pyrroloquinoline quinone, 357:893
Sato, E. F., *See Nishikimi, A.*
Sato, J. D., *See* Yu, Y.
Sato, K., *See* Tamama, K.-i.
Satoh, K., *See* Osada, M.
Sauerwein, H. P., *See* Gustafson, L. A.
Sauret-Güeto, S., *See* Campos, N.
Saviano, M., *See* Menchise, V.
Sawamura, T., *See* Chen, M.
Sawers, G., *See* Prudêncio, M.
Sayed, M., *See* Himpel, S.
Sayers, J. R., *See* Patel, D.
Scamps, C., *See* De Lucia, F.
Scantlebury, T.
——: Sniderman, A. D.; Cianflone, K.
Regulation by retinoic acid of acylation-stimulating protein and complement C3 in human adipocytes, 356:445
Scaramagli, S., *See* Franceschetti, M.
Schaefer, E. M., *see* Schaller, M. D.
Schafer, A. I., *See* Ensenat, D.
Schaffner-Reckinger, E., *See* Plançon, S.
Schaller, M. D.
——: Schaefer, E. M.
Multiple stimuli induce tyrosine phosphorylation of the Crk-binding sites of paxillin, 360:57
Schapira, A. H. V., *See* Rafique, R.
Schaur, R. J., *See* Spickett, C. M.
Scheek, L., *See* Lie, J.
Scheepers, A., *See* Doege, H.
Scherman, D., *See* Wetzer, B.
Schewe, T., *See* Sutherland, M.
Schilbach, S. L., *See* Adams, S. H.
Schlegel, A.
——: Wang, C.; Pestell, R. G.; Lisanti, M. P.
Ligant-independent activation of oestrogen receptor α by caveolin-1, 359:203
Schliess, F., *See* vom Dahl, S.
Schlokat, U., *See* Plaimauer, B.
Schmid, H. H. O., *see* Berdyshev, E. V.
Schmid, P. C., *see* Berdyshev, E. V.
Schmidt, H. H. H. W., *See* Pantke, M. M.
Schmidt, K., *See* Myles, T.
Schmitt, M., *See* Dransfeld, O.; vom Dahl, S.
Schmoll, D.
——: Grempler, R.; Barthel, A.; Joost, H.-G.; Walther, R.
Phorbol ester-induced activation of mitogen-activated protein kinase/extracellular-signal-regulated kinase kinase and extracellular-signal-regulated protein kinase decreases glucose-6-phosphatase gene expression, 357:867
Schnaith, K., *See* Flörke, R.-R.
Scholz, R. W., *See* Prabhu, S. K.
Schönherr, R., *See* Hehl, S.
Schrader, M., *See* Hodel, A.
Schrantz, N., *See* Gendron, M.-C.
Schroeter, H., *See* Spencer, J. P. E.
——: Spencer, J. P. E.; Rice-Evans, C.; Williams, R. J.
Flavonoids protect neurons from oxidized low-density lipoprotein-induced apoptosis involving c-Jun N-terminal kinase (JNK), c-Jun and caspase-3, 358:547
Schuber, F., *See* Cakir-Kiefer, C.
Schubert, K. M.
——: Duronio, V.
Distinct roles for extracellular-signal-regulated protein kinase (ERK) mitogen-activated protein kinases and phosphatidylinositol 3-kinase in the regulation of Mcl-1 synthesis, 356:473
Schüler, H., *See* Wagner, O.
Schürmann, A., *See* Doege, H.; Lisinski, I.
Schütt, H., *See* Kzhyshkowska, J.
Schwager, S. L. U., *See* Pang, S.
Schwarz, M., *See* Voshol, P. J.
Schwarzer, U. J., *See* Grzmil, P.
Schwarzschild, M. A., *See* Armstrong, J. M.
Ścieglińska
——: Widlak, W.; Konopka, W.; Poutanen, M.; Rahman, N.; Huhtaniemi, I.; Krawczyk, Z.
Structure of the 5′ region of the *Hst70* gene transcription unit: presence of an intron and multiple transcription initiation sites, 359:129
Sconzo, G., *See* Agueli, C.
Scorcioni, F.
——: Corti, A.; Davalli, P.; Astancolle, S.; Bettuzzi S.
Manipulation of the expression of regulatory genes of polyamine metabolism results in specific alterations of the cell-cycle progression, 354:217
Scrutton, N. S., *See* Craig, D. H.; Perry, A.; Stevenson, T. H.; Wilson, E. K.
Scudiero, R., *See* D'Auria, S.
Scully, M., *See* Lu, X.; Wattam, B.
Seah, C. C., *See* Slack, B. E.
Searle, S., *See* Goswami, T.
Seckl, J., *See* Martin, C.
Secombes, C. J., *See* Wang, T.
Sedelinkkova, S., *See* Mills, C. E.
Seeberger, P. H., *See* Yabe, T.
Seet, L.-F., *see* Xu, Y.
Segal, A. W., *See* López-Lluch, G.
Segawa, H., *See* Nii, T.
Seibert, K., *See* Walker, M. C.
Seidah, N. G., *See* Bahbouhi, B.; Mbikay, M.
Seidah, N. G., *See* Basak, A.
Sekul, R., *See* Krippner-Heidenreich, A.
Selkirk, M. E., *See* Tan, T. H. P.
Selkoe, D. J., *See* Walsh, D. M.
Selvanayagam, N., *See* Torres, A. M.
Senior, H. J., *See* Patel, D.
Senior, P. V., *See* Williams, R. T.
Senthil, D.
——: Faulkner, J. L.; Choudhury, G. G.; Abboud, H. E.; Kasinath, B. S.
Angiotensin II inhibits insulin-stimulated phosphorylation of eukaryotic initiation factor 4-E-binding protein-1 in proximal tubular epithelial cells, 360:87
Seo, H., *See* Kikumori, T.
Seomun, Y.
——: Kim, J.-a.; Lee, E.-H.; Joo, C.-K.
Overexpression of matrix metalloproteinase-2 mediates

© 2002 Biochemical Society

phenotypic transformation of lens epithelial cells, 358:41
Seppet, E., *See* Saks, V. A.
Sevlever, D., *See* Wongkajornsilp, A.
Seyfert, H.-M., *See* Mao, J.
Shafferman, A., *See* Chitlaru, T.; Cohen, O.
Shahmolky, N., *See* Lefebvre, D. L.
Shamsadin, R., *See* Grzmil, P.
Shandala, T., *See* Williams, R. T.
Shang, D., *See* Lu, X.; Wattam, B.
Shankaranarayanan, P., *See* Sutherland, M.
Shantz, L. M.
——; Feith, D. J.; Pegg, A. E.
Targeted overexpression of ornithine decarboxylase enhances β-adrenergic agonist-induced cardiac hypertrophy, 358:25
Shao, H., *See* Song, M.
Sharma, M., *See* Lefebvre, D. L.
Sharma, P.
——; Patchell, V. B.; Gao, Y.; Evans, J. S.; Levine, B. A.
Cytoplasmic interactions between phospholamban residues 1–20 and the calcium-activated ATPase of the sarcoplasmic reticulum, 355:699
Shcheynikov, N., *See* Kiselyov, K.
Sheehan, D.
——; Meade, G.; Foley, V. M.; Dowd, C. A.
Structure, function and evolution of glutathione transferases: implications for classification of non-mammalian members of an ancient enzyme superfamily, 360:1
Shelden, M. C.
——; Loughlin, P.; Tierney, M. L.; Howitt, S. M.
Proline residues in two tightly coupled helices of the sulphate transporter, SHST1, are important for sulphate transport, 356:589
Shen, G., *See* Zangger, K.
Shen, J., *See* Ren, X.
Shen, M., *See* Yowe, D.
Shen, S.-H., *See* Yu, Z.
Shenai, B. R., *See* Sijwali, P. S.
Shephard, E. A., *See* Muangmoonchai, R.
Sherwood, S. W., *See* Yu, X. X.
Shi, D.
——; Morizono, H.; Yu, X.; Tong, L.; Allewell, N. M.; Tuchman, M.
Human ornithine transcarbamylase: crystallographic insights into substrate recognition and conformational changes, 354:501
Shi, Q., *See* Han, W.
Shibano, Y., *See* Oda, K.
Shiina, N., *See* Fukasawa, K.
Shima, M., *See* Hosokawa, K.
Shimada, S., *See* Sakata, K.
Shimizu, N., *See* Harano, T.
Shimotohno, K., *See* Ueda, Y.
Shimozawa, N., *See* Tamura, S.
Shimwell, N., *See* Pettitt, T. R.
Shin, D. M., *See* Kiselyov, K.
Shin, H., *See* Lee, Y. M.
Shinohara, M., *See* Noma, T.
Shintaku, M., *See* Higashida, H.
Shirai, T., *See* Kobayashi, S.
Shore, L.
——; McLean, P.; Gilmour, S. K.; Hodgins, M. B.; Finbow, M. E.
Polyamines regulate gap junction communication in connexin 43-expressing cells, 357:489
Shukla, D., *See* Yabe, T.
Shuntenko, Z., *See* Pantke, M. M.
Shworak, N. W., *See* Yabe, T.
Sibille, B.
——; Filippi, C.; Piquet, M.-A.; Leclercq, P.; Fontaine, E.; Ronot, X.; Rigoulet, M.; Leverve, X.
The mitochondrial consequences of uncoupling intact cells depend on the nature of the exogenous substrate, 355:231
Siebert, M.
——; Krieg, P.; Lehmann, W. D.; Marks, F.; Fürstenberger, G.
Enzymic characterization of epidermis-derived 12-lipoxygenase isoenzymes, 355:97
Siffori-Fernandez, S.
——; Costagliola, S.; Paumel, S.; Giraud, A.; Banga, J. P.; Franc, J.-L.
Role of complex asparagine-linked oligosaccharides in the expression of a functional thyrotropin receptor, 354:331
Sijwali, P. S.
——; Shenai, B. R.; Gut, J.; Singh, A.; Rosenthal, P. J.
Expression and characterization of the *Plasmodium falciparum* haemoglobinase falcipain-3, 360:481
Sikk, P., *See* Saks, V. A.
Silva, L. C., *See* Mariano, A. C.
Silverstein, R., *See* Teboul, L.
Simons, K., *See* Prydz, K.
Simonsen, A., *See* Gillooly, D. J.
Singh, A., *See* Sijwali, P. S.
Sinnott, M. L., *See* Becker, D.
Sitkovsky, M., *See* Armstrong, J. M.
Skinner, J. A.
——; Saltiel, A. R.
Cloning and identification of MYPT3: a prenylatable myosin targetting subunit of protein phosphatase 1, 356:257
Skriver, K., *See* Jensen, R. B.
Slack, B. E.
——; Ma, L. K.; Seah, C. C.
Constitutive shedding of the amyloid precursor protein ectodomain is up-regulated by tumour necrosis factor-α converting enzyme, 357:787
Slimani, H., *See* Atemezem, A.
Small, G. J., *See* Vontas, J. G.
Smirlis, D., *See* Muangmoonchai, R.
Smith, A. T., *See* Howes, B. D.
Smith, D. F., *See* Knuepfer, E.
Smith, G. A.
——; Vandenberg, J. I.; Freestone, N. S.; Dixon, H. B. F.
The effect of Mg^{2+} on cardiac muscle function: is CaATP the substrate for priming myofibril cross-bridge formation and Ca2+ reuptake by the sarcoplasmic reticulum?, 354:539
Smith, H. C., *See Snowden, M. P.*
Smith, P. J., *See* Williams, R. T.
Smith, P. M., *See* Harmer, A. R.
Smith, P. T., *See* Armstrong, J. M.
Smith, S. A., *See* Jowsey, I. R.
Smithies, O., *See* Goy, M. F.
Smulevich, G., *See* Howes, B. D.
Snider, J., *See* Amery, L.
Sniderman, A. D., *See* Scantlebury, T.
Snipas, S. J.
——; Stennicke, H. R.; Riedl, S.; Potempa, J.; Travis, J.; Barrett, A. J.; Salvesen, G. S.
Inhibition of distant caspase homologues by natural caspase inhibitors, 357:575
Snippe, H., *See* Roelofs, J.
Snowden, M. P.
——; Smith, H. C.
Commitment of apolipoprotein B RNA to the splicing pathway regulates cytidine-to-uridine editing-site utilization, 359:697
Sobota, R., *See* Kasza, A.
Sohal, R. S., *See* Das, N.
Sohn, B. H.
——; Moon, H.-B.; Kim, T.-Y.; Kang, H.-S.; Bae, Y. S.; Lee, K.-K.; Kim, S. J.
Interleukin-10 up-regulates tumour necrosis-factor-α-related apoptosis-inducing ligand (TRAIL) gene expression in mammary epithelial cells at the involution stage, 360:31
Solanes, G., *See* Pedraza, N.
Solanky, N., *See* Gambling, L.
Solano, F., *See* Olivares, C.
Söling, H.-D., *See* Kramer, B.
Solioz, M., *See* Bissig, K.-D.
Sommarin, M., *See* Westergren, T.
Sommer, A.
——; Fischer, P.; Krause, K.; Boettcher, K.; Brophy, P. M.; Walter, R. D.; Liebau, E.
A stress-responsive glycoxalase I from the parasitic nematode *Onchocerca volvulus*, 353:445
Somwar, R.
——; Kim, D. Y.; Sweeney, G.; Huang, C.; Niu, W.; Lador, C.; Ramlal, T.; Klip, A.
GLUT4 translocation precedes the stimulation of glucose uptake by insulin in muscle cells: potential activation of GLUT4 via p38 mitogen-activated protein kinase, 359:639
Song, M.
——; Shao, H.; Mujeeb, A.; James, T. L.; Miller, W. L.
Molten-globule structure and membrane binding of the N-terminal protease-resistant domain (63–193) of the steroidogenic acute regulatory protein (StAR), 356:151
Song, Q., *See* Han, W.
Song, Y.
——; Zweier, J. L.; Xia, Y.
Heat-shock protein 90 augments neuronal nitric oxide synthase activity by enhancing Ca^{2+}/calmodulin binding, 355:357
Sonigo, P., *See Hazebrouck, S.*
Sontag, E., *See* Eidenmüller, J.
Sordillo, L. M., *See* Prabhu, S. K.
Sorenson, M. M., *See* Mariano, A. C.
Sorrentino, V., *See* Bultynck, G.
Soshan-Barmatz, V., *See* Gincel, D.
Sottrup-Jensen, L., *See* Boldt, H. B.
Sougakoff, W., *See* Lemaitre, N.
Soulère, L.
——; Claparols, C.; Périé, J.; Hoffmann, P.
Peroxynitrite-induced nitration of tyrosine-34 does not inhibit *Escherichia coli* iron superoxide dismutase, 360:563
Sousa, V. L.
——; Costa, M. T.; Palma, A. S.; Enguita, F.; Costa, J.
Localization, purification and specificity of the full-length membrane-bound form of human recombinant α1,3/4-fucosyltransferase from BHK-21B cells, 357:803
Sozzani, S., *See* Locati, M.
Sparatore, B.
——; Patrone, M.; Passalacqua, M.; Pedrazzi, M.; Gaggero, D.; Pontremoli, S.; Melloni, E.
Extracellular processing of amphoterin generates a peptide active on erythroleukaemia cell differentiation, 357:569
Spear, P. G., *See* Yabe, T.
Spence, R. A., *See* Hightower, K. E.
Spencer, J. P. E., *See* Schroeter, H.

© 2002 Biochemical Society

——: Schroeter, H.; Kuhnle, G.; Srai, S. K. S.; Tyrrell, R. M.; Hahn, U.; Rice-Evans, C.
Epicatechin and its *in vivo* metabolite, 3′-O-methyl epicatechin, protect human fibroblasts from oxidative-stress-induced cell death involving caspase-3 activation, 354:493
Spickett, C. M.
——: Rennie, N.; Winter, H.; Zambonin, L.; Landi, L.; Jerlich, A.; Schaur, R. J.; Pitt, A. R.
Detection of phospholipid oxidation in oxidatively stressed cells by reversed-phase HPLC coupled with positive-ionization electrospray MS, 355:449. Correction, 357:911
Spitaler, M., *See* Mwanjewe, J.
Spoelgen, R., *See* Hilpert, J.
Spritz, R. A., *See* Toyofuku, K.
Srai, S. K. S., *See* Gambling, L.; Spencer, J. P. E.
Sreedharan, S. K., *See* Reid, J. D.
Srivastava, J., *See* Pandey, A. V.
Srivastava, S.
——: Dixit, B. L.; Ramana, K. V.; Chandra, A.; Chandra, D.; Zacarias, A.; Petrash, J. M.; Bhatnagar, A.; Srivastava, S. K.
Structural and kinetic modifications of aldose reductase by S-nitrosothiols, 358:111
Srivastava, S. K., *See* Srivastava, S.
Søballe, B., *See* Mills, C. E.
St. Clair, D. K., *See* Kiningham, K. K.
Stacey, C. L., *See* Follows, E. R.
Stachurska, A., *See* Dudkowska, M.
Staels, B., *See* Hourton, D.
Stafford, K., *See* Leuzzi, R.
Stahelin, R. V.
——: Cho, W.
Roles of calcium ions in the membrane binding of C2 domans, 359:679
Stahl, J., *See* Pflanz, S.
Stahl, P. D., *See* Berón, W.
Ståhlberg, J., *See* Becker, D.
Staiger, C. J., *See* Kovar, D. R.
Stalmans, W., *See* Browne, G. J.
Stanbridge, E. J., *See* Kaluzová, M.
Standridge, M., *See* Kim, S.
Stang, E., *See* Johannessen, L. E.
Stanic, I., *See* Stefanelli, C.
Stankova, J., *See* Hourton, D.
Stanton, B. A., *See* Maitra, R.
Stanway, J. J., *See* Follows, E. R.
Stapleton, A. M. F., *See* Grover, P. K.
Stapleton, D., *See* Warden, S. M.
Stauber, R., *See* Kzhyshkowska, J.
Steck, E.
——: Benz, K.; Lorenz, H.; Loew, M.; Gress, T.; Richter, W.
Chondrocyte expressed protein-68 (CEP-68), a novel human marker gene for cultured chondrocytes, 353: 169
Steele, N. M.
——: Sulová, Z.; Campbell, P.; Braam, J.; Farkaš, V.; Fry, S. C.
Ten isoenzymes of xyloglucan endotransglycosylase from plant cell walls select and cleave the donor substrate stochastically, 355:671
Steele, T. W., *See* Steffen, M.
Stefanelli, C.
——: Pignatti, C.; Tantini, B.; Fattori, M.; Stanic, I.; Mackintosh, C. A.; Flamigni, F.; Guarnieri, C.; Caldarera, C. M.; Pegg, A. E.
Effect of polyamine depletion on caspase activation: a study with spermine synthase-deficient cells, 355:199
Steffen, M.
——: Sarkela, T. M.; Gybina, A. A.; Steele, T. W.; Trasseth, N. J.; Kuehl, D.; Giulivi, C.
Metabolism of *S*-nitrosoglutathione in intact mitochondria, 356:395
Steinbüchel, A., *See* Rehm, B. H. A.
Steinmüller, L.
——: Cibelli, G.; Moll, J. R.; Vinson, C.; Thiel, G.
Regulation and composition of activator protein 1 (AP-1) transcription factors controlling collegenase and c-Jun promoter activities, 360:599
Stellacci, E., *See* Coccia, E. M.
Stenmark, H., *See* Gillooly, D. J.
Stenn, K., *See* Zhang, L.
Stennicke, H. R., *See* Snipas, S. J.
Stepanova, V., *See* Poliakov, A.
Stephenson, R., *See* Franklin, T. J.
Stevenson, T. H.
——: Gutierrez, A. F.; Alderton, W. K.; Lian, L.-y.; Scrutton, N. S.
Kinetics of CO binding to the haem domain of murine inducible nitric oxide synthase: differential effects of haem domain ligands, 358:201
Steverding, D., *See* Kabiri, M.
Stewart, F., *See* Suire, S.
Stewart, T. M., *See* Wang, Y.
Stierhof, Y.-D., *See* Knuepfer, E.
Stimson, E., *See* McKie V. A.
Stock, A., *See* Provost, P.
Stokes, D. G.
——: Liu, G.; Dharmavaram, R.; Hawkins, D.; Piera-Velazquez, S.; Jimenez, S. A.
Regulation of type-II collagen gene expression during human chondrocyte de-differentiation and recovery of chondrocyte-specific phenotype in culture involves Sry-type high-mobility-group box (SOX) transcription factors, 360:461
Stokoe, D., *See* Paz, P. E.
Stoyanov, B., *See* Hehl, S.
Strassel, C., *See* Ulsemer, P.
Stratford, S.
——: DeWald, D. B.; Summers, S. A.
Ceramide dissociates 3′-phosphoinositide production from pleckstrin homology domain translocation, 354:359
Strauss, J. G., *See* Kratky, D.
Strecker, G., *See* Guérardel, Y.
Strohmaier, W., *See* Golderer, G.
Strotmann, H., *See* Konno, H.
Struijker Boudier, H. A. J., *See* Griffioen, A. W.
Stuart, J. A.
——: Harper, J. A.; Brindle, K. M.; Jekabsons, M. B.; Brand, M. D.
A mitochondrial uncoupling artifact can be caused by expression of uncoupling protein 1 in yeast, 356: 779
Stubenrauch, K.
——: Gleiter, S.; Brinkmann, U.; Rudolph, R.; Lilie, H.
Conjugation of an antibody Fv fragment to a virus coat protein: cell-specific targeting of recombinant polyoma-virus-like particles, 356:867
Stumpp, M. T., *See* Konno, H.
Sturrock, E., *See* Pang, S.
Subkhankulova, T.
——: Mitchell, S. A.; Willis, A. E.
Internal ribosome entry segment-mediated initiation of c-Myc protein synthesis following genotoxic stress, 359:183
Sudhaharan, T., *See* Waud, J. P.
Sud'ina, G. F.
——: Brock, T. G.; Pushkareva, M. A.; Galkina, S. I.; Turutin, D. V.; Peters-Golden, M.; Ullrich, V.
Sulphatides trigger polymorphonuclear granulocyte spreading on collagen-coated surfaces and inhibit subsequent activation of 5-lipoxygenase, 359:621
Sugahara, K., *See* Kitagawa, H.
Suginta, W.
——: Karoulias, N.; Aitken, A.; Ashley, R. H.
Chloride intracellular channel protein CLIC4 (p64H1) binds directly to brain dynamin I in a complex containing actin, tubulin and 14–3-3 isoforms, 359:55
Suire, S.
——: Stewart, F.; Beauchamp, J.; Kennedy, M. W.
Uterocalin a lipocalin provisioning the preattachment equine conceptus: fatty acid and retinol binding properties and structural characterization, 356:369
Sullivan, G., *See* Armstrong, J. M.
Sulová, Z., *See* Steele, N. M.
Summers, S. A., *See* Stratford, S.
Sun, G., *See* Liliom, K.
Sun, R., *See* Han, W.
Sun, T.-T., *See* Liang, F.-X.
Sun, Y., *See* Lu, X.
Sundaram, M., *See* Yao, S. Y. M.
Sunde, R. A., *See* Weiss Sachdev, S.
Sunna, A.
——: Gibbs, M. D.; Bergquist, P. L.
Identification of novel β-mannan- and β-glucan-binding modules: evidence for a superfamily of carbohydrate-binding modules, 356:791
Suppola, S.
——: Heikkinen, S.; Parkkinen, J. J.; Uusi-Oukari, M.; Korhonen, V.-P.; Keinänen, T.; Alhonen, L.; Jänne, J.
Concurrent overexpression of ornithine decarboxylase and spermidine/spermine N^1-acetyltransferase futher accelerates the catabolism of hepatic polyamines in transgenic mice, 358: 343
Surabhi, R. M., *See Norquay, L. D.*
Sureau, F., *See* Gendron, M.-C.
Sutherland, C., *See* Patel, S.
Sutherland, M.
——: Shankaranarayanan, P.; Schewe, T.; Nigam, S.
Evidence for the presence of phospholipid hydroperoxide glutathione peroxidase in human platelets: implications for its involvement in the regulatory network of the 12-lipoxygenase pathway of arachidonic acid metabolism, 353:91
Suyama, M., *See* Yamamoto-Katayama, S.
Suzuki, H., *See* Asamoto, Y.
Suzuki, S.
——: Toné, S.; Takikawa, O.; Kubo, T.; Kohno, I.; Minatogawa, Y.
Expression of indoleamine 2,3-dioxygenase and tryptophan 2,3-dioxygenase in early concepti, 355: 425
Suzuki, Y., *See* Tamura, S.
Suzuki, Y. J., *See* Kitta, K.
Svastová, E., *See* Kaluzová, M.
Svendsen, P.
——: Kristiansen, K.; Hjorth, J. P.
Protein-binding elements in the proximal parotid secretory protein gene enhancer essential for salivary-gland-specific expression, 357:537
Svensson, I., *See* Kågedal, K.

© 2002 Biochemical Society

Sviridov, D.
——; Fidge, N.; Beaumier-Gallon, G.; Fielding, C.
Apolipoprotein A-I stimulates the transport of intracellular cholesterol to cell-surface cholesterol-rich domains (caveolae), 358:79
Svitacheva, N.
——; Davies, J. R.
Mucin biosynthesis and secretion in tracheal epithelial cells in primary culture, 353:23
Swarbrick, J. D., *See* Maksel, D.
Swatton, J. E.
——; Morris, S. A.; Wissing, F.; Taylor, C. W.
Functional properties of *Drosophila* inositol trisphosphate receptors, 359: 435
Sweadner, K. J.
——; Donnet, C.
Structural similarities of Na,K-ATPase and SERCA, the Ca^{2+}-ATPase of the sarcoplasmic reticulum, 356:685
Swedmark, S., *See Tsoi, C.*
Sweeney, G., *See* Somwar, R.
Sylvester, D. R.
——; Alvarez, E.; Patel, A.; Ratnam, K.; Kallender, H.; Wallis, N. G.
Identification and characterization of UDP-*N*-acetylenolpyruvylglucosamine reductase (MurB) from the Gram-positive pathogen *Streptococcus pneumoniae*, 355:431
Szakács, G.
——; Özvegy, C.; Bakos, É.; Sarkadi, B.; Váradi, A.
Role of glycine-534 and glycine-1179 of human multidrug resistance protein (MDR1) in drug-mediated control of ATP hydrolysis, 356:71

Taguchi, H., *See* Takada, K.
Takada, K.
——; Hirakawa, T.; Yokosawa, H.; Okawa, Y.; Taguchi, H.; Ohkawa, K.
Isolation of ubiquitin-E2 (ubiquitin-conjugating enzyme) complexes from erythroleukaemia cells using immunoaffinity techniques, 356:109
Takagi, K., *See* Sato, A.
Takagi, S., *See* Ueda, Y.
Takahashi, S., *See* Oda, K.
Takahashi, Y., *See* Ozeki, T.
Takano, S.
——; Wadhwa, R.; Mitsui, Y.; Kaul, S. C.
Identification and chacterization of molecular interactions between glucose-regulated proteins (GRPs) mortalin/GRP75/peptide-binding protein 74 (PBP74) and GRP94, 357:393
Takano, T., *See* Liu, J.
Takao, K., *See* Lövkvist Wallström, E.
Takasaki, S., *See* Kotani, N.
Takeda, E., *See* Nii, T.
Takeda, Y., *See* Hamada, S.; Higashida, H.
Takeshita, H.
——; Yasuda, T.; Iida, R.; Nakajima, T.; Mori, S.; Mogi, K.; Kaneko, Y.; Kishi, K.
Amphibian DNases I are characterized by a C-terminal end with unique, cysteine-rich stretch and by the insertion of a serine residue into the Ca^{2+}-binding site, 357:473
Taketani, Y., *See Nii, T.*
Takikawa, O., *See* Suzuki, S.
Talanian, R. V., *See* Krippner-Heidenreich, A.
Tam, B. M., *See* He, Q.-Y.

Tamama, K.-i.
——; Kon, J.; Sato, K.; tomura, H.; Kuwabara, A.; Kimura, T.; Kanda, T.; Ohta, H.; Ui, M.; Kobayashi, I.; Okajima, F.
Extracellular mechanism through the Edg family of receptors might be responsible for springosine-1-phosphate-induced regulation of DNA synthesis and migration of rat aortic smooth-muscle cells, 353:139
Tamburro, A.
——; Allocati, M.; Masulli, M.; Rotillo, D.; Di Ilio, C.; Favaloro, B.
Bacterial peptide methionine sulphoxide reductase: co-induction with glutathione S-transferease during chemical stress conditions, 360:675
Tamura, S.
——; Matsumoto, N.; Imamura, A.; Shimozawa, N.; Suzuki, Y.; Kondo, N.; Fujiki, Y.
Phenotype-genotype relationships in peroxisome biogenesis-disorders of *PEX1*-defective complementation group 1 are defined by Pex1p-Pex6p interaction, 357:417
Tan, T. H. P.
——; Edgerton, S. A. V.; Kumari, R.; McAlister, M. S. B.; Rowe, S. M.; Nagl, S.; Pearl, L. H.; Selkirk, M. E.; Bianco, A. E.; Totty, N. F.; Engwerda, C.; Gray, C. A.; Meyer, D. J.
Macrophage migration inhibitory factor of the parasitic nematode *Trichinella spiralis*, 357:373, Correction, 358:791
Tanabe, K., *See* Amano, T.
Tanaka, K.-i., *See* Nemoto, T. K.
Tanase, S., *See* Watanabe, H.
Tanase, S., *See* Imamura, T.
Tanese, N., *See* Norquay, L. D.
Tang, J., *See* Han, W.
Tang, Y., *See* Han, W.; Zhang, Z.
Tani, Y., *See* Nii, T.
Tantini, B., *See* Stefanelli, C.
Taoka, M., *See* Kitagawa, H.
Taouis, M., *See* Raimbault, S.
Tapanadechopone, P.
——; Tumova, S.; Jiang, X.; Couchman, J. R.
Epidermal transformation leads to increased perlecan synthesis with heparin-binding-growth-factor affinity, 355:517
Tatham, P. E. R., *See* Pinxteren, J. A.
Taub, J. W., *See* Ge, Y.
Tauber, R., *See* Harms, G.
Tauler, A., *See* de los Pinos, E.
Tavares, P., *See* Franco, R.
Taylor, A. M.
——; Zhu, Q.; Casey, J. R.
Cysteine-directed cross-linking localizes regions of the human erythrocyte anion-exchange protein (AE1) relative to the dimeric interface, 359:661
Taylor, A. T. S.
——; Kim, J.; Low, P. S.
Involvement of mitogen-activated protein kinase activation in the signal transduction pathways of the soya bean oxidative burst, 355:795
Taylor, C. W., *See* Nerou, E. P.; Swatton, J. E.
Taylor, E. R., *See* Evans, P. C.
Taylor, I. W. F., *See* Follows, E. R.
Taylor, P. M., *See* Hyde, R.; Ritchie, J. W. A.
Tazartes, O., *See* Piccinini, M.
Tazuma, S., *See* Asamoto, Y.; Yasumiba, S.
Tchaikovskaya, T., *See* Cheng, H.

Teasdale, R. D.
——; Loci, D.; Houghton, F.; Karlsson, L.; Gleeson, P. A.
A large family of endsome-localized proteins related to sorting nexin 1, 358:7
Teboul, L.
——; Febbraio, M.; Gaillard, D.; Amri, E.-Z.; Silverstein, R.; Grimaldi, P. A.
Structural and functional characterization of the mouse fatty acid translocase promoter: activation during adipose differentiation, 360: 305
Tee, M. K.
——; Jaffe, R. B.
A precursor form of vascular endothelial growth factor arises by initiation from an upstream in-frame CUG codon, 359:219
Teeri, T. T., *See* Becker, D.
Tejero-Mateo, P., *See* Rodríguez-Carvajal, M. A.
Temussi, P., *See* D'Auria, S.
Tenenhouse, H. S., *See* Boileau, G.
Ten Hagen, K. G., *See* Tetaert, D.
Teplow, D. B., *See* Walsh, D. M.
Tesfai, Y.
——; Bereton, H. M.; Barritt, G. J.
A diacylglycerol-activated Ca^{2+} channel in PC12 cells (an adrenal chromaffin cell line) correlataes with expression of the TRP-6 (transient-receptor potential) protein, 358:717
Testa, U., *See Coccia, E. M.; Matarrese, P.*
Testar, X., *See* Fontana, E.
Tetaert, D.
——; Ten Hagen, K. G.; Richet, C.; Boersma, A.; Gagnon, J.; Degand, P.
Glycopeptide *N*-acetylgalactosaminyltransferase specificities for O-glycosylated sites on MUC5AC mucin motif peptides, 357:313
Thabard, W.
——; Collette, M.; Bataille, R.; Amiot, M.
Protein kinase C δ and η isoenzymes control the shedding of the interleukin 6 receptor α in myeloma cells, 358:193
Thepot, D., *See* Millot, B.
Thevelein, J. M., *See* Bergsma, J. C. T.
Thevelein, J. M., *See* Van Vaeck, C.
Thiel, G., *See* Steinmüller, L.
Thierie, J., *See* Mehdi, K.
Thingstad, T.
——; Vos, H. L.; Hilkens, J.
Biosynthesis and shedding of epiglycanin: a mucin-type glycoprotein of the mouse TA3Ha mammary carcinoma cell, 353:33
Thiriot, D. S., *See* Wu, Z.
Thole, H., *See* Krippner-Heidenreich, A.
Thomas, C. C.
——; Dowler, S.; Deak, M.; Alessi, D. R.; van Aalten, D. M. F.
Crystal structure of the phosphatidylinositol 3,4-bisphosphate-binding pleckstrin homology (PH) domain of tandem PH-domain-containing protein 1 (TAPP-1): molecular basis of lipid specificity, 358:287
Thomas, E. W., *See* Reid, J. D.
Thomas, G. M. H., *See* Pinxteren, J. A.
Thomas, J. A., *See* Mallis, R. J.
Thomas, J. M.
——; Masgrau, R.; Churchill, G. C.; Galione, A.

© 2002 Biochemical Society

Pharmacological characterization of the putative cADP-ribose receptor, 359:451
Thompson, G. J.
——; Langlais, C.; Cain, K.; Conley, E. C.; Cohen, G. M.
Elevated extracellular [K^+] inhibits death-receptor and chemical-mediated apoptosis prior to caspase activation and cytochrome *c release*, *357:137*
Thompson, J. T., *See* Arner, R. J.
Thompson, M. A., *See* Yusufi, A. N.-K.
Thompson, N. T., *See* Woodfield, R. J.
Thomson, A. M., *See* Jowsey, I. R.
Thonberg, H.
——; Lindgren, E. M.; Nedergaard, J.; Cannon, B.
As the proliferation promoter noradrenaline induces expression of ICER (induced cAMP early repressor) in proliferative brown adipocytes ICER may not be universal tumour suppressor, 354: 169
Thorsen, E., *See* Riemann, D.
Thøgersen, H. C., *See* Andersen, O. M.
Thuillier, P., *See* Kehrer, J. P.
Tien, M., *See* Cheng, H.
Tierney, M. L., *See* Shelden, M. C.
Tigyi, G., *See* Liliom, K.
Tilley, G. J.
——; Camba, R.; Burgess, B. K.; Armstrong, F. A.
Influence of electrochemical properties in determining the sensitivity of [4Fe-4S] clusters in proteins to oxidative damage, 360:717
Tintrup, H.
——; Fischer, M.; Betz, H.; Kuhse, J.
Exonic Sp1 sites are required for neural-specific expression of the glycine receptor β subunit gene, 355:179
Tirone, F., *See* Gaitanou, M.
Tirosh, A.
——; Rudich, A.; Potashnik, R.; Bashan, N.
Oxidative stress impairs insulin but not platelet-derived growth factor signalling in 3T3-L1 adipocytes, 355: 757
Tisi, R., *See* Bergsma, J. C. T.
Tkachuk, V., *See* Poliakov, A.
Tobita, K., *See* Hiratsuka, A.
Todorov, P. T.
——; Hardisty, R. E.; Brown, S. D. M.
Myosin VIIA is specifically associated with calmodulin and microtubule-associated protein-2B (MAP-2B), 354:267
Tohyama, M., *See* Sakata, K.
Tolar, J. F., *See* Konrad, R. J.
Tomura, H., *See* Tamama, K.-i.
Toné, S., *See* Suzuki, S.
Tone, Y., *See* Kitagawa, H.
Tong, L., *See* Shi, D.
Tornoe, I., *See* Ligtenberg, T. J. M.
Torres, A. M.
——; Kini, R. M.; Selvanayagam, N.; Kuchel, P. W.
NMR structure of bucandin, a neurotoxin from the venom of the Malayan krait *(Bungarus candidus)*, 360:539
Torresani, J., *See* Compe, E.
Torri, G., *See* Hricovini, M.
Torrigiani, P., *See* Franceschetti, M.
Torti, F. M., *See* Orino, K.
Torti, S. V., *See* Orino, K.
Tosello, V., *See* Chiesa, A.
Totty, N. F., *See* Tan, T. H. P.
Tournu, C.
——; Obled, A.; Roux, M.-P.; Ferrara, M.; Omura, S.; Béchet, D. M.
Glucose regulates protein catabolism in *ras*-transformed fibroblasts through a lysosomal-dependent proteolytic pathway, 357:255
Tovo, P.-A., *See* Piccinini, M.
Townsend, P. A., *See* Lewis, C. A.
Toyofuku, K.
——; Wada, I.; Spritz, R. A.; Hearing, V. J.
The molecular basis of oculocutaneous albinism type 1 (OCA1): sorting failure and degradation of mutant tyrosinases results in lack of pigmentation, 355:259
Trachsel, H., *See* Dominguez, D.
Tran, T., *See* Zhang, L.
Transidico, P., *See* Locati, M.
Trapani, J. A., *See* Briggs, L. J.
Trasseth, N. J., *See* Steffen, M.
Travers, M. T.
——; Vallance, A. J.; Gourlay, H. T.; Gill, C. A.; Klein, I.; Bottema, C. B. K.; Barber, M. C.
Promoter I of the ovine acetyl-CoA carboxylase-α gene: an E-box motif at — 114 in the proximal promoter binds upstream stimulatory factor (USF)-1 and USF-2 and acts as an insulin-response sequence in differentiating adipocytes, 359:273
Travis, J., *See* Kasza, A.; Šnipas, S. J.
Travis, J., *See* Imamura, T.
Treweek, T. M., *See* Lindner, R. A.
Trimby, A. R., *See* Waud, J. P.
Trinkle-Mulcahy, L., *See* Cheung, P. C. F.
Tritsaris, K., *See* Looms, D. K.
Trombetta, A., *See* Canuto, R. A.
Trost, C.
——; Bergs, C.; Himmerkus, N.; Flockerzi, V.
The transient receptor potential, TRP4, cation channel is a novel member of the family of calmodulin binding proteins, 355:663
Truel, N., *See* Moulin, K.
Tsai, I.-H., *See* Wang, Y.-M.
Tsai, M.-S., *See* Wu, A. M.
Tsai, W.-J., *See* Chang, C.-P.
Tsang, S. H.
——; Yamashita, C. K.; Doi, K.; Salchow, D. J.; Bouvier, N.; Mendelsohn, M.; Gouras, P.; Farber, D. B.; Goff, S. P.
In vivo studies of the γ subunit of retinal cGMP-phophodiesterase with a substitution of tyrosine-84, 353:467
Tsantili, P., *See* Kistanova, E.
Tselepis, A. D., *See* Tsoukatos, D. C.
Tsoi, C.
——; Falany, C. N.; Morgenstern, R.; Swedmark, S.
Identification of a new subfamily of sulphotransferases: cloning and characterization of canine SULT1D1, 356:891
Tsoukatos, D. C.
——; Liapikos, T. A.; Tselepis, A. D.; Chapman, M. J.; Ninio, E.
Platelet-activating factor acetylhydrolase and transacetylase activities in human plasma low-density lipoprotein, 357:457
Tsuji, A., *See* Yoshida, I.
Tsuji, Y., *See* Orino, K.
Tsutsui, K., *See* Satake, H.
Tu, C.-P. D., *See* Cheng, H.
Tu, Y.
——; Liang, L.; Frank, S. J.; Wu, C.
Src homology 3 domain-dependent interaction of Nck-2 with insulin receptor substrate-1, 354:315
Tu, Y.-S. L., *See* Cheng, H.
Tuchman, M., *See* Shi, D.
Tucker, G. T., *See* Hayhurst, G. P.
Tuganova, A., *See* Kolobova, E.
Tulliez, J., *See* Rouimi, P.
Tumova, S., *See* Tapanadechopone, P.
Turcaud, S., *See* Luciani, N.
Turner, A. J., *See* Parkin, E. T.
Turunen, O., *See* Jänis, J.
Turutin, D. V., *See* Sud'ina, G. F.
Tuxworth, W. J., Jr., *See* Saghir, A. N.
Twist, L. E., *See* Hughes, P. J.
Tyrrell, R. M., *See* Spencer, J. P. E.
Tyurin, V. A., *See* Liu, S.-X
Tyurina, Y. Y., *See* Liu, S.-X

Überall, F., *See* Mwanjewe, J.
Ueda, Y.
——; Hijikata, M.; Takagi, S.; Chiba, T.; Shimotohno, K.
Transcriptional activities of p73 splicing variants are regulated by inter-variant association, 356:859
Uemura, K., *See* Aki, T.
Uezu, R., *See* Harano, T.
Ui, M., *See* Tamama, K.-i.
Uings, I. J., *See* Cooke, E.-L.
Ukena, K., *See* Satake, H.
Ullrich, V., *See* Sud'ina, G. F.
Ulsemer, P.
——; Strassel, C.; Baas, M.-J.; Salamero, J.; Chasserot-Golaz, S.; Cazenave, J.-P.; de la Salle, C.; Lanza, F.
Biosynthesis and intracellular post-translational processing of normal and mutant platelet glycoprotein GPIb-IX, 358:295
Um, P. Y., *See* Lee, C. H.
Underwood, M., *See* Becker, D.
Unterman, T. G., *See* Rena, G.; Woods, Y. L.
Unwalla, H.
——; Banerjea, A. C.
Inhibition of HIV-1 gene expression by novel macrophage-tropic DNA enzymes targeted to cleave HIV-1 TAT/Rev RNA, 357:147
Urbanke, C.
——; Wray, J.
A fluorescence temperature-jump study of conformational transitions in myosin subfragment 1, 358:165
Utsumi, K., *See* Nishikimi, A.
Uusi-Oukari, M., *See* Suppola, S.

Vainiotalo, P., *See* Jänis, J.
Vallance, A. J., *See* Travers, M. T.
Vallot, O.
——; Combettes, L.; Lompré, A.-M.
Functional coupling between the caffeine/ryanodine-sensitive Ca^{2+} store and mitochondria in rat aortic smooth muscle cells, 357:363
Valtieri, M., *See Coccia, E. M.*
Valtschanoff, J. G., *See* Pantke, M. M.
van Aalten, D. M. F., *See* Thomas, C. C.
Van Beeumen, J. J., *See* Brigé, A.
van Bitterswijk, W. J., *See* Walker, A. J.
van Dalen, C. J.
——; Kettle, A. J.
Substrates and products of eosinophil peroxidase, 358:233
Van Damme, E. J. M., *See* Hao, Q.
Van Damme, J., *See* Gebruers, K.
Vandenabeele, P., *See* Jupp, O. J.
Vandenberg, J. I., *See* Smith, G. A.
van den Broek, L. A. M., *See* McKie V. A.
Vanden Heuvel, J. P., *See* Kehrer, J. P.
van der Meulen-Muileman, I. H., *See* de Graaf, M.
van der Schaft, D. W. J., *See* Griffioen, A. W.
van der Wal, F. J., *See* Kikkert, M.
van Gent, T., *See* Lie, J.
Van Haastert, P. J. M., *See* Roelofs, J.
van Haperen, R., *See* Lie, J.

© 2002 Biochemical Society

van Herp, F., *See* Kuiper, R. P.
Van Looy, J., *See* Amery, L.
van Meer, G., *See* Raggers, R. J.
van Moerkerk, H. T. B., *See* Lücke, C.
Van Stekelenburg, L., *See* Williams, R. T.
van't Hof, W., *See* Ruissen, A. L. A.
van Tol, A., *See* Lie, J.
Van Vaeck, C.
——; Wera, S.; Van Dijck, P.; Thevelein, J. M.
Analysis and modification of trehalose-6-phosphate levels in the yeast *Saccharomyces cerevisiae* with the use of *Bacillus subtilis* phosphotrehalase, 353:157
van Veen, I. C., *See* de Graaf, M.
Van Veldhoven, P. P., *See* Amery, L.
Váradi, A., *See* Szakács, G.
Vargiu, C., *See* Lövkvist Wallström, E.
Varone, C. L., *See* Giono, L. E.
Vasseur, S., *See* García-Montero, A. C.
Vassy, R., *See* Atemezem, A.
Vázquez, M., *See* Pedraza, N.
Veerkamp, J. H., *See* Lücke, C.; Zimmermann, A. W.
Veerman, E. C. I., *See* Ligtenberg, T. J. M.; Ruissen, A. L. A.
Vega, A., *See* Lefai, E.
Veitch, N. C., *See* Howes, B. D.
Velan, B., *See* Chitlaru, T.; Cohen, O.
Veldman, R. J.
——; Maestre, N.; Aduib, O. M.; Medin, J. A.; Salvayre, R.; Levade, T.
A neutral sphingomyelinase resides in sphingolipid-enriched microdomains and is inhibited by the caveolin-scaffolding domain: potential implications in tumour necrosis factor signalling, 355:859
Vella, S., *See* Matarrese, P.
Venkatachalam, M. A., *see* Nishiyama, J.
Verhaert, P., *See* Dircksen, H.
Verkarre, V., *See* Camara-Clayette, V.
Verma, C. S., *See* Reid, J. D.
Verscharen, C., *See* Sandy, J. D.
Vessey, D. A.
——; Kelley, M.
Characterization of the reaction mechanism for the XL-I form of bovine liver xenobiotic/medium-chain fatty acid: CoA ligase, 357:283
Vidal, H., *See* Lefai, E.
Videira, P.
——; Fialho, A.; Geremia, R. A.; Breton, C.; Sá-Correia, I.
Biochemical characterization of the β-1,4-glucuronsyltransferase GelK in the gellan gum-producing strain *Sphingomonas paucimobilis* A.T.C.C. 31461, 358:457
Viladot, J.-L.
——; Canals, F.; Batllori, X.; Planas, A.
Long-lived glycosyl-enzyme intermediate mimic produced by formate re-activation of a mutant endoglucanase lacking its catalytic nucleophile, 355:79
Vilar, M., *See* Mira, H.
Vilchis-Landeros, M. M.
——; Montiel, J. L.; Mendoza, V.; Mendoza-Hernández, G.; López-Casillas, F.
Recombinant soluble betaglycan is a potent and isoform-selective transforming growth factor-β neutralizing agent, 355:215
Villadsen, D.
——; Nielsen, T. H.
N-terminal truncation affects the kinetics and structure of fructose-6-phosphate 2-kinase/fructose-2,6-bisphosphatase from *Arabidopsis thialiana*, 359:591
Villa-Moruzzi, E., *See* Fresu, M.
Villarroya, F., *See* Pedraza, N.
Villaz, M., *See* Mouton, J.
Villegas, E., *See* Corzo, G.
Vime, C., *See* Ramos-Morales, F.
Vincent, O., *See* Zaragoza, O.
Vincken, J.-P., *See* McKie V. A.
Vinson, C., *See* Steinmüller, L.
Virág, T., *See* Liliom, K.
Vitovski, S., *See* Patel, D.
Vivès, R. R.
——; Goodger, S.; Pye, D. A.
Combined strong anion-exchange HPLC and PAGE approach for the purification of heparan sulphate oligosaccharides, 354:141
Vogel, Z., *See* Di Marzo, V.
Vogels, I., *See* Raggers, R. J.
Vogt, P. H., *See* Zhang, S.
Volz, B., *See* Harms, G.
vom Dahl, S.
——; Dombrowski, F.; Schmitt, M.; Schliess, F.; Pfeifer, U.; Häussinger, D.
Cell hydration controls autophagosome formation in rat liver in a microtubule-dependent way downstream from $p38^{MAPK}$ activation, 354:31
Vontas, J. G.
——; Small, G. J.; Hemingway, J.
Glutathione S-transferases as antioxidant defence agents confer pyrethroid resistance in *Nilaparvata lugens*, 357:65
Voragen, A. G. J., *See* Beylot, M.-H.; McKie V. A.
Vorum, H., *See* Hilpert, J.
Vos, H. L., *See* Thingstad, T.
Voshol, P. J.
——; Schwarz, M.; Rigotti, A.; Krieger, M.; Groen, A. K.; Kuipers, F.
Down-regulation of intestinal scavenger receptor class B, type I (SR-BI) expression in rodents under conditions of deficient bile delivery to the intestine, 356:317
Vossmeyer, D., *See* Löster, K.
Voyno-Yasenetskaya, T. A., *See* Dulin, N. O.
Vuorio, E. I., *See* Säämänen, A.-M. K.
Vyssokikh, M. Y.
——; Katz, A.; Rueck, A.; Wuensch, C.; Dörner, A.; Zorov, D. B.; Brdiczka, D.
Adenine nucleotide translocator isoforms 1 and 2 are differently distributed in the mitochondrial inner membrane and have distinct affinities to cyclophilin D, 358:349

Wada, I., *See* Toyofuku, K.
Wadhwa, R., *See* Takano, S.
Waelkens, E., *See* Dircksen, H.
Wagner, C. A., *See* Bröer, A.
Wagner, O.
——; Sshüler, H.; Hofmann, P.; Langer, D.; Dancker, P.; Bereiter-Hahn, J.
Sound attenuation of polymerzing actin refects supramolecular structures: viscoelastic properties of actin gels modified by cytochalasin D, profilin and α-actinin, 355:771
Wahab, N. A.
——; Brinkman, H.; Mason, R. M.
Uptake and intracellular transport of the connective tissue growth factor: a potential mode of action, 359:89
——; Yevdokimova, N.; Weston, B. S.; Roberts, T.; Li, X. J.; Brinkman, H.; Mason, R. M.
Role of connective tissue growth factor in the pathogenesis of diabetic nephropathy, 359:77
Wahl, M. A., *See* Lembert, N.
Wahli, W., *See* Poirier, H.
Wainszelbaum, M.
——; Isola, E.; Wilkowsky, S.; Cannata, J. J. B.; Florin-Christensen, J.; Florin-Christensen, M.
Lysosomal phospholipase A_1 in *Trypanosoma cruzi:* an enzyme with a possible role in the pathogenesis of Chagas' disease, 355:765
Wakefield, J. M., *See* MacKenzie, C. J.
Wakelam, M. J. O., *See* Pettitt, T. R.; Woodfield, R. J.
Walgreen-Weterings, E., *See* Ruissen, A. L. A.
Walker, A. J.
——; draeger, A.; Houssa, B.; van Bitterswijk, W. J.; Ohanian, V.; Ohanian, J.
Diacyglgycerol kinase Θ is translocated and phosphoinositide 3-kinase-dependently activated by noradrenaline but not angiotensin II in intact small arteries, 353:129
Walker, M. C.
——; Kurumbail, R. G.; Kiefer, J. R.; Moreland, K. T.; Koboldt, C. M.; Isakson, P. C.; Seibert, K.; Gierse, J. K.
A three-step kinetic mechanism for selective inhibition of cyclo-oxygenase-2 by diarylheterocyclic inhibitors, 357:709
Walker, S. J., *See* Ganley, I. G.
Walker, S. M.
——; Downes, C. P.; Leslie, N. R.
TPIP: a novel phosphoinositide 3-phosphatase, 360:277
Wallace, C. J. A., *See* Black, K. M.
Wallace, H. M., *See* Levadoux-Martin, M.
Wallis, N. G., *See* Sylvester, D. R.
Walmsley, A. R.
——; Zhou, T.; Borges-Walmsley, M. I.; Rosen, B. P.
Antimonite regulation of the ATPase activity of ArsA, the catalytic subunit of the arsenical pump, 360: 589
Walsh, D. M.
——; Hartley, D. M.; Condron, M. M.; Selkoe, D. J.; Teplow, D. B.
In vitro studies of amyloid β-protein fibril assembly and toxicity provide clues to the aetiology of Flemish variant (Ala^{692}→Gly) Alzheimer's disease, 355:869
Walsh, J. P., *See Du, X.*
Walsh, S. B.
——; Dolden, T. A.; Moores, G. D.; Kristensen, M.; Lewis, T.; Devonshire, A. L.; Williamson, M. S.
Identification and characterization of mutations in housefly *(Musca domestica)* acetylcholinesterase involved in insecticide resistance, 359:175
Walter, R. D., *See* Sommer, A.
Walther, R., *See* Schmoll, D.
Wan, F.-Y.
——; Wang, Y.-N.; Zhang, G.-J.
The influence of oxidation of membrane thiol groups on lysosomal proton permeability, 360: 355
Wang, C., *See* Schlegel, A.; Wu, S.-J.
Wang, C.-C., *See* Yang, C.-M.
Wang, D.-a., *See* Liliom, K.
Wang, G.
——; O, K.
Homocysteine stimulates the expression of monocyte chemoattractant protein-1 receptor (CCR2) in human monocytes:

© 2002 Biochemical Society

possible involvement of oxygen free radicals, 357:233
Wang, H. G., *See* Hirai, I.
Wang, J., *See* Gordon, D. M.; Yang, H.
Wang, L., *See* Han, W.
Wang, S., *See* Paz, P. E.
Wang, S.-R., *See* Wang, Y.-M.
Wang, T.
——; Ward, M.; Grabowski, P.; Secombes, C. J.
Molecular cloning, gene organization and expression of rainbow trout *(Oncorhynchus mykiss)* inducible nitric oxide synthase (iNOS) gene, 358:747
Wang, T.-C. V., *See* Yu, C.-C.
Wang, W.-L., *See* Lin, W.-J.
Wang, X., *See* Patel, J.; Ranson, H.; Woods, Y. L.
Wang, X.-G., *See* Goyal, A.
Wang, Y., *See* Griffiths, W. J.
——; Devereux, W.; Stewart, T. M.; Casero, R. A., Jr.
Characterization of the interaction between the transcription factors human polyamine modulated factor (PMF-1) and NF-E2-related factor 2 (Nrf-2) in the transcriptional regulation of the spermidine/spermine N^1-acetyltransferase (SSAT) gene, 355: 45
——; Devereux, W.; Woster, P. M.; Casero, R. A. Jr.
Cloning and characterization of the mouse polyamine-modulated factor-1 (mPMF-1) gene: an alternatively spliced homologue of the human transcription factor, 359:387
Wang, Y.-M.
——; Wang, S.-R.; Tsai, I.-H.
Serine protease isoforms of *Deinagkistrodon acutus* venom: cloning, sequencing and phylogenetic analysis, 354:161
Wang, Y.-N., *See* Wan, F.-Y.
Ward, M., *See* Wang, T.
Warden, S. M.
——; Richardson, C.; O'Donnell, J., Jr.; Stapleton, D.; Kemp, B. E.; Witters, L. A.
Post-translational modifications of the β-1 subunit of AMP-activated protein kinase affect enzyme activity and cellular localization, 354:275
Warren, R. A. J., *See* Boraston, A. B.
Washbourne, P.
——; Cansino, V.; Mathews, J. R.; Graham, M.; Burgoyne, R. D.; Wilson, M. C.
Cysteine residues of SNAP-25 are required for SNARE disassembly and exocytosis but not for membrane targeting, 357:625
Wäsle, B., *See* Hodel, A.
Watabe, T., *See* Hiratsuka, A.
Watanabe, H.
——; Kragh-Hansen, U.; Tanase, S.; Nakajou, K.; Mitarai, M.; Iwao, Y.; Maruyama, T.; Otagiri, M.
Conformational stability and warfarin-binding properties of human serum albumin studied by recombinant mutants, 357:269
Watkins, M., *See* Eis, C.
Wattam, B., *See* Lu, X.
——; Shang, D.; Rahman, S.; Egglezou, S.; Scully, M.; Kakkar, V.; Lu, X.
Arg-Tyr-Asp (RYD) and Arg-Cys-Asp (RCD) motifs in dendroaspin promote selective inhibition of β_1 and β_3 integrins, 356:11
Waud, J. P.
——; Bermúdez Fajardo, A.; Sudhaharan, T.; Trimby, A. R.; Jeffery, J.; Jones, A.; Campbell, A. K.
Measurement of proteases using chemiluminescence-resonance-energy-transfer chimaeras between green fluorescent protein and aequorin, 357:687
Weber, M. R., *See* Gonzalez-Gronow, M.
Weber, T., *See* Cheetham, J. J.
Webster, S. G., *See* Dircksen, H.
Weich, N., *See* Yowe, D.
Weidle, U., *See* Hoyer-Hansen, G.
Weinbaum, C., *See* Hightower, K. E.
Weinberg, R. J., *See* Pantke, M. M.
Weingand-Zlade, A.
——; Ribes, F.; Renault, F.; Masson, P.
Pressure-and heat-induced inactivation of butyrylcholinesterase: evidence for multiple intermediates and the remmant inactivation process, 356: 487
Weiskirchen, R.
——; Moser, M.; Weiskirchen, S.; Erdel, M.; Dahmen, S.; Buettner, R.; Gressner, A. M.
LIM-domain protein cysteine- and glycine-rich protein 2 (CRP2) is a novel marker of hepatic stellate cells and binding partner of the protein inhibitor of activated STAT1, 359: 485
Weiskirchen, S., *See* Weiskirchen, R.
Weiss Sachdev, S.
——; Sunde, R. A.
Selenium regulation of transcript abundance and translational efficiency of glutathione peroxidase-1 and -4 in rat liver, 357:851
Wen, Y.
——; Richardson, R. T.; Widgren, E. E.; O'Rand, M. G.
Characterization of Sp17: a ubiquitous three domain protein that binds heparin, 357:25
Wendt, A., *See* Lövkvist Wallström, E.
Wengel, J., *See* Christensen, U.
Wera, S., *See* Bergsma, J. C. T.
Wera, S., *See* Van Vaeck, C.
Werhhart, W., *See* Plaimauer, B.
Werner, E. R., *See* Golderer, G.
Werner, S., *See* Hanselmann, C.
Werner-Felmayer, G., *See* Golderer, G.
West, S. I., *See* Hughes, R. K.
Westergren, T.
——; Dove, S. K.; Sommarin, M.; Pical, C.
AtPIP5K1, an *Arabidopsis thaliana* phosphatidylinositol phosphate kinase, synthesizes PtdIns(3,4)P_2 and PtdIns(4,5)P_2 *in vitro* and is inhibited by phosphorylation, 359: 583
Weston, B. S., *See* Wahab, N. A.
Wetzer, B.
——; Byk, G.; Frederic, M.; Airiau, M.; Blanche, F.; Pitard, B.; Scherman, D.
Reducible cationic lipids for gene transfer, 356:747
Wetzker, R., *See* Hehl, S.
Weyer, K., *See* Boldt, H. B.
Wheatley, M., *See* Hawtin, S. R.
Wheeler-Jones, C., *See* Gliki, G.
White, C., *See* Recklies, A. D.
White, C. G., *See* Howes, B. D.
Whitehouse, D., *See* Mills, P.
Whitelaw, E., *See* Rakyan, V. K.
Whitney, R. G., *See* Yu, Y.
Whitty, G., *See* Hamilton, J. A.
Whitty, G. A., *See* McMahon, K.-A.
Wichert, M., *See* Flörke, R.-R.
Widgren, E. E., *See* Wen, Y.
Widlak, W., *See* Scieglińska
Wiebe, C. A.
——; DiBattista, E. R.; Fliegel, L.
Functional role of polar amino acid residues in $Na^+/H+$ exchangers, 357:1
Wiertz, E., *See Kikkert, M.*
Wieser, W.
——; Krumschnabel, G.
Hierarchies of ATP-consuming processes: direct compared with indirect measurements, and comparative aspects, 355:389
Weiss, J. L., *See* Burgoyne, R. D.
Wijayaratnam, A. P. W., *See* O'Malley, C. J.
Wilde, A.
——; Lünser, K.; Ossenbühl, F.; Nickelsen, J.; Börner, T.
Characterization of the cyanobacterial *ycf37:* mutation decreases the photosystem I content, 357:211
Wilkie, T. M., *See* Yowe, D.
Wilkinson, J., *See* Iddon, C. R.
Wilkinson, M. F., *See* Wang, J.
Wilkowsky, S., *See* Wainszelbaum, M.
Willars, G. B., *See* Nash, M. S.
Williams, H., *See* Bolsover, S.
Williams, R. J., *See* Schroeter, H.
Williams, R. T.
——; Manji, S. S. M.; Parker, N. J.; Hancock, M. S.; Van Stekelenburg, L.; Eid, J.-P.; Senior, P. V.; Kazenwadel, J. S.; Shandala, T.; Saint, R.; Smith, P. J.; Dziadek, M. A.
Identification and characterization of the STIM (stromal interaction molecule) gene family: coding for a novel class of transmembrane proteins, 357:673
Williamson, M. S., *See* Walsh, S. B.
Willis, A. E., *See* Subkhankulova, T.
Willnow, T. E., *See* Hilpert, J.
Willson, T. M., *See* Poirier, H.
Wilson, E. K.
——; Bellelli, A.; Cutruzzolá, F.; Zumft, W. G.; Gutierrez, A.; Scrutton, N. S.
Kinetics of CO binding and CO photodissociation in *Pseudomonas stutzeri* cd_1 nitrite reductase: probing the role of extended N-termini in fast structural relaxation upon CO photodissociation, 355:39, Correction, 356:911
Wilson, M. C., *See* Washbourne, P.
Wilson, N. J., *See* McMahon, K.-A.
Wilson-Delfosse, A. L., *See* Gibson, R. M.
Winchester, B., *See* Mills, P.
Windegger, M., *See* Mwanjewe, J.
Winter, H., *See* Spickett, C. M.
Winterhalter, K. H., *See* Bolliger, M. F.
Winther, J. R., *See* Nørgaard, P.
Winz, R. A., *See* Franklin, I. K.
Wirtz, G. M., *See* Wyss, A.
Wissing, F., *See* Swatton, J. E.
Withers, S. G., *See* Lee, S. S.
Witters, L. A., *See* Warden, S. M.
Woggon, W.-D., *See* Wyss, A.
Wohlfahrt, G., *See* Becker, D.
Wojnar, P., *See* Lechner, M.
Wolf, C. R., *See* Ding, S.
Wolf, H., *See* Kzhyshkowska, J.
Wollmer, A., *See* Pflanz, S.
Wong, S.-C., *See* Muangmoonchai, R.
Wongkajornsilp, A.
——; Sevlever, D.; Rosenberry, T. L.
Metabolism of exogenous *sn*-1-alkyl-*sn*-2-*lyso*-glucosaminyl-phosphatidylinositol in HeLa D cells: accumulation of glucosaminyl(acy)phosphatidylinositol

© 2002 Biochemical Society

in a metabolically inert compartment, 359:305
Woo, P., *See* Cooke, E.-L.
Woodfield, R. J.
——: Hodgkin, M. N.; Akhtar, N.; Morse, M. A.; Fuller, K. J.; Saqib, K.; Thompson, N. T.; Wakelam, M. J. O.
The p85 subunit of phosphoinositide 3-kinase is associated with β-catenin in the cadherin-based adhesion complex, 360:335
Woods, A., *See* Jeong, J.
Woods, Y. L.
——: Cohen, P.; Becker, W.; Jakes, R.; Goedert, M.; Wang, X.; Proud, C. G.
The kinase DYRK1A phosphorylates protein-synthesis intiation factor eIF2Bε at Ser^{539} and the microtubule-associated protein tau at Thr212 potential role for DYRK as a glycogen synthase kinase 3-priming kinase, 355:609
——: Rena, G.; Morrice, N.; Barthel, A.; Becker, W.; Guo, S.; Unterman, T. G.; Cohen, P.
The kinase DYRK phosphorylates the transcription factor FKHR at Ser329 *in vitro, a novel in vivo* phosphorylation site, 355:597
Woodworth, R. C., *See* He, Q.-Y.
Woster, P. M., *See* Wang, Y.
Wray, J., *See* Urbanke, C.
Wright, S. C., *See* Fox, E. J.
Wu, A. M.
——: Wu, J. H.; Tsai, M.-S.; Kaltner, H.; Gabius, H.-J.
Carbohydrate specificity of a galectin from chicken liver (CG-16), 358:529
Wu, C., *See* Tu, Y.
Wu, G.
——: Haynes, T. E.; Li, H.; Yan, W.; Meininger, C. J.
Glutamine metabolism to glucosamine is necessary for glutamine inhibition of endothelial nitric oxide synthesis, 353:245
Wu, H., *See* Zhang, S.
Wu, J. H., *See* Wu, A. M.
Wu, L., *See* Yu, Z.
Wu, M.-c., *See* Kamthong, P. J.
Wu, S.-J.
——: Liu, F.-H.; Hu, S.-M.; Wang, C.
Different combinations of the heat-shock cognate protein 70 (hsc70) C-terminal functional groups are utilized to interact with distinct tetratricopeptide repeat-containing proteins, 359:419
Wu, W. B.
——: Chang, S. C.; Liau, M.-Y.; Huang, T.-F.
Purification molecular cloning and mechanism of action of graminelysin I, a snake-venom-derived metalloproteinase that induces apoptosis of human endothelial cells, 357:719
Wu, X.-R., *See* Liang, F.-X.
Wu, Y., *See* Kiani, C.
Wu, Z.
——: Thiriot, D. S.; Ruoho, A. E.
Tyr^{199} in transmembrane domain 5 of the β,-adrenergic receptor interacts directly with the pharmacophore of a unique fluorenone-based antagonist, 354:485
Wuensch, C., *See Vyssokikh, M. Y.*
Wunderli-Ye, H., *See* Bissig, K.-D.
Wyss, A.
——: Wirtz, G. M.; Woggon, W.-D.; Brugger, R.; Wyss, M.; Friedlein, A.; Riss, G.; Bachmann, H.; Hunziker, W.
Expression pattern and localization of β,β-carotene 15,15′-dioxygenase in different tissues, 354:521
Wyss, M., *See* Wyss, A.

Xia, C. L., *See* Cooke, E.-L.
Xia, D., *See* Han, W.
Xia, Y., *See* Song, Y.
Xiao, C., *See* Zhang, S.
Xiao, C.-Y., *See* Briggs, L. J.
Xu, C., *See* Liang, F.-X.
Xu, G., *See* Bell, S. L.
Xu, J.
——: Clark, R. A.; Parks, W. C.
p38 mitogen-activated kinase is a bidirectional regulator of human fibroblast collagenase-1 induction by three-dimensional collagen lattices, 355:437
Xu, Y.
——; Seet, L.-F.; Hanson, B.; Hong, W.
The Phox homology (PX) domain, a new player in phosphoinositide signaling, 360:513
Xu, Y., *See* Kiningham, K. K.

Yabe, T.
——: Shukla, D.; Spear, P. G.; Rosenberg, R. D.; Seeberger, P. H.; Shworak, N. W.
Portable sulphotransferase domain determines sequence specificity of heparan sulphate 3-O-sulphotransferases, 359:235
Yabu, T.
——: Kishi, S.; Okazaki, T; Yamashita, M.
Characterization of zebrafish caspase-3 and induction of apoptosis through ceramide generation in fish fathead minnow tailbud cells and zebrafish embryo, 360:39
Yalomi, Y., *See* Osada, M.
Yamaguchi, K., *See* Aki, T.
Yamakawa, Y., *See* Kawasaki, K.
Yamamoto, A., *See* Yoneyama, H.
Yamamoto-Katayama, S.
——: Sato, A.; Ariyoshi, M.; Suyama, M.; Ishihara, K.; Hirano, T.; Nakamura, H.; Morikawa, K.; Jingami, H.
Site-directed removal of N-glycosylation sites in BST-1/CD157: effects on molecular and functional heterogeneity, 357:385
Yamasaki, M.
——: Arai, H.; Ashida, N.; Ishii, K.; Kita, T.
Monocyte chemoattractant protein 1 causes differential signalling mediated by proline-rich tyrosine kinase 2 in THP-1 cells, 355:751
Yamashiro, Y., *See* Noma, T.
Yamashita, C. K., *See* Tsang, S. H.
Yamashita, M., *See* Yabu, T.
Yamashita, T., *See* Sakata, K.
Yan, G., *See* Ren, X.
Yan, W., *See* Wu, G.
Yanagi, H., *See* Haze, K.
Yang, B. B., *See* Kiani, C.
Yang, C.-M.
——: Chien, C.-S.; Wang, C.-C.; Hsu, Y.-M.; Chiu, C.-T.; Lin, C.-C.; Luo, S.-F.; Hsiao, L.-D.
Interleukin-1β enhances bradykinin-induced phosphoinositide hydrolysis and Ca^{2+} mobilization in canine tracheal smooth-muscle cells: involvement of the Ras/Raf/mitogen-activated protein kinase (MAPK) kinase (MEK)/MAPK pathway, 354:439
Yang, F., *See Gangloff, A.; Miao, Q.*
Yang, H.
——: Wang, J.; Huang, Z.-Z.; Ou, X.; Lu, S. C.
Cloning and characterization of the 5′-flanking region of the rat glutamate-cysteine ligase catalytic subunit, 357:447
Yang, J., *See* Zhang, S.
Yang, Q.-H., *See* Zhu, Z.
Yang, S. S., *See* Rodríguez-Carvajal, M. A.
Yang, T., *See* Ren, X.
Yang-Yen, H. F., *See* Lai, J.-M.
Yao, D., *See* Ding, S.
Yao, S. Y. M.
——: Sundaram, M.; Chomey, E. G.; Cass, C. E.; Baldwin, S. A.; Young, J. D.
Identification of Cys^{140} in helix 4 as an exofacial cysteine residue within the substrate-translocation channel of rat equilibrative nitobenzylthioinosine (NBMPR)-insensitive nucleoside transporter rENT2, 353:387
Yasuda, T., *See Takeshita, H.*
Yasumiba, S.
——: Tazuma S.; Ochi, H.; Chayama, K.; Kajiyama, G.
Cyclosporin A reduces canalicular membrane fluidity and regulates transporter function in rats, 354:591
Yevdokimova, N., *See* Wahab, N. A.
Yi, X., *see* Nishiyama, J.
Yin, H., *See* Lövkvist Wallström, E.
Yodogawa, M., *See* Konno, H.
Yokoi, T., *See* Ozeki, T.
Yokosawa, H., *See* Takada, K.
Yoneyama, H.
——: Yamamoto, A.; Kosaka, H.
Neuronal nitric oxide synthase generates superoxide from the oxygenase domain, 360:247
Yoo, J.-H.
——: Cheng, O. H.; Gerber, G. E.
Determination of the native form of FadD, the *Escherichia coli* fatty acyl-CoA synthetase, and characterization of limited proteolysis by outer membrane protease OmpT, 360:699
Yoshida, H., *See* Hamada, S.; Haze, K.
Yoshida, I.
——: Koide, S.; Hasegawa, S.; Nakagawara, A.; Tsuji, A.; Matsuda, T.
Proprotein convertase PACE4 is down-regulated by the basic helix-loop-helix transcription factor hASH-1 and MASH-1, 360:683
Yoshida, K-i., *See* Aki, T.
Yoshida, T., *See* Ideno, A.; Kitamura, T.
Yoshimoto, Y., *See* Hamada, S.
Yoshinobu, K., *See* Noma, T.
You, D., *See* Ren, X.
You, S., *See* Kim, H.
Young, J. D., *See* Yao, S. Y. M.
Young, K. W., *See* Nash, M. S.
Young, P. R., *See* Cheng, D.
Yowe, D.
——: Weich, N.; Prabhudas, M.; Poisson, L.; Errada, P.; Kapeller, R.; Yu, K.; Faron, L.; Shen, M.; Cleary, J.; Wilkie, T. M.; Gutierrez-Ramos, C.; Hodge, M. R.
RGS18 is a myeloerythroid lineage-specific regulator of G-protein-signalling molecule highly expressed in megakaryocytes, 359:109
Yu, C.-C.
——: Lo, S.-C.; Wang, T.-C. V.
Telomerase is regulated by protein kinase C-ζ in human nasopharyngeal cancer cells, 355:459
Yu, K., *See* Yowe, D.
Yu, X., *See* Shi, D.

© 2002 Biochemical Society

Yu, X. X., *See* Adams, S. H.
——: Lewin, D. A.; Zhong, A.; Brush, J.; Schow, P. W., Sherwood, S. W.; Pan, G.; Adams, S. H.
Overexpression of the human 2-oxoglutarate carrier lowers mitochondrial membrane potential in HEK-293 cells: contrast with the unique cold-induced mitochondrial carrier CGI-69, 353:369
Yu, Y.
——: Hulmes, J. D.; Merley, M. T.; Whitney, R. G.; Crabb, J. W.; Sato, J. D.
Direct identification of a major autophosphorylation site on vascular endothelial growth factor receptor Flt-1 that mediates phosphotidylinositol 3′-kinase binding, 358:465
Yu, Z.
——: Maoui, M.; Wu, L.; Banville, D.; Shen, S.-H.
mSiglec-E, a novel mouse CD33-related siglec (sialic acid-binding immunoglobulin-like lectin) that recruits Src homology 2 (SH2)-domain-containing protein tyrosine phosphatases SHP-1 and SHP-2, 353:483
Yue, Y., *See* Zhang, S.
Yura, T., *See* Haze, K.
Yusufi, A. N.-K.
——: Cheng, J.; Thompson, M. A.; Chini, E. N.; Grande, J. P.
Nicotinic acid-adenine dinucleotide phosphate (NAADP) elicits specific microsomal Ca^{2+} release from mammalian cells, 353:531

Zacarias, A., *See Srivastava, S.*
Zachary, I., *See* Abu-Ghazaleh, R.
Zachary, I., *See* Gliki, G.
Zagoory, O., *See* Di Marzo, V.
Zaid, H., *See* Gincel, D.
Zakin, M. M., *See* Galletto, R.
Zamboni, V., *See* Czjzek, M.
Zambonin, L., *See* Spickett, C. M.
Zammarchi, E., *See* Leuzzi, R.
Zanchetta, D., *See* Guzzi, F.
Zanetta, J.-P., *See* Lefebvre, T.
Zangger, K.
——: Shen, G.; Öz, G.; Otvos, J. D.; Armitage, I. M.
Oxidative dimerization in metallothionein is a result of intermolecular disulphide bonds between cysteines in the α-domain, 359:353
Zaragoza, O.
——: Vincent, O.; Gancedo, J. M.
Regulatory elements in the *FBP1* promoter respond differentily to glucose-dependent signals in *Saccharomyces cerevisiae*, 359:193
Zaucke, F.
——: Dinser, R.; Maurer, P.; Paulsson, M.
Cartilage oligomeric matrix protein (COMP) and collagen IX are sensitive markers for the differentiation state of articular primary chondrocytes, 358:17
Zechner, R., *See* Kratky, D.
Zeng, Y., *See* Hirano, K.
Zeng, Z.
——: Yang, H.; Huang, Z.-Z.; Chen, C.; Wang, J.; Lu, S. C.
The role of c-Myb in the up-regulation of methionine adenosyltransferase 2A expression in activated Jurkat cells, 353:163
Zhad, M., *See* Kågedal, K.
Zhang, C., *See* Canton, D. A.
Zhang, C. C., *See* Phalip, V.
Zhang, C.-y.
——: Gong, Y.-x.; Ma, H.; An, C.-c.; Chen, D.-y.
Reactive oxygen species involved in trichosanthin-induced apaotosis of human choriocarcinoma cells, 355: 653, Correction, 358:792
Zhang, G., *See* Zhang, S.
Zhang, G.-J., *See* Wan, F.-Y.
Zhang, J. Q., *See* Munday, J.
Zhang, J.-S., *See* Higashida, H.
Zhang, L.
——: Ge, L.; Tran, T.; Stenn, K.; Prouty, S. M.
Isolation and characterization of the human stearoyl-CoA desaturase gene promoter: requirement of a conserved CCAAT *cis*-element, 357: 183
Zhang, S.
——: Qiu, W.; Wu, H.; Zhang, G.; Huang, M.; Xiao, C.; Yang, J.; Kamp, C.; Huang, X.; Huellen, K.; Yue, Y.; Pan, A.; Lebo, R.; Milunsky, A.; Vogt, P. H.
The shorter zinc finger protein ZNF230 gene message is transcribed in fertile male testes and may be related to human spermatogenesis, 359:721
Zhang, W., *See* Hatzack, F.
Zhang, X.
——: Joseph, S. K.
Effect of mutation of a calmodulin binding site on Ca^{2+} regulation of inositol trisphosphate receptors, 360: 395
Zhang, Y., *See Han, W.; Kiani, C.; Ren, X.*
Zhang, Z.
——: Tang, Y.; Zhu, M. X.
Increased inwardly rectifying potassium currents in HEK-293 cells expressing murine transient receptor potential 4, 354:717
Zheng, X.
——: Avella, M.; Botham, K. M.
Comparison of the effects of dietary *n*--3 and *n*--6 polyunsaturated fatty acids on very-low-density lipoprotein secretion when delivered to hepatocytes in chylomicron remnants, 357:481
Zhong, A., *See* Yu, X. X.
Zhong, M., *See* Basak, A.
Zhou, G., *See* Liang, F.-X.
Zhou, T., *See* Walmsley, A. R.
Zhu, M. X., *See* Zhang, Z.
Zhu, Q., *See* Taylor, A. M.
Zhu, Z.
——: Ling, S.; Yang, Q.-H.; Li, L.
Involvement of the chicken liver 6-phosphofructo-2-kinase/fructose-2,6-bisphosphatase sequence His^{444}-Arg-Glu-Arg in modulation of the bisphosphatase activity by its kinase domain, 357:513
Zimmerman, A. W., *See Lücke, C.*
Zimmermann, A. W.
——: Veerkamp, J. H.
Fatty acid-binding proteins do not protect against induced cytotoxicity in a kidney cell model, 360:159
Zingali, R. B., *See* Follmer, C.
Zolkiewska, A., *See* Cao, Y.
Zorov, D. B., *See* Vyssokikh, M. Y.
Zorzano, A., *See* Fontana, E.
Zumft, W. G., *See* Wilson, E. K.
Zuppi, C., *See* Misiti, F.
Zurita, A. R.
——: Maccioni, H. J. F.; Daniotti, J. L.
Modulation of epidermal growth factor receptor phosphorylation by endogenously expressed gangliosides, 355:465
Zweier, J. L., *See* Song, Y.
Zwerschke, W., *See* Mazurek, S.

© 2002 Biochemical Society

Keyword Index

VOLUMES 353–360 (2001)

A
A20-like proteins, TRAF binding by, 357: 617
ABC signature, in multidrug resistance protein, 356:71
Acetohydroxyacid, of yeast, valine and ATP regulation of, 357:749
Acetylcholinesterase
  covalently bound effectors of, 353:645
  mutations of, in housefly insecticide resistance, 359:175
  pharmacokinetics of, oligomerisation in, 354:613
  recombinant human, polyethylene glycol chemical modification of, 357:795
Acetyl-CoA carboxylase α
  bovine gene encoding, genomic distribution of promoters of, 358:127
  promoter of ovine gene encoding, insulin regulation of, 359:273
Acetylhydrolase, activity in plasma LDL, 357:457
Achaete-scute homologue-1 (ASH-1), human and mammalian, PACE4 regulation by, 360:683
α_1-Acid glycoprotein, binding to primary macrophages, 356:121
Acidification, intracellular, in apoptosis, 353:357, 354:727
Actin
  binding and neutrophilic redistribution of, protein kinase Cδ and, 357:39
  in complex with chloride intracellular channel protein CLIC4, binding to brain dynamin, 359:55
  merlin interaction with, 356:377
  polymerising, sound attenuation of, 355: 771
Actin cytoskeleton, in hormonal and growth factor-mediated protein kinase B activation, 353:735
Actin-binding protein, and maize profilin mutants, 358:49
Actinidin, catalytic mechanism of, conformational change in, 357:343
α-Actinin, and sound attenuation of polymerising actin, 355:771
α-Actin-1, ADAM 12 interaction with, 357:353
Activating transcription factor 6, unfolded protein response and, 355:19
Activation function-1, of hepatocyte nuclear factor-4, mutagenesis of, 356: 635
Activator protein-1 (AP-1)
  in ascorbate protection against UV-induced damage, 356:77
  in MN/CA 9 promoter, 359:669
  in transcriptional control of collagenase and c-Jun promoter activities, 360: 599
Acyl-acyl carrier protein synthetase, from yeast, role in triacylglycerol biosynthesis, 360:471
Acylation-stimulating protein, retinoic acid regulation of, in adipocytes, 356: 445
Acyl-CoA thioesterase BFIT, induced by cold exposure in brown adipose tissue, 360:135
Acyl-CoA:diacylglycerol acyltransferase, as tetrameric protein, 359:707
N-Acylethanolamine, cell signalling mediated by, 360:67
Acylneuraminate cytidylyltransferase, from *Pasteurella haemolytica*, kinetic properties of, 358:585
ADAM (a disintegrin and metalloproteinase domain)
  α-actin-1 interaction with, 357:353
  inactive alleles for, fragile skin and male sterility in, 355:271
  nonfunctional cyritestin genes as, 357: 551
  in regulation of amyloid precursor protein ectodomain shedding, 357:787
Adaptor protein complex 2, clathrin-associated, interaction with cytotoxic T lymphocyte antigen 4 and CD28, 359: 427
Adenine nucleotide translocator isoforms, mitochondrial distribution and cyclophilin D affinities of, 358:349
Adenosine A_{2A} receptor expression, gene targetting studies of, 354:123
Adenosylcobalamin-dependent glutamate mutase, protein-coenzyme interactions in, 355:131
S-Adenosyl-L-methionine decarboxylases, in plants, 353:403
Adenoviral gene transfer, eIF4A modifications by, in cardiocytes, 356:557
Adenylate kinase equilibrium, free magnesium and, 360:225
Adipocytes
  differentiation of
    fatty acid translocase promoter during, 360:305
    insulin-like effects of amine oxidase substrates on, 356:769
    semicarbazide-sensitive amine oxidase activation and, 358:335
  GLUT4 vesicle trafficking in, after ethanol feeding, G protein regulation of, 354:323
  ICER and cell proliferation in, 354:169
  insulin and PDGF signalling in, oxidative stress and, 355:757
  plasma membrane-associated protein in, 359:393
  retinoic acid regulation of acylation-stimulating protein and complement C3 in, 356:445
  targetting of GLUT6 and GLUT8 in, 358:517
Adipose tissue
  acetyl-CoA carboxylase α promoter in, insulin regulation of, 359:273
  brown, uncoupling protein genes in, during lactation, 355:105
  of diabetic, phosphoinositide 3-kinase p85α regulatory subunit in, 360:117
  System A amino acid transporter in, 355:563
  thermogenic brown, acyl-CoA thioesterase BFIT induction in, 360:135
  white and brown, independent emergence of, 356:659
ADP-ribosyl cyclase BST-1/CD157, *N*-glycosylation mutants of, 357:385
ADP-ribosylation factor, brefeldin A-sensitive, in regulation of coat-protein complex proteins on phagosomes, 355:409
Adrenal chromaffin cells, diacylglycerol-activated calcium inflow in, 358:717
α_{1d}-Adrenergic receptors, phosphorylation and desensitisation of, 353:603
β-Adrenergic agonist, cardiac hypertrophy induced by, ornithine decarboxylase and, 358:25
β_2-Adrenergic receptors, fluorenone-based antagonist photolabeling of Tyr^{199} in, 354:485
Advanced glycation end-products, albumin-derived, vascular endothelial cadherin complex disruption by, 359: 567
Aequorin
  energy transfer between green fluorescent protein and, 357:687
  recombinant, in cell signalling studies, 355:1
Aerobic metabolism, triosephosphate isomerase and, in *Trypanosoma brucei*, 357:117
Affinity-based selection, continuous, 357: 779
Age/aging
  and changes in chondroitin sulphate linkage regions in articular cartilage aggrecan, 358:523
  and fibromodulin distribution in knee joint, 355:577
  peptide methionine sulphoxide reductase and, 355:819
Agglutinin, salivary, identical with gp-340, 359:243
Aggrecan, from articular cartilage, chondroitin sulphate linkage regions in, age-related changes in, 358:523
Aggrecan core protein proteolysis, in knee cartilage and synovial fluid, 358:615
Aggrecan domains, in biosynthesis, glycosaminoglycan modification, and product secretion, 354:199
Albinism, oculocutaneous, molecular basis of, 355:259
Albumin, advanced glycation end-products derived from, vascular endothelial cadherin complex disruption by, 359:567
Alcaligenes xylosoxidans, nitrite reductase type 2 copper centre mutants of, 353: 259
Aldehyde dehydrogenase, arachidonic acid-increased expression of, in hepatoma cells, 357:811
Aldose reductase, *S*-nitrosothiols in modification of, 358:111
Alkyl hydroperoxidase AhpC, from *Mycobacterium tuberculosis*, 354:209
Allosteric control, in multidrug resistance protein, 356:71
Alternative oxidase gene family, of *Candida albicans*, 356:595
Alveolar epithelium, IL-1β receptor antagonism in, in NF-κB translocation/activation, 355:29
Alzheimer's disease, Flemish variant of, amyloid β-protein fibril assembly and toxicity in, 355:869
Amine oxidase, semicarbazide-sensitive activation of, adipocyte differentiation and, 358:335
Amine oxidase substrates, insulin-like effects on adipocyte differentiation, 356:769
Amino acid(s): *see also specific amino acid.*
  effect on hepatocyte cycling glucose, 358:665
  polar, in Na^+/H^+ exchangers, 357:1
Amino acid transporters
  heterodimeric, heavy chain 4F2hc in, 355:725
  System A, in skeletal muscle and adipose tissue, 355:563
  System L
    in placenta, 356:719
    regulation during T cell activation, 358:693

© 2002 Biochemical Society

2-Aminoethyl diphenylborate, store-operated Ca^{2+} channel inhibition by, in liver cells, 354:285
5-Aminolaevulinate synthase gene expression, CREB and, 353:307
AMP, cyclic: *see* cAMP.
AMP-activated protein kinase, β-1 subunit of, post-translational modifications of, 354:275
Amphibia, DNase I from, 357:473
Amphoterin, release by erythroleukaemia cells, hexamethylenebisacetamide in, 357:569
Amyloid precursor protein ectodomain, shedding of, TNF-α-converting enzyme regulation of, 357:787
Amyloid β-protein, fibril assembly and toxicity of, Flemish Alzheimer's disease variant and, 355:869
Anabaena, Ser/Thr/His kinase from, 360:639
Anandamide, cell signalling mediated by, 360:67
Androgen receptor-specific DNA binding, to element in secretory component gene, 353:611
Anginex, angiogenesis inhibition by, 354:233
Angiogenic peptide, HIV-encoded, signalling properties of, 353:569
Angiotensin II
  connexin-43 expression and, in liver epithelial cells, 357:769
  cyclic ADP-ribose formation stimulated by, in neonatal cardiac myocytes, 354:727
  insulin interaction with, in tubular epithelial cells, 360:87
  in regulation of gene encoding fatty acid synthase, 357:899
Angiotensin-converting enzyme, juxtamembrane and extracellular domains of, in ectodomain shedding, 358:185
Anguilla japonica gills, mucous cells in, galactose-binding C-type lectin in, 360:107
Anhydrothrombin, preparation and characterisation of, 354:309
Anion channel, voltage-dependent, calcium binding and translocation by, mitochondrial function and, 358:147
Anion exchange protein, in erythrocyte, dimeric interface of, 359:661
Anionic peptides, in delivery of oligonucleotides into mammalian cells, 354:671
Annexin A5 gene promoter, functional analysis of, 356:571
Anopheles gambiae, GST in, DDT resistance and, 359:295
Anosmin-1, fibronectin and whey acidic protein domains of, modelling of, 357:647
Antibiotic binding, of galactose-H^+ symporter, cysteine mutations and, 353:709
Antibody Fv fragment, conjugation to virus coat protein, 356:867
Anti-Fas, apoptosis induced by, ceramide signalling in, 357:407
Antimicrobial peptides, amphipathic, from scorpion venom, 359:35
Antimonite, in regulation of ArsA kinetics, 360:589
Antithrombin III, heparin pentasaccharide bound to, conformation of, 359:265
α_1-Antitrypsin
  glycans on, in congenital disorders of glycosylation type I, 359:249
  Portland variant of, HIV-1 replication and, 360:127
Antitumour RNase, human second generation, structure and functions of, 358:241
Aorta, smooth muscle cells of, sphingosine 1-phosphate regulation of DNA synthesis and migration in, 353:139
Aortic smooth muscle, glucose transport in, cAMP and cGMP regulation of, 353:513
Apical transport, in kidney epithelial cells, cholesterol depletion and, 357:11
Apocytochrome *c* translocation, and phosphatidic acid interaction with phosphatidylethanolamine, 354:681
Apolipoprotein A-I, in intracellular cholesterol transport, 358:79
Apolipoprotein B
  in chylomicron assembly and fat absorption, 356:821
  tunicamycin-induced ubiquitination and degradation of, in HepG2 cells, 353:493
Apolipoprotein B mRNA editing
  phosphorylation regulatory function in, 357:661
  RNA splicing regulation of, 359:697
Apoptosis
  anti-Fas-induced, ceramide signalling in, 357:407
  of choriocarcinoma cells, trichosanthin-induced, reactive oxygen species in, 355:653, 358:792
  cladribine-induced, of leukaemia cells, caspases and, 359:537
  of colon cancer cells, bile acid hydrophobicity and, 356:481
  of endothelial cells, graminelysin I induction of, 357:719
  of haematopoietic cells, thymineless stress and, 353:101
  hydrogen peroxide-induced, lysosomal rupture and, 356:549
  induction of, zebrafish caspase-3 in, 360:39
  inhibition by extracellular K^+, 357:137
  of Jurkat cells, pyridine nucleotide oxidation in, 353:357, 354:727
  Max transcription factor regulation during, by dephosphorylation and cleavage, 358:705
  mitochondria-mediated, in 1–170 glycoprotein-expressing cells, 355:587
  oxidised LDL-induced, flavonoids in protection against, 358:547
  PMA-induced, lysophosphatidic acid and, 359:227
  sphingosine-induced, lysosomal proteases and, 359:335
  TNF-α-related ligand-induced, in mammary epithelial cells, 360:31
  X-linked inhibitor of, in bone marrow-derived macrophage apoptosis resistance, 353:299
AP-1: *see* Activator protein-1.
Arabidopsis thaliana
  copper chaperone in, 357:545
  ferritin gene family in, 359:575
  fructose-6-phosphate 2-kinase/fructose-2,6-bisphosphatase from, kinetics and structure of, 359:591
  FYVE zinc-finger proteins in, phosphoinositide binding by, 359:165
  phosphatidylinositol phosphate kinase from, phosphatidylinositol bisphosphate synthesis by and phosphorylation inhibition of, 359:583
  sucrose/stress regulation of UDP-glucose pyrophosphorylase gene in, 354:67
Arabinofuranohydrolases, in barley, 356:181
Arabinofuranosidase, from *Pseudomonas cellulosa*, 358:599
  substrate specificity of, 358:607
Arabinoxylan, in barley, 356:181
Arachidonic acid
  aldehyde dehydrogenase expression increased by, in hepatoma cells, 357:811
  metabolism of, 12-lipoxygenase pathway of, 353:91
Archaeum, hyperthermophilic, cold shock-inducible FK506-binding protein from, 357:465
Arginine methylation, of heterogeneous nuclear ribonucleoprotein E1B-AP5, 358:305
Arrestin, bradykinin receptor trafficking and, 355:741
ArsA kinetics, antimonite regulation of, 360:589
Arteries, diacylglycerol kinase θ translocation and activation in, phosphoinositide 3-kinase in, 353:129
Articular cartilage aggrecan, chondroitin sulphate linkage regions in, age-related changes in, 358:523
Articular chondrocytes, hyaluronan synthase regulation and expression in, 354:17
Arylamine *N*-acetyltransferase NAT1, structural analysis of, 356:327
Ascorbate
  and cyto-/geno-toxicity of peroxynitrite, 356:509
  in protection against UV-induced damage, AP-1 in, 356:77
ASH-1: *see Achaete-scute* homologue-1 (ASH-1).
Asparagine synthetase, induction of asparaginase resistance by, in leukaemia cells, 357:321
Asparagine synthetase substrate availability, in asparaginase-resistant MOLT-4 leukaemia cells, 358:59
Asparagine-linked oligosaccharides, in thyrotropin receptor expression, 354:331
Aspartate, threonine synthesis from, in *Escherichia coli*, 356:425
Aspartate aminotransferase, *Escherichia coli* kynurenine aminotransferase and glutamine transaminase K identity to, 360:617
Aspergillus niger, α-glucosidase from, catalytic nucleophile in, 359:381
Astrocytoma cells, leukaemia inhibitory factor and oncostatin expression in, 355:307
Atherosclerosis
  platelet-activating factor acetylhydrolase and transacetylase activity and, in plasma LDL, 357:457
  tunicamycin-induced ubiquitination of apolipoprotein B in, 353:493
ATP
  secretion in liver, stimulation by therapeutic bile acids, 358:1
  yeast acetohydroxyacid synthase regulation by, 357:749
ATP synthase, mitochondrial bovine, DMSO effect on, 353:215
ATP synthesis
  in B cells, Ca^{2+} control of, 353:175
  binary mitochondrial heteroplasmy and, 357:835
ATPase, calcium-activated, in sarcoplasmic reticulum, interaction of phospholamban residues with, 355:699
ATP-consuming processes, hierarchies of, 355:389
Atrial muscle cells, endothelin-induced GATA-4 phosphorylation in, 359:375
Atrial natriuretic peptide, natriuretic peptide receptor preference for, 358:379
Autoimmunity, thyroid, hydrogen peroxide-induced production of immunoreactive thyroglobulin in, 360:557
Autophagosome formation, in liver, cell volume and, 354:31

© 2002 Biochemical Society

B
B cells
ATP synthesis in, Ca^{2+} control of, 353:175
insulin secretion from, preptin and, 360:431
stimulation of, methyl pyruvate and, 354:345 sndx1]B33 bacterium, capsular polysaccharide structure in, 357:505
Bacillus, 1,3–1,4-β-glucanase presteady-state kinetics in, 357:195
Bacillus subtilis phosphotrehalase, in modifying trehalose 6-phosphate level in yeast, 353:157
Baculoviral soluble betaglycan, TGF-β neutralisation by, 355:215
Baculovirus, and human protein phosphatase 2A overexpression in insect cells, 357:225
Bad, survival factor-induced phosphorylation of, Bcl-2 and, 359:345
Barley, arabinoxylan and arabinofuranohydrolases in, 356:181
Barley grain, low-phytate mutants of, inositol phosphates from, 354:473
Basement membrane, laminin assembly in, RNA interference of, 360:167
Basophilic leukaemia-1 cells, in rat, SERCA pump reuptake in, 353:561
Bcl-2, Bad translocation inhibition by, 359:345
Beckwith-Wiedemann syndrome, BM88 localisation and, 355:715
Bernard-Soulier haemorrhagic disorder, platelet glycoprotein GPIb-IX in, 358:295
Betaglycan, recombinant baculoviral soluble, 355:215
β-pep-4 folding, hydrophobic core residue effects on, 357:739
BFIT acyl-CoA thioesterase, induced by cold exposure in brown adipose tissue, 360:135
Bifunctional enzyme, PPARα activation by, 353:253
Bile acids
hydrophobicity of, correlation with colon cancer cell apoptosis and/or growth arrest, 356:481
therapeutic, in stimulation of ATP secretion in liver, 358:1
Birds
gonadotropin inhibitory hormone in, 354:379
muscle-specific thermogenesis in, uncoupling protein homologue and, 353:441
B/K protein transport, cysteine cluster in, 360:441
Bladder epithelium, uroplakin pair formation and plaque composition in, 355:13
Blood coagulation Factor IX, activation by proteinases from *Porphyromonas gingivalis*, 353:325
Blue fluorescent protein, combining fluorescent Ca^{2+} dyes with, 356:345
BM88, cloning and localisation of, 355:715
Bone marrow, macrophages derived from, X-linked inhibitor of apoptosis protein expression in, 353:299
Bovine mitochondrial ATP synthase, dimethyl sulphoxide and, 353:215
Bradykinin, phosphoinositide hydrolysis induced by, IL-1β enhancement of, 354:439
Bradykinin receptors, agonist-promoted trafficking of, 355:741
Brain
dynamin in, chloride intracellular channel protein CLIC4 complex binding to, 359:55
GLUT9 in, activity and genomic organisation of, 350.771
interaction of dihydropyridine receptors and ryanodine receptors in, 354:597
ischaemia/reperfusion in, translation control in, 357:819
Breast cancer cells
epiglycanin biosynthesis and shedding in, 353:33
proliferation of, palmitoylethanolamide inhibition of, 358:249
Brefeldin A-sensitive ADP-ribosylation factor, in regulation of coat-protein complex proteins on phagosomes, 355:409
BST-1/CD157, *N*-glycosylation mutants of, 357:385
Bucandin, NMR structure of, 360:539
Bungarus candidus venom, bucandin from, NMR structure of, 360:539
Butyrylcholinesterase, pressure- and heat-induced inactivation of, 356:487

C
C2 domain membrane binding, calcium ions in, 359:679
Ca^{2+}-ATPase
in endoplasmic reticulum
in dental enamel cells, 358:217
neurons and inhibition of, 356:805
in SERCA, structural similarities with Na,K-ATPase, 356:685
CaATP, as substrate for priming contraction and Ca^{2+} pumping, 354:539
Ca^{2+}/calmodulin-dependent protein kinase, CD44 phosphorylation and, 357:843
Ca^{+}-binding proteins, neuronal calcium sensor family of, 353:1, 354:727
Cadherin complex, disruption in vascular endothelial cells, albumin-derived advanced glycation end-products in, 359:567
cADP-ribose
angiotensin II-stimulated formation of, in neonatal cardiac myocytes, 354:727
calcium signalling and, in mouse submandibular acinar cells, 353:555
cADP-ribose receptor, pharmacologic characterisation of, 359:451
cADP-ribose-CD38 complex, kinetic competence of, 358:399
Caenorhabditis elegans, *O*-glycosylation in, 357:167
Caffeine
Ca^{2+} stores sensitive to, in smooth muscle, 357:363
ryanodine receptor sensitivity to, in skeletal muscle calcium channel, 360:97
Calcium
in control of ATP synthesis in B cells, 353:175
di-isopropylfluorophosphatase structure and function dependence on, in *Loligo vulgaris*, 353:579
extracellular sensing of, ecto-p120 for, 360:579
inositol trisphosphate receptor regulation by, calmodulin binding site mutation and, 360:395
intracellular, inducible nitric oxide synthase expression and, 354:351
mobilisation of, in VEGF-induced prostacyclin production, 353:503
in stabilisation of semiquinone radical of pyrroloquinoline quinone, 357:893
voltage-dependent anion channel binding and translocation of, mitochondrial function and, 358:147
Calcium channels, store-operated, 2-aminoethyl diphenylborate inhibition of, in liver cells, 354:285
Calcium current, Ca^{2+} release-activated, regulation by ryanodine receptors, in inositol trisphosphate-deficient cells, 360:17
Calcium dyes, fluorescent, combining with fluorescent proteins, 356:345
Calcium influx
diacylglycerol-activated, in adrenal cells, 358:717
in neutrophils, inositol trisphosphate binding and, 355:139
Calcium ions, in C2 domain membrane binding, 359:679
Calcium mobilisation, bradykinin-mediated, IL-1β enhancement of, 354:439
Calcium pump
plasma membrane, catalytic core in activation of, 356:241, 357:911
structure and mechanism of, 356:665
Calcium release
cADP-ribose receptor pharmacology in, 359:451
microsomal, nicotinic acid-ADP and, 353:531
nitric oxide and cGMP-mediated, in parotid acinar cells, 355:87
Calcium reuptake, sarcoplasmic/endoplasmic reticular, in rat basophilic leukaemia-1 cells, 353:561
Calcium signalling, in mouse submandibular acinar cells, effects of inositol trisphosphate, cADP-ribose, and nicotinic acid-ADP on, 353:555
Calcium store, sarcoplasmic reticulum and mitochondrial, in smooth muscles, 357:363
Calcium-activated ATPase, in sarcoplasmic reticulum, interaction of phospholamban residues with, 355:699
Calcium-binding proteins, thioredoxin boxes of, in protein folding, 357:83
Calmodulin
binding to neuronal nitric oxide synthase, hsp90 in, 355:357
myosin VIIA association with, 354:267
Calmodulin binding, suramin analogue inhibition of, 355:827
Calmodulin binding site mutation, effect on calcium regulation of inositol trisphosphate receptor, 360:395
Calmodulin inhibitors, MMP-1 processing by, 359:325
Calmodulin-binding proteins, transient receptor potential TRP4 as, 355:663
Calnexin, in oculocutaneous albinism, 355:259
Calpastatin, phosphorylation of, intracellular location and, 354:25
Calponin gene, in smooth muscle, G protein-coupled receptor activation of, 357:587
cAMP
in glutamine:fructose-6-phosphate aminotransferase 1 regulation in *Drosophila*, 360:401
in regulation of glucose transport in aortic smooth muscle, 353:513
cAMP early repressor, induced, cell proliferation and, in adipocytes, 354:169
cAMP response element-binding protein (CREB)
5-aminolaevulinate synthase gene expression and, 353:307
Msx3 protein interaction with, 353:13
phosphospecific cell-based ELISA for, 355:879
cAMP response element-binding protein-related protein, as transcriptional activator of unfolded protein response, 355:19
Canalicular membrane fluidity, cyclosporin A and, 354:591
Canatoxin, as jack bean urease variant, 360:217
Cancer
catabolic muscle in, cathepsin L in, 360:143
glycogen synthase kinase-3 and, 359:1
Candida albicans

© 2002 Biochemical Society

alternative oxidase gene family from, 356:595
effect of histatin 5 and derived peptides on, 356:361
Candida boidinii, formate dehydrogenase from, active-site characterisation of, 354:459
Carbohydrate, liver galectin interaction with, 358:529
Carbohydrate-binding modules
in *Pseudomonas cellulosa* pectate lyase, 355:155
recombinant, glycosylation and, 358:423
superfamily of, 356:791
Carbon monoxide
binding and photodissociation kinetics of, in *Pseudomonas stutzeri* cd_1 nitrite reductase, 355:39, 356:911
binding to nitric oxide synthase haem domain, 358:201
Carcinogenesis, gap junction communication in, polyamine regulation of, 357:489
Cardiac: *see also* Heart *entries*.
Cardiac function, sphingosylphosphocholine regulation of, 355:189
Cardiac hypertrophy, ornithine decarboxylase and, 358:25
Cardiac muscle, Mg^{2+} effect on, 354:539
Cardiac muscle cells
endothelin-induced GATA-4 phosphorylation in, 359:375
in neonatal rat, angiotensin II-stimulated cyclic ADP-ribose formation in, 354:727
Cardiocytes, adenoviral gene transfer modifications of eIF4A in, 356:557
Cardiovascular disease, screening of endothelin-converting enzyme inhibitors in, fluorescence assays for, 356:813
Caricain, catalytic mechanism of, conformational change in, 357:343
Carnitine palmitoyltransferase I gene transcription, in liver, fatty acid regulation of, 354:189
β,β-Carotene 15,15′-dioxygenase, expression and localisation of, 354:521
Cartilage
aggrecan from, chondroitin sulphate linkage regions in, age-related changes in, 358:523
hypertrophic, UDP-glucose pyrophosphorylase in, 360:667
of knee, aggrecan core protein proteolysis in, 358:615
Cartilage oligomeric matrix protein, as marker for articular chondrocyte differentiation state, 358:17
β-Casein, cation-dependent structural features of, 356:277
Casein kinase 1, $p47^{phox}$ phosphorylation by, in leucocytes, 358:783
Casein kinase 2, phospholipase D1 interaction with, 354:369
Caspase(s)
activation of
ceramide signalling and, in anti-Fas-induced apoptosis, 357:407
polyamine depletion and, 355:199
in cladribine-induced apoptosis of leukaemia cells, 359:537
Caspase inhibitors, caspase homologue inhibition by, 357:575
Caspase-3
activation of, in apoptosis, 353:357, 354:727
in oxidised LDL-induced apoptosis, flavonoids in protection against, 358:547
in zebrafish, apoptosis induction and, 360:39
Caspase-5, in Max regulation during apoptosis, 358:705
Caspase-9, cDNA and promoter of, 360:49
Cassava linamarase, active site residues, 353:199
Catalase-like activity, of horseradish peroxidase, 354:107
Catalytic antibodies, induced by active immunisation, 360:151
Cataract, MMP-2 overexpression and, 357:41
β-Catenin, p85 interaction with, 360:335
Cathepsin D, maturation of, kinase-deficient phosphoinositide 3-kinase and, 353:655
Cathepsin L, in wasting skeletal muscle, 360:143
Cation-dependent structural features of β-casein, 356:277
Cationic lipids, reducible, for gene transfer, 356:747
Caveolae, membrane type 1 matrix metalloproteinase in, 353:547
Caveolae/lipid rafts, in fibroblast-like synoviocytes, ectopeptidases in, 354:47
Caveolin-containing membrane domains, detergent soluble, G protein targetting to, 355:323
Caveolin-scaffolding domain, inhibition of neutral sphingomyelinase in microdomains, 355:859
Caveolin-1, oestrogen receptor activation by, 359:203
CBP: *see* Cyclic AMP response element-binding protein.
CcmG protein, from *Escherichia coli*, in cytochrome *c* assembly, 355:51
CD33-related sialic acid-binding immunoglobulin-like lectin, association with Src homology domain-containing protein tyrosine phosphatases, 353:483
CD44 phosphorylation, Ca^{2+}/calmodulin-dependent protein kinase and, 357:843
CD28, clathrin-associated adaptor protein complex 2 interaction with, 359:427
CD38-cADP-ribose complex, kinetic competence of, 358:399
cd_1 nitrite reductase, structural relaxations in, 355:39, 356:911
Cdc6 protein, Mcm2 protein interaction with, in budding yeast cells, 354:655
Cdc42Hs, Rho GDP dissociation inhibitor-binding-defective mutant of, function of, 359:285
Ceacam1 and *Ceacam2* genes, tissue-specific and embryonic expression of, 355:417
Celecoxib, cyclo-oxygenase-2 inhibition by, 357:709
Cell adhesion, dendroaspin inhibition of, proline role in, 355:633
Cell cycle
protein phosphatase 1 and focal adhesion kinase association dependent on, 358:407
S phase of, *Mad3* gene expression in, 359:361
Cell cycle progression
of erythroleukaemia cells, inositol lipid regulation of, 357:905
polyamine metabolism and, 354:217
Cell death, necrotic, during hypoxia, phosphoinositide 3-kinase and, 358:481
Cell energetics, direct vs indirect estimates of, 355:389
Cell hydration, autophagosome formation and, in liver, 354:31
Cell nucleus, functional architecture in, 356:297
Cellobiohydrolase, of Family 7 glycosidase, engineering to alkaline pH optimum, 356:19
Cellulomonas fimi, carbohydrate-binding module from, glycosylation of, 358:423
Cellulose, *Pseudomonas* rhamnogalacturonan lyases binding of, 355:167
Ceramide, pleckstrin homology domain translocation and, 354:359
Ceramide signalling, in anti-Fas-induced apoptosis, 357:407
Ceroid lipofuscinosis, late infantile neuronal, enzyme replacement therapy for, recombinant human CLN2 protein in, 357:49
cGMP
Ca^{2+} release mediated by, in parotid acinar cells, 355:87
in regulation of glucose transport in aortic smooth muscle, 353:513
cGMP phosphodiesterase, mutations of, in retina, 353:467
cGMP-dependent protein kinase, phosphodiesterase 5 activation and guanylate cyclase inhibition by, 360:199
cGMP-selective phosphodiesterase, from *Dictyostelium*, 353:635
Chagas' disease, *Trypanosoma cruzi* lysosomal phospholipase A_1 in, 355:765
Chaperone, constitutive hsp70 as, 360:413
Chaperone-like activity, in unfolding and refolding of quinone oxidoreductase, 359:547
Charge-pair association, in human reduced folate carrier, 358:511
Chemical stress, methionine sulphoxide reductase coinduction with GST during, 360:675
Chemokine genes, regulation by oxidative stress, 360:321
Chemokine-like factor 1, molecular cloning and characterisation of, 357:127
CHH-like peptides: *see* Crustacean hyperglycaemic hormone-like peptides.
Chicken, skeletal muscle of, transverse tubule ecto-ATPase activity in, 353:521
Chicken ovalbumin upstream promoter-transcription factor 1, in transcription of L-type pyruvate kinase gene, 358:175
Chlamydomonas reinhardtii, thioredoxin from, crystal structure of, 359:65
Chloride intracellular channel protein CLIC4 complex, binding to brain dynamin, 359:55
Chloroplast, ATP synthase mutation in, F_1-ATPase activity regulation by, 357:911
Chloroquine, haem detoxification inhibited by, 355:333
Cholesterol
absorption by intestinal scavenger receptor class B, 356:317
biosynthesis from lanosterol, 353:689
depletion of, and apical transport in kidney epithelial cells, 357:11
intracellular transport of, apolipoprotein A-I in, 358:79
in syncollin interaction with pancreatic membrane zymogen granules, 356:843
Cholesterol homoeostasis, smooth endoplasmic reticulum membrane lipids and, 358:415
Cholesteryl ester transfer protein, HDL generation and, 360:379
Chondrocyte, articular, differentiation state of, cartilage oligomeric matrix protein and collagen IX as markers for, 358:17
Chondrocyte de-differentiation, molecular mechanisms of, 360:461
Chondrocyte-expressed protein 68, as marker gene, 353:169
Chondroitin sulphate linkage regions, age-related changes in, 358:523
Choriocarcinoma cells, trichosanthin-induced apoptosis of, reactive oxygen species in, 355:653, 358:792
Chromosome association, of kinesin superfamily member 4 during mitosis, 360:549

© 2002 Biochemical Society

Chylomicron assembly, apolipoprotein B in, 356:821
Chylomicron remnants, hepatic VLDL secretion and, 357:481
c-Jun N-terminal kinase-interacting protein
and gene expression in neonatal ventricular myocytes, 358:489
in oxidised LDL-induced apoptosis, flavonoids in protection against, 358:547
TMF-α receptor activation of, 359:525
c-Jun promoter activities, AP-1 in transcriptional control of, 360:599
Cladribine, leukaemia cell apoptosis induced by, caspases and, 359:537
Clathrin, adaptor protein complex 2 associated with, interaction with cytotoxic T lymphocyte antigen 4 and CD28, 359:427
CLN2 protein, recombinant human, for enzyme replacement therapy in late infantile neuronal ceroid lipofuscinosis, 357:49
Clostridium symbiosum, glutamate/norleucine dehydrogenase hybrids from, allosteric properties of, 360:651
c-Met, in mouse kidney, negative regulation of, 353:317
c-Myb, in up-regulation of methionine adenosyltransferase in Jurkat cells, 353:163
c-Myc protein synthesis, after genotoxic stress, internal ribosome entry segment in, 359:183
Co-activator protein, transactivation mediated by, thyroid hormone receptor monomers and, 360:387
Coactosin-like protein, as human F-actin-binding protein, 359:255
Coat-protein complex proteins, on phagosomes, regulation by brefeldin A-sensitive ADP-ribosylation factor, 355:409
Coenzyme A diphosphatase, peroxisomal, 357:33
Cofilin, Na,K-ATPase α subunit interaction with, 353:377
Cold exposure, acyl-CoA thioesterase BFIT induced by, 360:135
Cold shock, FK506-binding protein induced by, from hyperthermophilic archaeum, 357:465
Collagen, sulphatide-triggered neutrophil spreading on, 359:621
Collagen fibrils, in healing skin, dermatan sulphate in, 358:157
Collagen II gene, regulation of, in chondrocyte de-differentiation, 360:461
Collagen IX, as marker for articular chondrocyte differentiation state, 358:17
Collagenase promoter activities, AP-1 in transcriptional control of, 360:599
Collagenase-1, induction in fibroblasts, p38 MAP kinase and, 355:437
Colon, descending, mucin glycans from, Sd^a-antigen-like structures in, 358:657
Colon cancer cells, apoptosis or growth arrest of, bile acid hydrophobicity and, 356:481
Colony-stimulating factor receptor, in macrophage differentiation in myeloid cells, 358:431
Complement C3, retinoic acid regulation of, in adipocytes, 356:445
Congenital disorders, of glycosylation type I, altered glycan processing in, 359:249
Connective tissue growth factor
in diabetic nephropathy, 359:77
uptake and intracellular transport of, 359:89
Connexin-43 expressing cells, gap junction communication in, polyamine regulation of, 357:489
Constitutive androstane receptor, *CYP2B1* gene regulation by, 355:71
Copper ATPase mutants, functional analysis of, 357:217
Copper chaperone, in *Arabidopsis*, 357:545
Cortactin, translocation to cytoskeleton, thrombopoietin stimulation of, 356:875
Crab, pericardial organs of, CHH-like peptides in, 356:159
CREB: *see* cAMP response element-binding protein.
Cresol, ryanodine receptor sensitivity to, in skeletal muscle calcium channel, 360:97
Crk binding sites, of paxillin, tyrosine phosphorylation of, 360:57
Crustacean hyperglycaemic hormone-like peptides, in crab pericardial organs, 356:159
α-Crystallin
kinetic competition with aggregation for unfolding α-lactalbumin, 354:79
in unfolding and refolding of quinone oxidoreductase, 359:547
CSF receptor: *see* Colony-stimulating factor receptor.
CTP synthase, inhibition by glutamate γ-semialdehyde, in *Escherichia coli*, 356:223
Cu,Zn superoxide dismutase, lipid modification of, 359:17
Cyanobacterial protein HstK, serine/threonine kinase and histidine kinase domains in, 360:639
Cyanobacterial *ycf37*, photosystem I content of, 357:211
Cyclo-oxygenase-2, selective inhibition by diarylheterocyclic inhibitors, 357:709
Cyclophilin D, adenine nucleotide translocator isoform affinities for, 358:349
Cyclosporin A, effect on canalicular membrane fluidity and transporter function, 354:591
CYP2B1 gene, regulation by constitutive androstane receptor, steroid co-activator-1, and Sp1, 355:71
CYP2D6 holoprotein, NADPH-P450 oxidoreductase effects on, 356:613
Cyritestin genes, nonfunctional, 357:551
Cystathione β-synthase, transcriptional regulation of, NF-Y and Sp1/Sp3 in, 357:97
Cysteine, of SNAP, in SNARE disassembly and exocytosis, 357:625
Cysteine- and glycine-rich protein 2, as marker of hepatic stellate cells, 359:485
Cysteine cluster, in B/K protein transport, 360:441
Cysteine proteinase, catalytic mechanism of, conformational change in, 357:343
Cystic fibrosis transmembrane conductance regulator, endocytic signals in, 354:561
Cytochalasin B binding, by GLUT1, 359:443
Cytochalasin D, and sound attenuation of polymerising actin, 355:771
Cytochrome b_5 reductase, human gene encoding, structure and expression of, 355:529
Cytochrome *c*
Fe(III) reducing, from *Geobacter sulfurreducens*, 359:147
mitochondrial, tributylin and, 356:621
oxidation of formylfolates by, 354:115
semisynthesis with noncoded tryptophan 59 analogues, 359:715
Cytochrome *c* assembly, *Escherichia coli* CcmG protein in, 355:51
Cytochrome *c* protein NapB, from *Haemophilus influenzae*, 356:851
Cytochrome oxidase, yeast, site-directed mutations in, 354:407
Cytochrome P450 2D6, catalytic activity of, phenylalanine 451 in, 355:373
Cytochrome P450 7b1, in catalysis of 7α-hydroxylation of 7α-hydroxylation of 25-hydroxycholesterol and dehydroepiandrosterone in prostate, 355:509
Cytokine(s), in superoxide dismutase induction, NF-κB and, 353:147
Cytokine signalling, suppressor of: *see* Suppressor of cytokine signalling.
Cytomegalovirus, MHC class I dislocation mediated by, ubiquitination in, 358:369
Cytoprotection, by fatty acid-binding proteins, in kidney, 360:159
Cytotoxic T lymphocyte antigen 4, clathrin-associated adaptor protein complex 2 interaction with, 359:427

D

Dansyl-labelled surfactant-associated protein C, in phospholipid bilayers, 359:651
DDT resistance, in *Anopheles gambiae*, GST and, 359:295
Dehydroepiandrosterone, 7α-hydroxylation of, Cyp7b1 catalysis of, in prostate, 355:509
Deinagkistrodon acutus venom, serine protease isoforms in, 354:161
Dendroaspin, proline role in, 355:633
Dendroaspin motifs, and selective inhibition of integrins, 356:11
Dental enamel cells, endoplasmic reticulum Ca^{2+}-ATPase pump in, 358:217
Deoxyhypusine synthase, site-directed mutagenesis of, 355:841
Dermatan sulphate, in healing skin, 358:157
Desulfonispora thiosulfatigenes, sulphoacetaldehyde sulpho-lyase from, 357:581
Detergent insolubility, of glycosylphosphatidyl-anchored membrane dipeptidase, glycosphingolipids and, 358:209
DHICA oxidase activity: *see* 5,6-Dihydroxyindole-2-carboxylic acid oxidase activity.
Dhvar peptides, effect on *Candida albicans*, 356:361
Diabetes mellitus
fatty acid level in, protein kinase C activation and, 357:275
glycogen synthase kinase-3 and, 359:1
muscle and adipose tissue in, phosphoinositide 3-kinase p85α regulatory subunit in, 360:117
nephropathy in, connective tissue growth factor in, 359:77
protein phosphatase 1 regulatory subunit R5 in, 360:449
Diabetogenic action, of streptozotocin, potential mechanism of, 356:31
Diacylglycerol, calcium inflow activated by, in adrenal cells, 358:717
Diacylglycerol kinase α activation, fatty acid inhibition of, in vascular smooth muscle cells, 357:275
Diacylglycerol kinase θ, translocation and activation of, 353:129
Diadenosine tetraphosphate hydrolase, from *Lupinus angustifolius*, active-site residues of, 357:399
Diarylheterocyclic inhibitors, cyclo-oxygenase-2 inhibition by, 357:709
Dictyostelium
cGMP-selective phosphodiesterase from, 353:635
guanylate cyclase in, 354:697
Diethyl pyrocarbonate, inhibition of NADPH oxidase and H^+ channel associated with, 358:315

© 2002 Biochemical Society

Dihaem cytochrome *c* protein NapB, from *Haemophilus influenzae*, 356:851
Dihydrodiol dehydrogenase 4/aldo-keto reductase 1C4 (DD4/AKR1C4) gene, transcriptional regulation of by hepatocyte nuclear factors, 355:537
Dihydropyridine receptors, ryanodine receptor interaction with, in brain, 354:597
5,6-Dihydroxyindole-2-carboxylic acid oxidase activity, of tyrosinase, 354:131
1α,25-Dihydroxyvitamin D_3, in regulation of steroid sulphatase activity during promyelocytic cell differentiation, 355:361
Di-isopropylfluorophosphatase, Ca^{2+}-dependent structure and function of, in *Loligo vulgaris*, 353:579
Dimethyl sulphoxide
  and bovine mitochondrial ATP synthase, 353:215
  in stabilisation of weakly bound cross-bridges, 358:627
Dimethylallyl diphosphate, synthesis from mevalonate, *Escherichia coli* in, 353:59
Dioxygen, *Escherichia coli* flavohaemoglobin affinity for, 353:207
Dipeptidase
  glycosylphosphatidyl-anchored membrane, detergent insolubility of, glycosphingolipids and, 358:209
  renal, release from kidney tubules, glycosylphosphatidylinositol-specific phospholipase C in, 353:339
Dipeptidyl peptidase
  in kidney, cloning and expression of, 353:283
  plasminogen interaction with, in matrix metalloproteinase-9 regulation in prostate cancer cells, 355:397
Disintegrin metalloprotease, in regulation of amyloid precursor protein ectodomain shedding, 357:787
Disulphide bond formation, in C-terminal domain of mucin protein, 357:203
DMSO: *see* Dimethyl sulphoxide.
DNA, synthesis and migration of, sphingosine 1-phosphate and, in smooth muscle cells, 353:139
DNA damage
  metallothionein-1 as protector against, effect of localisation on, 355:473
  p53 phosphorylation induced by, 359:459
DNA enzymes, hepatitis B virus X gene inhibition by, 353:701
DNA mismatches, mismatch-binding protein MutS affinity for, 354:627
DNA oligomer formation, kinetics of, 354:481
DNA synthesis, oxidised LDL and, 355:207
DNase I
  amphibian, 357:473
  N-glycosylation of, efficiency of, 355:245
DNase I-hypersensitive sites, in whey acidic protein gene, 359:557
DOCK180 binding, to phosphatidylinositol trisphosphate, 354:73
Donor substrate cleavage, by xyloglucan endotransglycosylase, 355:671
Down's syndrome, cystathione B-synthase gene in, transcriptional regulation of, 357:97
Doxorubicin, cell surface P-glycoprotein expression and, 355:617
Drosophila
  aging-related protein oxidative damage in, 360:209
  glutamine:fructose-6-phosphate aminotransferase 1 regulation in, 360:401
  haemocyte-specific protein from, similarity to human von Willebrand factor, 359:99
  inositol trisphosphate receptors in, functional properties of, 359:435
Drosophila cells, laminin assembly interference by RNA in, 360:167
Drosophila mitochondrial transcription factor A, in Kc167 cell DNA transcription, 354:243
Dynamin
  bradykinin receptor trafficking and, 355:741
  in brain, chloride intracellular channel protein CLIC4 complex binding to, 359:55
DYRK kinase, phosphorylation of eIF2B and protein tau by, 355:609
DYRK1A, tyrosine phosphorylation of, 359:497
DYRK1A kinase, phosphorylation of transcription factor FKHR by, 355:597

E
E1B-AP5 ribonucleoprotein, heterogeneous nuclear, arginine methylation of, 358:305
Ebola virus, surface glycoproteins of, proprotein convertase cleavage of, 353:537
Ecto-ATPase activity, transverse tubule, in chicken skeletal muscle, 353:521
Ecto-p120, as cell surface nucleolar phosphoprotein Nopp140, 360:579
Ectodomain shedding, angiotensin-converting enzyme juxtamembrane and extracellular domains in, 358:185
Ectopeptidases, in synoviocyte caveolae/lipid rafts, 354:47
EGF receptor: *see* Epidermal growth factor receptor.
Eicosanoids, in cardiac glucose transport regulation, 359:47
eIF: *see* Eukaryotic initiation factor *entries*.
Electrospray ionisation
  in biochemistry, 355:545
  in study of thermostability of endoxylanase from *Trichoderma reesei*, 356:453
ELISA: *see* Enzyme-linked immunosorbent assay.
Elongation factor-2 kinase, phosphorylation of, by protein kinase A, 353:621
Embryo fibroblasts, heparin binding domain of, cell survival and, 356:531
Endocrine cell secretory pathway, green fluorescent protein oligomerisation in, 360:645
Endocytic signals, in cystic fibrosis transmembrane conductance regulator, 354:561
Endocytosis, wortmannin and, 357:497
Endoglucanase, mutant, formate reactivation of, 355:79
Endoplasmic reticulum
  Ca^{2+}-ATPase in
    in dental enamel cells, 358:217
    neurons and inhibition of, 356:805
  glucose 6-phosphate transporters in, in glycogen storage disease, 357:557
  laminin assembly in, RNA interference of, 360:167
  membrane lipids in, cholesterol homoeostasis and, 358:415
  phospholipase $A_2\alpha$ association with, 353:79
  of skeletal muscle, Ca^{2+}-ATPase of, structural similarities with Na,K-ATPase, 356:685
  TPIP in, 360:277
Endosome, phospholipase D1 localisation in, protein C termini in, 356:727
Endosome-localised protein family, related to sorting nexin 1, 358:7
Endothelial cells
  apoptosis of, graminelysin I induction of, 357:719
  in liver, chelatable iron in, 356:61
  TIE1 gene expression in, regulation of, 360:23
  VCAM-1 and E-selectin expression in, HMG-CoA reductase inhibition and, 360:363
Endothelial nitric oxide, synthesis of, glutamine inhibition of, 353:245
Endothelin
  ERK activation induced by, regulation of, 360:77
  GATA-4 phosphorylation induced by, in atrial muscle cells, 359:375
Endothelin-converting enzyme inhibitors, rapid screening of, fluorescence assays for, 356:813
Endoxylanase, from *Trichoderma reesei*, thermostability of, 356:453
Energetic units, of muscle erythrocytes, 356:643
Energetics, cellular, direct vs indirect estimates of, 355:389
Energy transfer, between green fluorescent protein and aequorin, 357:687
Environment, effects on flavin reactivity in morphinone reductase, 359:315
Enzyme kinetics, of threonine synthesis pathway, in *Escherichia coli*, 356:415
Enzyme replacement therapy, for late infantile neuronal ceroid lipofuscinosis, recombinant human CLN2 protein in, 357:49
Enzyme-linked immunosorbent assay (ELISA), phosphospecific cell-based, for p42/44 MAP kinase, p38 MAP kinase, protein kinase B, and CREB, 355:879
Enzymes, complex, kinetic analysis of, 358:573
Eosinophil peroxidase, substrates and products of, 358:233
Epicatechin, in protection of fibroblasts from oxidative stress-induced cell death, 354:493
Epidermal growth factor receptor
  heterodimerisation of, EGF binding and, 356:87
  phosphorylation of, gangliosides and, 355:465
Epidermis-derived lipoxygenase isozymes, enzymic characterisation of, 355:97
Epigenetic states, in mammals, marks, mechanisms, and memory of, 356:1
Epiglycan, biosynthesis and shedding of, in mammary carcinoma cells, 353:33
Epithelial cancer cells, matrix metalloproteinase-26 in, 356:705
Epithelial cells
  glomerular, phospholipase $A_2\alpha$ in, membrane association of, 353:79
  kidney, cholesterol depletion and apical transport in, 357:11
  of lens, phenotypic transformation by MMP-2, 357:41
  of liver, connexin-43 expression in, angiotensin II and ethanol effects on, 357:769
  mammary, TNF-α-related apoptosis-inducing ligand gene in, 360:31
  monolayers of, wound-induced expression of heparin-binding epidermal growth factor-like growth factor expression in, 354:99
  tracheal, mucin biosynthesis and secretion in, 353:23
  tubular, angiotensin II interaction with insulin in, 360:87
Epithelium, alveolar, IL-1β receptor antagonism in, in NF-κB translocation/activation, 355:29
Equilibrium constant calculations, parameters affecting, 359:411
ErbB2 binding, EGF receptor heterodimerisation and, 356:87

© 2002 Biochemical Society

Ergothioneine, *S*-nitrosoglutathione catabolism and, 356:799
ERK: *see* Extracellular signal-regulated protein kinases.
Erythrocytes
anion exchange protein in, dimeric interface of, 359:661
of muscle, energetic units of, 356:643
Erythroleukaemia cells
amphoterecin release by, induction by hexamethylenebisacetamide, 357:569
cell cycle progression of, inositol lipid regulation of, 357:905
isolation of ubiquitin complexes with ubiquitin-conjugating enzyme from, 356:199
Escherichia coli
continuous affinity-based selection in, 357:779
CTP synthase inhibition by glutamate γ-semialdehyde in, 356:223
fatty acyl-CoA synthetase FadD from, native and cleaved forms of, purification and characterisation of, 360:699
flavohaemoglobin from, dioxygen affinity of, 353:207
ketoacid reductases encoded by *ycdW* and *yiaE* genes in, 354:707
kynurenine aminotransferase and glutamine transaminase K from, identity with aspartate aminotransferase, 360:617
in synthesis of isopentenyl diphosphate and dimethylallyl diphosphate from mevalonate, 353:59
threonine synthesis pathway in, 356:425
control of, 356:433
enzyme kinetics of, 356:415
Escherichia coli CcmG protein, in cytochrome *c* assembly, 355:51
E-selectin, in endothelial cells, HMG-CoA reductase inhibition and, 360:363
Ethanol, connexin-43 expression and, in liver epithelial cells, 357:769
Ethanol feeding, GLUT4 vesicle trafficking in adipocytes after, G protein regulation of, 354:323
N-Ethylmaleimide, reaction of galactose-H^+ symporter with, cysteine mutations and, 353:709
Eug1p disulphide isomerase activity, in yeast, 358:269
Eukaryotic initiation factor 4A
adenoviral gene transfer modifications of, in cardiocytes, 356:557
interaction with eIF4G, 355:223
Eukaryotic initiation factor 2B, phosphorylation by kinase DYRK, 355:609
Eukaryotic initiation factor 4E-binding protein-1, in tubular epithelial cells, insulin-stimulated phosphorylation of, inhibition by angiotensin II, 360:87
Experimental errors, in equilibrium constant calculations, 359:411
Extracellular signal-regulated kinases (ERKs)
activation of
endothelin-1 G protein-coupled receptor induction of, 360:77
N-acylethanolamine-mediated cell signalling and, 360:67
in Mcl-1 synthesis regulation, 356:473
in oxidised LDL-induced apoptosis, flavonoids in protection against, 358:547
PMA activation of, glucose-6-phosphatase gene expression and, 357:867
TMF-α receptor activation of, 359:525
in VEGF-induced prostacyclin production, 353:503

F
F_1-ATPase activity, regulation by mutation in chloroplast ATP synthase, 357:911
14–3-3 protein
in complex with chloride intracellular channel protein CLIC4, binding to brain dynamin, 359:55
regulation of, forkhead in rhabdomyosarcoma phosphorylation sites in, 354:605
4F2hc, association with light chains, 355:725
F-actin-binding protein, human, coactosin-like protein as, 359:255
Factor IX, activation by proteinases from *Porphyromonas gingivalis*, 353:325
Family 3 β-glucosidase, catalytic mechanism of, 355:835
Family 7 cellobiohydrolase, engineering to alkaline pH optimum, 356:19
Farnesylation, Lys^{164}α in, 360:625
Fat absorption, apolipoprotein B in, 356:821
Fatty acid(s)
binding by uterocalin, 356:369
effect on hepatocyte cycling glucose, 358:665
in inhibition of diacylglycerol kinase α activation, in vascular smooth muscle cells, 357:275
in regulation of liver carnitine palmitoyltransferase I gene transcription, 354:189
Fatty acid amide hydrolase, palmitoylethanolamide inhibition of, 358:249
Fatty acid synthase, angiotensin II in regulation of gene encoding, 357:899
Fatty acid translocase promoter, during adipose differentiation, 360:305
Fatty acid-binding proteins
cytoprotection by, in kidney, 360:159
from *Globodera pallida*, 356:387
heart type, fatty acid binding to, 354:259
in liver and small intestine, PPAR and, 355:481
Fatty acyl CoA, inhibition of PPARα and γ by, 353:231
Fatty acyl-CoA synthetase FadD, from *Escherichia coli*, native and cleaved forms of, purification and characterisation of, 360:699
Fatty acyl-CoA synthetases, from *Trypanosoma brucei*, 358:757
FBP1 promoter, glucose-dependent signal response to, in *Saccharomyces cerevisiae*, 359:193
Fe(III) reducing cytochrome *c*, from *Geobacter sulfurreducens*, 359:147
Ferritin, oxidative stress response and, 357:241
Ferritin gene family, in *Arabidopsis*, 359:575
Ferritin heavy chain, repression of, labile iron pool and, 356:311
Ferrochelatase, genetic mutation of, porphyrin substrate-bound variants and, 356:217
Fertility, male
nonfunctional cyritestin genes and, 357:551
zinc finger protein ZNF230 in, 359:721
Fetuin, phosphorylation of, 357:437
Fibroblast(s)
collagenase-1 induction in, p38 MAP kinase and, 355:437
embryonic, heparin-binding domains of, cell survival and, 356:531
oxidative stress-induced death of, epicatechin protection against, 354:493
ras-transformed, protein catabolism in, glucose regulation of, 357:256
Fibromodulin, genomic structure of, and age-related distribution in knee joint, 355:577
Fibronectin, heparin binding domain of, integrin-mediated cell spreading and, 360:239
Fibronectin type II domain, in anosmin-1, modelling of, 357:647
Ficin, catalytic mechanism of, conformational change in, 357:343
Fish oil, dietary, hepatic VLDL secretion and, 357:481
FK506-binding protein
cold shock-inducible, from hyperthermophilic archaeum, 357:465
mapping on ryanodine and inositol trisphosphate receptors, 354:413
FKHR: *see* Forkhead in rhabdomyosarcoma.
Flavin, reactivity in morphinone reductase, environmental effects on, 359:315
Flavobacteriuim meningosepticum, family 3 β-glucosidase from, catalytic mechanism of, 355:835
Flavohaemoglobin, from *Escherichia coli*, dioxygen affinity of, 353:207
Flavonoids, in protection against oxidised LDL-induced apoptosis, 358:547
Flemish Alzheimer's disease variant, amyloid β-protein fibril assembly and toxicity in, 355:869
Flt-1, on VEGF receptor, phosphatidylinositol 3-kinase binding by, 358:465
Fluorenone-based antagonist, photolabeling of Tyr^{199} by, in β_2-adrenergic receptors, 354:485
Fluorescence assays, for rapid screening of endothelin-converting enzyme inhibitors, 356:813
Fluorescent proteins, combining fluorescent Ca^{2+} dyes with, 356:345
Fluorogenic peptides, viral envelope glycoprotein processing by, 353:537
Focal adhesion formation, integrin cytoplasmic domain in, 356:233
Focal adhesion kinase, protein phosphatase 1 association with, cell cycle dependence of, 358:407
Focal adhesion kinase phosphorylation, VEGF-induced, Src and, 360:255
β-Fodrin, merlin-I interaction with, 358:727
Foetal rejection, allogeneic, indoleamine 2,3-dioxygenase and tryptophan 2,3-dioxygenase and, 355:425
Foetus, peroxisomal lipid-metabolising pathways in, 353:673
Folate carrier, human reduced, charge-pair in, 358:511
Forkhead in rhabdomyosarcoma (FKHR)
kinase DYRK1A phosphorylation by, 355:597
phosphorylation sites, in 14–3-3 regulation, 354:605
Formate, in reactivation of mutant β-glucanase, 355:79
Formate dehydrogenase, of *Candida boidinii*, active-site characterisation of, 354:459
Formylfolates, bioactivity and oxidation of, 354:115
Fourier-transform ion cyclotron resonance mass spectrometry, in study of thermostability of endoxylanase from *Trichoderma reesei*, 356:453
Frequenin, as Ca^+-binding protein, 353:1, 354:727
Fructose transport, intestinal, dietary and developmental regulation of, 360:265
Fructose-2,6-bisphosphatase, modulation by kinase domain, C-terminal tail in, 357:513
Fructose-6-phosphate 2-kinase/fructose-2,6-bisphosphatase, from *Arabidopsis thaliana*, kinetics and structure of, 359:591
Fucosyltransferase, recombinant human from baby hamster kidney cells, 357:803
from insect cells, 353:719
Fungus

© 2002 Biochemical Society

oleaginous, thiol reagent-sensitive glycerol-3-phosphate acyltransferase from, 355:315
trehalose phosphorylase from, 356:757
retaining glucosyl transfer catalysed by, 360:727
Furin, viral envelope glycoprotein processing by, 353:537
FYVE zinc-finger proteins
in *Arabidopsis thaliana*, phosphoinositide binding by, 359:165
phosphatidylinositol 3-phosphate interaction with, cellular functions and, 355:249
tandem, in phosphatidylinositol 3-phosphate-binding protein, 355:113

G
G protein
membrane anchoring and partitioning of, thioacylation and, 355:323
pertussis toxin-sensitive, in proinsulin C-peptide-stimulated MAP kinase, in fibroblasts, 355:123
in regulation of GLUT4 vesicle trafficking in adipocytes after ethanol feeding, 354:323
urea inactivation of, 354:337
G protein-coupled receptors
activation of, inositol trisphosphate imaging after, 356:137
in activation of smooth muscle calponin gene, 357:587
ERK activation induced by, regulation of, 360:77
glycosylation sites on, 357:73
metabotropic glutamate receptors as, 359:465
RGS18 regulation of, in megakaryocytes, 359:109
Gab1, in regulation of ERK activation induced by G protein-coupled receptors, 360:77
Galactose-binding lectin, C-type, in eel gill mucous cells, 360:107
Galactose-H^+ symporter, cysteine mutants of, 353:709
β1,4-Galactosyltransferase-1 gene deficiency, *N*-glycans in, 357:827
Galectin, from liver, carbohydrate specificity of, 358:529
Gangliosides, in modulation of EGF receptor phosphorylation, 355:465
Gap junction communication, polyamine regulation of, in connexin-43 expressing cells, 357:489
GATA-4 transcription factor, endothelin-induced phosphorylation of, in atrial muscle cells, 359:375
GelK, from *Sphingomonas paucimobilis*, biochemical characterisation of, 358:457
Gene targetting studies, of adenosine A_{2A} receptor expression, 354:123
Gene therapy, for HIV-1, 357:147
Gene transfer
adenoviral, eIF4A modifications by, in cardiocytes, 356:557
antibody Fv fragment conjugation to virus coat protein in, 356:867
reducible cationic lipids for, 356:747
Genotoxic stress, c-Myc protein synthesis after, internal ribosome entry segment in, 359:183
Geobacter sulfurreducens, Fe(III) reducing cytochrome *c* from, 359:147
Gills, of eel, mucous cells in, galactose-binding C-type lectin in, 360:107
Gingipain, inhibition by caspase inhibitors, 357:575
O-GlcNac-selective *N*-acetyl-β-D-glucosaminidase, pancreatic, inhibition of, 356:31
Glioblastoma, caveolar membrane type 1 matrix metalloproteinase in, 353:547
Glioblastoma cells, MMP-1 shedding in, calmodulin inhibitors and, 359:325
GLK1 gene expression, of *Saccharomyces cerevisiae*, hexokinase 2 protein control of, 355:625
Globodera pallida, lipid-binding protein from, 356:387
Glomerular epithelial cells, phospholipase $A_2\alpha$ in, membrane association of, 353:79
β-Glucanase
mutant, formate reactivation of, 355:79
presteady-state kinetics of, in *Bacillus*, 357:195
β-Glucan-binding modules, identification of, 356:791
Gluconeogenesis, from glutamine and lactate in renal tubule, 360:371
Glucosaminylphosphatidylinositol, cellular metabolism of, 359:305
Glucose
cycling in hepatocytes, fatty acid and amino modulation of, 358:665
in regulation of initiation factor 4E-binding protein 1, 358:497
in regulation of protein catabolism in *ras*-transformed fibroblasts, 357:256
Glucose 6-phosphate transporters, in endoplasmic reticulum, in glycogen storage disease, 357:557
Glucose-6-phosphatase gene expression , and PMA activation of MEK kinase and ERK, 357:867
Glucose transport
in aortic smooth muscle, cAMP and cGMP regulation of, 353:513
cardiac, eicosanoid regulation of, 359:47
intestinal, dietary and developmental regulation of, 360:265
Glucose transporter GLUT1, in heart and skeletal muscle, characterisation of, 359:443
Glucose transporter GLUT4
insulin-induced translocation of, eicosanoids and, 359:47
translocation of
ceramide in, 354:359
before glucose uptake by insulin in muscle cells, 359:639
induction by phosphatidylinositol 3-kinase and protein kinase B, Rab4 inhibition of, 356:143
vesicle trafficking by
in adipocytes after ethanol feeding, G protein regulation of, 354:323
microtubule cytoskeleton in, insulin-stimulated glucose uptake in, 353:735
Glucose transporter GLUT6, targetting of, in adipocytes, 358:517
Glucose transporter GLUT8, targetting of, in adipocytes, 358:517
Glucose transporter GLUT9, activity and genomic organisation of, 350.771
Glucose-dependent signals, in *Saccharomyces cerevisiae*, *FBP1* promoter response to, 359:193
Glucose-regulated proteins, interactions between, 357:393
Glucose-6-phosphatase gene expression, insulin regulation of, phorbol ester effects on, 359:611
α-Glucosidase, from *Aspergillus niger*, catalytic nucleophile in, 359:381
β-Glucosidase, from *Thermoascus aurantiacus*, 353:117
β-Glucosidase Glu1, from maize, crystal structure of, 354:37
Glucosyl transfer, retaining, catalysed by fungal trehalose phosphorylase, 360:727
β-1,4-Glucuronosyltransferase GelK, from *Sphingomonas paucimobilis*, biochemical characterisation of, 358:457
Glutamate mutase, adenosylcobalamin-dependent, protein-coenzyme interactions in, 355:131
Glutamate receptors, metabotropic, properties of, 359:465
Glutamate γ-semialdehyde, CTP synthase inhibition by, in *Escherichia coli*, 356:223
Glutamate-cysteine ligase, catalytic subunit of, cloning and characterisation of, 357:447
Glutamate/norleucine dehydrogenase hybrids, from *Clostridium symbiosum*, allosteric properties of, 360:651
Glutamine
endothelial nitric oxide synthesis inhibition by, 353:245
gluconeogenesis from, in renal tubule, 360:371
Glutamine transaminase K, from *Escherichia coli*, identity with aspartate aminotransferase, 360:617
Glutamine:fructose-6-phosphate aminotransferase 1, from *Drosophila*, regulation of, 360:401
Glutaminolysis, human papilloma virus E7 oncoprotein effect on, 356:247
γ-Glutamyl transpeptidase, in *Saccharomyces cerevisiae*, in vacuolar transport and glutathione metabolism, 359:631
Glutathione
depletion of, in apoptosis, 353:357, 354:727
metabolism of in *Saccharomyces cerevisiae*, γ-glutamyl transpeptidase and, 359:631
Glutathione peroxidase-1 and 4, in liver, transcript abundance and translational efficiency of, selenium and, 357:851
Glutathione peroxidase, single chain abzyme mimicking, 359:369
Glutathione peroxidase-1 gene, in reactive oxygen- and nitrogen species-induced oxidative stress, 359:687
Glutathione *S*-transferase(s)
in *Anopheles gambiae*, DDT resistance and, 359:295
hepatic, detoxification of 4-hydroxy-2(*E*)-nonenal enantiomers by, 355:237
from liver microsomes, 360:345
in maize, glutathione-binding residues in, 358:101
methionine sulphoxide reductase coinduction with, during chemical stress, 360:675
in pyrethroid resistance, in planthopper, 357:65
structure, function, and evolution of, 360:1
Glutathione *S*-transferase M4[hyphen]4, S-glutathiolation of, 356:403
Glutathione *S*-transferase Omega, purification and characterisation of, in pig, 358:257
Glutathione *S*-transferase Sigma, catalytic properties and expression of prostaglandin D_2 synthases, 359:507
Glutathione-binding residues, in maize GST, 358:101
Glycan(s)
altered processing of, in congenital disorders of glycosylation type I, 359:249
in β1,4-galactosyltransferase-1 gene knockout mice, 357:827
Glycerol-3-phosphate acyltransferase, thiol reagent-sensitive, from oleaginous fungus, 355:315
Glycine receptor, β-subunit gene of, regulatory regions of, 355:179
Glycogen, distribution in hepatocytes, 357:17

© 2002 Biochemical Society

Glycogen storage disease, endoplasmic reticulum glucose 6-phosphate transporters in, 357:557
Glycogen synthase, distribution in hepatocytes, 357:17
Glycogen synthase kinase-3, structure and functions of, 359:1
Glycogen synthase kinase-3-priming kinase, kinase DYRK as, 355:609
Glycolysis, human papilloma virus E7 oncoprotein effect on, 356:247
Glycopeptide *N*-acetylgalactosaminyltransferase, specificity for sites on MUC5AC mucin motif peptides, 357:313
Glycoprotein(s), in β1,4-galactosyltransferase-1 gene knockout mice, 357:827
Glycoprotein GPIb-IX, platelet, maturation of, 358:295
Glycoprotein P-170, cells expression, mitochondria-mediated apoptosis in, 355:587
Glycosaminoglycan(s)
in *Caenorhabditis elegans*, 357:167
in synovial fluid, in osteoarthritis, 358:615
Glycosaminoglycan glucuronyltransferase I gene, human, structure, mapping, and characterisation of, 358:539
Glycosaminoglycan modification, aggrecan domains in, 354:199
Glycosaminoglycan-dependent chemotaxis, MCP-1 multimerisation and, 358:737
β-Glycosidase, cytosolic, from liver, 356:907
Glycosidase Family 7 cellobiohydrolase, engineering to alkaline pH optimum, 356:19
Glycoside hydrolase arabinofuranosidase, from *Pseudomonas cellulosa*, 358:599
substrate specificity of, 358:607
Glycosphingolipids, and detergent insolubility of glycosylphosphatidyl-anchored membrane dipeptidase, 358:209
Glycosylation
congenital disorders of, altered glycan processing in, 359:249
of DNase I, efficiency of, 355:245
Glycosylphosphatidyl-anchored membrane dipeptidase, detergent insolubility of, glycosphingolipids and, 358:209
Glycosylphosphatidylinositol-anchored urokinase receptor, urokinase cleavage of, 358:673
Glycosylphosphatidylinositol-specific phospholipase C, in release of renal dipeptidase from kidney tubules, 353:339
Glyoxalase, stress-responsive, in nematode, 353:445
GMAP-10: *see* Golgi-microtubule-associated protein of 210 kDa.
G_{M1} and G_{M2} degradation, by sialidases, 360:233
G_{M2} activator, phospholipase D2 stimulation by, 359:599
medial-Golgi glycosyltransferase, trafficking of, 358:33
Golgi-microtubule-associated protein of 210 kDa, splice variants of, membrane binding by, 357:699
Gonadotropin inhibitory hormone, avian, 354:379
gp-340, salivary agglutinin identical to, 359:243
Graminelysin I, endothelial cell apoptosis induced by, 357:719
Granulocyte differentiation, interferon regulatory factor-1 and, 360:285
Granulocytes, polymorphonuclear, sulphatide-triggered spreading of, on collagen, 359:621
Green fluorescent protein
in cell signalling studies, 355:1
combining fluorescent Ca^{2+} dyes with, 356:345
energy transfer between aequorin and, 357:687
oligomerisation in endocrine cell secretory pathway, 360:645
tagged to integrin $\alpha_{IIb}\beta_3$, 357:529
Growth arrest, of colon cancer cells, bile acid hydrophobicity and, 356:481
Growth factors, protein kinase B activation mediated by, actin cytoskeleton in, 353:735
GST: *see* Glutathione *S*-transferase.
GTP cyclohydrolase I, multiple mRNA species of, 355:499
Guanylate cyclase
cGMP-dependent protein kinase inhibition of, in smooth muscle, 360:199
in *Dictyostelium discoideum*, 354:697
Guanylate cyclase activity, natriuretic peptide receptor mutation and, 358:379

H
H^+ channel, associated with NADPH oxidase, diethyl pyrocarbonate inhibition of, 358:315
H^+/bivalent cation antiporter, natural resistance-associated macrophage protein 1 as, 354:511
H-ras, oxidative modification of, 355:145
Haem, nitric oxide synthase binding sites for, 357:593
Haem detoxification, chloroquine inhibition of, 355:333
Haem domain, of inducible nitric oxide synthase, CO binding to, 358:201
Haem oxygenase-1
inducible by tobacco smoke, transcription factors and reactive oxygen intermediates in, 353:475
in wound repair and psoriasis, 353:459
Haematopoietic cells
apoptosis of, thymineless stress and, 353:101
SERCA isoforms in, 358:559
Haem-linked interactions, in horseradish peroxidase, 353:181
Haemocyte-specific protein, from *Drosophila*, similarity to human von Willebrand factor, 359:99
Haemoglobinase falcipain-3, from *Plasmodium falciparum*, expression and characterisation of, 360:481
Haemoglobins, recombinant and reticulocyte-derived, haem disorder in, 357:305
Haemoglobinuria, paroxysmal nocturnal, glucosaminylphosphatidylinositol metabolism and, 359:305
Haemophilus influenzae, NapB protein from, 356:851
Hamster kidney cells, recombinant human α1,3/4-fucosyltransferase from, 357:803
HDL: *see* High density lipoprotein.
Heart: *see also* Cardiac *entries*.
GLUT1 in, characterisation of, 359:443
Heart type fatty acid-binding protein, fatty acid binding to, 354:259
Heat, butyrylcholinesterase inactivation induced by, 356:487
Heat shock cognate protein 70, interaction with tetratricopeptide repeat-containing proteins, 359:419
Heat shock proteins
hepatic cytosolic and nuclear *N*-acetyl-D-specific lectins as, 360:179
70-kDa
constitutive, chaperone activity of, 360:413
regulation of Pex5p-mediated peroxisome-targetting signal transport by, 357:157
of tilapia, regulation of, 356:353
90-kDa
in Ca^{2+}/calmodulin binding to neuronal nitric oxide synthase, 355:357
substrate binding characteristics of, 354:663
Heparan sulphate, sequence-specific 3-*O* sulphation of, 359:235
Heparan sulphate chains, perlecan structure in, malignant transformation and, 355:517
Heparan sulphate oligosaccharides, purification of, 354:141
Heparin, binding by Sp17, 357:25
Heparin binding domain
of fibroblasts, cell survival and, 356:531
of fibronectin, integrin-mediated cell spreading and, 360:239
Heparin pentasaccharide, bound to antithrombin III, conformation of, 359:265
Heparin-binding epidermal growth factor-like growth factor, wound-induced expression of, in epithelial cell monolayers, 354:99
Hepatic glucokinase, metabolic pathways of, sustained control in, 355:787
Hepatic membrane, *N*-glycans in, in β1,4-galactosyltransferase-1 gene knockout mice, 357:827
Hepatitis B virus X gene, inhibition of, by DNA enzymes, 353:701
Hepatocyte(s)
chelatable iron in, 356:61
glucose cycling in, fatty acid and amino modulation of, 358:665
glycogen synthase and glycogen distribution in, 357:17
uncoupling modulation by substrates in, 355:231
Hepatocyte nuclear factor(s), in transcriptional regulation of *DD4/AKR1C4* gene, 355:537
Hepatocyte nuclear factor-1
dimerisation cofactor of, 354:645
protein phosphatase inhibition and, 354:301
Hepatocyte nuclear factor-4, activation function-1 of, mutagenesis of, 356:635
Hepatoma cells, aldehyde dehydrogenase expression increased by arachidonic acid in, 357:811
HepG2 cells, tunicamycin-induced ubiquitination and degradation of apolipoprotein B in, 353:493
α_2-Heremans-Schmidt glycoprotein, in plasma, phosphorylation of, 357:437
Heteroplasmy, mitochondrial, 357:835
Hexamethylenebisacetamide, in release of amphoterin by erythroleukaemia cells, 357:569
Hexokinase 2 protein, in control of *GLK1*, *HXK1*, and *HXK2* genes, of *Saccharomyces cerevisiae*, 355:625
Hexose phosphate transport system, in endoplasmic reticulum, in glycogen storage disease, 357:557
Hic-5, in platelet activation, 355:691
High density lipoprotein, generation of, phospholipid transfer protein and cholesteryl ester transfer protein in, 360:379
HIRA protein, subnuclear localisation and mitotic phosphorylation of, 358:447
Histamine H_3 receptor, isoforms of, genomic organisation and characterisation of, 355:279
Histatin 5, effect on *Candida albicans*, 356:361
Histidine, in regulation of SulA cleavage by Lon protease, 358:473
Histone deacetylase, Msx3 protein interaction with, 353:13

© 2002 Biochemical Society

HIV: *see* Human immunodeficiency virus.
HMG-CoA reductase: *see* 3-Hydroxy-3-methylglutaryl-CoA reductase.
Homocysteine, MCP-1 receptor expression stimulated by, oxygen free radicals in, 357:233
Hong Kong virus, surface glycoproteins of, proprotein convertase cleavage of, 353:537
Hormones, insulin receptor conformational changes triggered by, 360:189
Horseradish peroxidase
  catalase-like activity of, 354:107
  F221M mutation in, in haem-linked interactions, 353:181
HstK cyanobacterial protein, serine/threonine kinase and histidine kinase domains in, 360:639
Hst70 gene, 5′ region of, structure of, 359:129
Human immunodeficiency virus
  and α_1-acid glycoprotein binding to macrophages, 356:121
  angiogenic peptide encoded by, signalling properties of, 353:569
  macrophage-specific DNA enzyme against, 357:147
  replication of, α_1-antitrypsin Portland variant inhibitor and, 360:127
Human immunodeficiency virus protease, substrate recognition by, specificity of, 358:505
Human papilloma virus E7 oncoprotein, effect on glycolysis and glutaminolysis, 356:247
Human serum albumin, conformational stability and warfarin-binding properties of, 357:269
Human umbilical vein endothelial cells, thrombin activation of pro-MMP-2 in, 357:107
HUVECs: *see* Human umbilical vein endothelial cells.
HXK genes, of *Saccharomyces cerevisiae*, hexokinase 2 protein control of, 355:625
Hyaluronan
  cell migration on, Ca^{2+}/calmodulin-dependent protein kinase and CD44 phosphorylation in, 357:843
  synthesis of, UDP-glucose pyrophosphorylase in, 360:667
Hyaluronan synthase, regulation and expression of, in articular chondrocytes, synovial cells, and osteosarcoma cells, 354:17
Hydrogen peroxide
  apoptosis induced by, lysosomal rupture and, 356:549
  immunoreactive thyroglobulin production induced by, thyroid autoimmunity and, 360:557
Hydrogen/deuterium exchange reactions, in study of thermostability of endoxylanase from *Trichoderma reesei*, 356:453
Hydrophobic core residues, effects on β-pep-4 folding, 357:739
Hydrophobicity, of bile acid, correlation with colon cancer cell apoptosis and/or growth arrest, 356:481
4-Hydroxy-2(*E*)-nonenal enantiomers, detoxification of, by hepatic GST, 355:237
Hydroxyaryl group, in ligands, protein disulphide-isomerase interaction with, 354:553
25-Hydroxycholesterol, 7α-hydroxylation of, Cyp7b1 catalysis of, in prostate, 355:509
Hydroxyl radicals, actions on polysaccharides, in pears, 357:729
17β-Hydroxysteroid dehydrogenase, oestrogen formation regulation by, 356:269
5-Hydroxytryptamine 4(a) receptor, regulated palmitoylation of, 353:627
3-Hydroxy-3-methylglutaryl-CoA reductase, inhibition of, effects on endothelial cell adhesion molecules, 360:363
Hyperthermophilic archaeum, cold shock-inducible FK506-binding protein from, 357:465
Hypertrophic agonists, in neonatal ventricular myocytes, gene expression in response to, JNK-interacting protein and, 358:489
Hypothalamic neuropeptide, avian, gonadotropin inhibition by, 354:379
Hypoxia, necrotic cell death during, phosphoinositide 3-kinase and, 358:481
Hypoxia-inducible factor, zonation of, in liver, 354:531

I
ICER: *see* Induced cAMP early repressor.
IFI 16: *see* Interferon-induced nuclear factor IFI 16.
IFN: *see* Interferon *entries*.
IGF: *see* Insulin-like growth factor.
IL: *see* Interleukin *entries*.
Immunisation, active, catalytic antibodies induced by, 360:151
Immunoglobulin-κ promoter E-box, transcription factor AP-4 as ligand for, 354:431
Indoleamine 2,3-dioxygenase, in early concepti, 355:425
Induced cAMP early repressor, cell proliferation and, in adipocytes, 354:169
Infant, Refsum disease in, impaired Pex1p-Pex6p interaction in, 357:417
Infantile neuronal ceroid lipofuscinosis, late, enzyme replacement therapy for, recombinant human CLN2 protein in, 357:49
Infertility, male
  nonfunctional cyritestin genes and, 357:551
  zinc finger protein ZNF230 in, 359:721
Inhibitor of nuclear factor κB, M-CSF expression and, 356:525
Inhibitors, characterisation of, 357:263
Initiation factor 4E-binding protein 1, glucose regulation of, 358:497
Inositol lipids, regulation during erythroleukaemia cell cycle progression, 357:905
myo-Inositol oxygenase, molecular cloning and expression of, 360:313
Inositol phosphates
  from barley grain low-phytate mutants, 354:473
  inositol trisphosphate receptor subtype specific recognition of, 355:59
Inositol polyphosphate 5-phosphatase II, in rescue of lethal 5-phosphatase knockout, 355:805
Inositol trisphosphate
  calcium signalling and, in mouse submandibular acinar cells, 353:555
  cells deficient in, ryanodine regulation of calcium current in, 360:17
  in control of Ca^{2+} influx in neutrophils, 355:139
  imaging after G protein-coupled receptor activation, 356:137
  macroscopic I_{CRAC} activation, in weak Ca^{2+} buffer, 353:561
Inositol trisphosphate receptors
  calcium regulation of, calmodulin binding site mutation and, 360:395
  in *Drosophila*, functional properties of, 359:435
  FK506-binding protein mapping on, 354:413
  secretion-like coupling with transient receptor potential channel, in platelets, 356:191
  subtypes of, selective recognition of inositol phosphates by, 355:59
Inositol trisphosphate signals, nitrogen-induced, in yeast cells, 359:517
Insect cells
  baculovirus-mediated human protein phosphatase 2A overexpression in, 357:225
  recombinant human α-3/4-fucosyltransferase III from, 353:719
Insecticide resistance
  in *Anopheles gambiae*, GST and, 359:295
  in housefly, acetylcholinesterase mutations in, 359:175
Insulin
  angiotensin II interaction with, in tubular epithelial cells, 360:87
  glucose uptake by, in muscle cells, GLUT4 translocation before, 359:639
  glucose uptake stimulated by, microtubule cytoskeleton in, 353:735
  GLUT4 translocation induced by, eicosanoids and, 359:47
  glycogen synthase kinase-3 and, 359:1
  in regulation of IGFBP-1 and glucose-6-phosphatase gene expression, phorbol ester effects on, 359:611
  in regulation of 6-phosphofructo-2-kinase/fructose-2,6-bisphosphatase, 353:267
  in regulation of promoter of ovine gene encoding acetyl-CoA carboxylase α, 359:273
Insulin receptor, hormone-triggered conformational changes in, 360:189
Insulin receptor substrate-1, Nck-2 interaction with, 354:315
Insulin secretion
  in B cells, mitochondrial priming and, 353:175
  methyl pyruvate and, 354:345
  preptin and, 360:431
Insulin signalling, oxidative stress and, in adipocytes, 355:757
Insulin-like effects, of amine oxidase substrates, on adipocyte differentiation, 356:769
Insulin-like growth factor, in protein synthesis in maize, 358:95
Insulin-like growth factor-binding protein-1, insulin regulation of, phorbol ester effects on, 359:611
Integrin(s)
  cell spreading mediated by, fibronectin heparin binding domain and, 360:239
  cytoplasmic domain of, in focal adhesion formation, 356:233
  green fluorescent protein tagged to, 357:529
  rhodostomin binding to, 357:57
  selective inhibition of, dendroaspin motifs and, 356:11
  tyrosine phosphorylation dependent on, platelet activation and, 355:691
Interferon regulatory factor-1, granulocyte differentiation and, 360:285
Interferon-γ, proteasome complexes and, 353:291
Interferon-induced nuclear factor IFI 16, import of, protein kinase CK2 site regulation of, 353:69
Interleukin-1, activation of MAP kinase pathways by, 353:275
Interleukin-1 receptor-associated kinase 1, functional analysis of, 359:403
Interleukin-1β, bradykinin-induced responses enhanced by, 354:439
Interleukin-1β receptor antagonism, in alveolar epithelium, in NF-κB translocation/activation, 355:29
Interleukin-3, IL-11 negative cross-talk with, SOCS-3 and, 353:223
Interleukin-6 receptor, shedding of
  in myeloma cells, protein kinase C in, 358:193

© 2002 Biochemical Society

recognition sequences and structural elements in, 353:663
Interleukin-9, signalling by, SOCS-3 suppression of, 353:109
Interleukin-11, IL-3 negative cross-talk with, SOCS-3 and, 353:223
Internal ribosome entry segment, in c-Myc protein synthesis after genotoxic stress, 359:183
Intestinal scavenger receptor class B, down-regulation of, 356:317
Intestine
fatty acid-binding protein in, PPAR and, 355:481
sugar transport in, dietary and developmental regulation of, 360:265
Intracellular membranes, of *Leishmania major*, *SHERP* gene expression in, 356:335
Iodothyronine transport, in placenta, System L permease LAT1 in, 356:719
IRAK-1: *see* Interleukin-1 receptor-associated kinase 1.
Iron
chelatable, subcellular distribution of, 356:61
transfer across placenta, iron deficiency and, 356:883
Iron deficiency, and iron transfer across placenta, 356:883
Iron pool, labile, heavy ferritin chain repression and, 356:311
Iron superoxide dismutase
developmentally regulated, in *Trypanosoma brucei*, 360:173
peroxynitrite-induced nitration of, 360:563
Iron uptake, by PC12 cells, NGF and, 357:881
Iron-molybdenum cofactor, nitrogenase protonation of, 355:569
Iron-sulphur clusters, in proteins, sensitivity to oxidative damage, 360:717
IRS-1: *see* Insulin receptor substrate-1.
Ischaemia/reperfusion, in brain, translation control in, 357:819
Islets: *see* B cells.
Isopentenyl diphosphate, synthesis from mevalonate, *Escherichia coli* in, 353:59
Isoprenoid biosynthesis, 2-*C*-methyl-D-erythritol 4-phosphate pathway for, 353:59

J
Jack bean urease, canatoxin as variant form of, 360:217
JAK/STAT pathway, cysteine- and glycine-rich protein 2 in, 359:485
JNK-interacting protein: *see* c-Jun N-terminal kinase-interacting protein.
Jurkat cells
apoptosis of, pyridine nucleotide oxidation in, 353:357, 354:727
methionine adenosyltransferase in, c-Myb up-regulation of, 353:163

K
Kc167 cell DNA transcription, *Drosophila* mitochondrial transcription factor A in, 354:243
Kell protein and *KEL* gene promoter activity, in erythroid and non-erythroid cells, 356:171
Keratinocyte growth factor receptor, activation of, perlecan protein core in, 359:153
Ketoacid reductases, encoded by *ycdW* and *yiaE* genes, in *Escherichia coli*, 354:707
Kexstatin I, cloning and mutagenesis of, 355:339
KIAA1427 protein, cloning and characterisation of, 354:249
Kidney
c-Met and ornithine decarboxylase gene expression in, steroid receptor-mediated and cell membrane receptor-mediated pathway interaction and, 353:317
cytoprotection by fatty acid-binding proteins in, 360:159
dipeptidyl peptidase II in, cloning and expression of, 353:283
Kidney bean seeds, starch-branching enzyme isoforms in, 359:23
Kidney cells, epithelial, cholesterol depletion and apical transport in, 357:11
Kidney tubules, renal dipeptidase release from, glycosylphosphatidylinositol-specific phospholipase C in, 353:339
Kinase DYRK, phosphorylation of eIF2B and protein tau by, 355:609
Kinase DYRK1A, phosphorylation of transcription factor FKHR by, 355:597
Kinase-deficient phosphoinositide 3-kinase, cathepsin D maturation and, 353:655
Kinesin superfamily member 4, human, localisation and chromosome association during mitosis, 360:549
Kinetic analysis, of complex enzymes, 358:573
Knee cartilage, aggrecan core protein proteolysis in, 358:615
Knee joint, age-related fibromodulin distribution in, 355:577
Kynurenine aminotransferase, from *Escherichia coli*, identity with aspartate aminotransferase, 360:617

L
α-Lactalbumin, unfolding, α-crystallin kinetic competition with aggregation for, 354:79
Lactate
gluconeogenesis from, in renal tubule, 360:371
hepatic intracellular pH and, 358:569
transport of, in *Plasmodium falciparum*, 355:733
Lactation
brown adipose tissue uncoupling protein genes during, 355:105
mammary gland DNase I-hypersensitive sites in, 359:557
Lactogen, placental, nuclear factor-1 repression of, in pituitary cells, 354:387
Lactosylceramide, in lipid rafts containing glycosylphosphatidyl-anchored membrane dipeptidase, 358:209
Laminin assembly, RNA interference of, in *Drosophila* cells, 360:167
Lanosterol, cholesterol biosynthesis from, 353:689
LAT: *see* Linker for activation of T cells.
Late infantile neuronal ceroid lipofuscinosis, enzyme replacement therapy for, recombinant human CLN2 protein in, 357:49
LDL: *see* Low density lipoprotein.
Lectin(s)
cytosolic and nuclear *N*-acetyl-D-specific, from liver, 360:179
galactose-binding C-type, in eel gill mucous cells, 360:107
Lectin-like domain, of oxidised LDL receptor, 355:289
Leishmania major, intracellular membranes of, *SHERP* gene expression in, 356:335
Lens, epithelial cells of, phenotypic transformation by MMP-2, 357:41
Leucocytes
GLUT9 in, activity and genomic organisation of, 350,771
$p47^{phox}$ in, casein kinase 1 phosphorylation of, 358:783
Siglec-10 expression in, 355:489
Leukaemia cells
asparaginase-resistant, asparagine synthetase substrate availability in, 358:59
asparagine synthetase induction of asparaginase resistance in, 357:321
cladribine-induced apoptosis of, caspases and, 359:537
rat basophilic, SERCA pump reuptake in, 353:561
vinblastine targets in, 356:835
Leukaemia inhibitory factor, overexpression in astrocytoma cells, 355:307
Light, in regulation of UDP-glucose pyrophosphorylase gene, 354:67
Light chains, 4F2hc association with, 355:725
Light scattering, dynamic, in study of thermostability of endoxylanase from *Trichoderma reesei*, 356:453
LIM domain proteins, as markers of hepatic stellate cells, 359:485
LIM-kinase 2, stress fibres and membrane blebs induced by, 354:149
Linamarase, from cassava, active site residues in, 353:199
Linker for activation of T cells (LAT)
light chains of, 4F2hc association with, 355:725
phosphorylation of, Zap-70 sites for, 356:461
Lipid(s)
binding by uterocalin, 356:369
Cu,Zn superoxide dismutase modification by, 359:17
neutral, ricin lipolytic activity on, 358:773
reducible cationic, for gene transfer, 356:747
in smooth endoplasmic reticulum membrane, cholesterol homeostasis and, 358:415
Lipid kinase, in phosphoinositide 3-kinase-γ induction of *Xenopus* oocyte maturation, 360:691
Lipid mediator, sphingosylphosphocholine as, in plasma, 355:189
Lipid membranes, synapsin I peptide interaction with, 354:57
Lipid peroxidation, respiratory chain activities and, 357:887
Lipid phosphate phosphohydrolase, pulmonary, in plasma membrane signalling microdomains, 358:637
Lipid rafts, glycosylphosphatidyl-anchored membrane dipeptidase on, 358:209
Lipid scavenger, oxidative stress-induced, tear lipocalin as, 356:129
Lipid-binding protein, from *Globodera pallida*, 356:387
Lipid-metabolising pathways, peroxisomal, prenatal and postnatal development of, 353:673
Lipocalin, in tears, as lipid scavenger induced by oxidative stress, 356:129
Lipofuscinosis, late infantile neuronal ceroid, enzyme replacement therapy for, recombinant human CLN2 protein in, 357:49
Lipopolysaccharide, NF-κB translocation/activation induced by, 355:29
Lipoprotein(s), triacylglycerol-rich, macrophage apolipoprotein E and, 356:515, 357:912
Lipoprotein lipase, in skeletal muscle, uncoupling protein 3 expression and, 355:647
Lipoxygenase(s)
epidermis-derived, enzymic characterisation of, 355:97
from potato, probing of, 353:345
sulphatide inhibition of, 359:621
Lipoxygenase pathway, in arachidonic acid metabolism, 353:91
Liver

© 2002 Biochemical Society

ATP secretion in, stimulation by therapeutic bile acids, 358:1
autophagosome formation in, cell volume and, 354:31
carnitine palmitoyltransferase I gene in, fatty acid regulation of, 354:189
CYP2B1 gene in, regulation by constitutive androstane receptor, steroid coactivator-1, and Sp1, 355:71
cytosolic and nuclear *N*-acetyl-D-specific lectins in, 360:179
cytosolic β-glycosidase from, 356:907
in diabetes mellitus and starvation, protein phosphatase 1 regulatory subunit R5 in, 360:449
endothelial cells in
chelatable iron in, 356:61
wortmannin and endocytosis in, 357:497
epithelial cells in, connexin-43 expression in, angiotensin II and ethanol effects on, 357:769
fatty acid-binding protein in, PPAR and, 355:481
galectin from, carbohydrate specificity of, 358:529
glutathione peroxidase-1 and 4 in, transcript abundance and translational efficiency of, selenium and, 357:851
GST in, detoxification of 4-hydroxy-2(*E*)-nonenal enantiomers by, 355:237
hypoxia-inducible factor zonation in, 354:531
intracellular pH in, lactate and, 358:569
microsomes in, GSTs from, 360:345
mitochondria of, protein disulphide isomerase distribution in, 356:567
mitochondrial function in, vitamin E deficiency and, 357:887
prothrombin mRNA quantification in, PCR in, 356:111
stellate cells in, cysteine- and glycine-rich protein 2 as marker of, 359:485
sterol Δ^8-isomerase in, molecular characterisation of, 353:689
VLDL secretion from, chylomicron remnants and, 357:481
xenobiotic/medium chain fatty acid: CoA ligase in, reaction mechanism for, 357:283
Liver cells, store-operated Ca^{2+} channels in, 2-aminoethyl diphenylborate inhibition of, 354:285
Locked nucleic acid-oligonucleotide duplex formation, kinetics of, 354:481
Loligo vulgaris, Ca^{2+}-dependent di-isopropylfluorophosphatase structure and function in, 353:579
Lon protease, SulA cleavage by, histidine regulation of, 358:473
Low density lipoprotein
oxidised
apoptosis induced by, flavonoids in protection against, 358:547
effects on macrophage survival and DNA synthesis, 355:207
lectin-like domain of, 355:289
macrophage responses to, 354:179
in regulation of platelet-activating factor receptor expression in macrophages, 354:225
in plasma, platelet-activating factor acetylhydrolase and transacetylase activities in, 357:457
Low density lipoprotein receptor-related protein, plasminogen activator inhibitor-1 interaction with urokinase-type plasminogen activator in, 357:289
LOX-1, lectin-like domain of, in oxidised LDL binding, 355:289
L-selectin ligand, nucleolin as, 360:531
Lungs, lipid phosphate phosphohydrolase in, in plasma membrane signalling microdomains, 358:637
Lupinus angustifolius, diadenosine tetraphosphate hydrolase from, active-site residues of, 357:399
Lymphatic peptide/histidine transporter, cloning of, 356:53
Lymphoid cells, SERCA isoforms in, 358:559
Lysine 164α, in farnesylation, 360:625
Lysine, decarboxylation of, *Nicotiana glutinosa* ornithine decarboxylase in, 360:657
Lysophosphatidic acid, and PMA-induced apoptosis, 359:227
Lysosomal membrane thiol groups, proton permeability and, 360:355
Lysosomal phospholipase A_1, from *Trypanosoma cruzi*, Chagas' disease and, 355:765
Lysosomal proteases, sphingosine-induced apoptosis and, 359:335
Lysosomal rupture, hydrogen peroxide-induced apoptosis and, 356:549
Lysyl oxidase isoenzyme, fourth, cloning and characterisation of, 355:381

M
Macrophage(s)
α_1-acid glycoprotein binding to, 356:121
apolipoprotein E in, triacylglycerol-rich lipoproteins and, 356:515, 357:912
bone-marrow derived, X-linked inhibitor of apoptosis protein expression in, 353:299
inducible nitric oxide synthase in, intracellular calcium and, 354:351
platelet-activating factor receptor expression in, regulation by oxidised LDL and PPARα, 354:225
responses to oxidised LDL and macrophage CSF, 354:179
survival of, oxidised LDL and, 355:207
Macrophage colony-stimulating factor
inhibitor of NF-κB effect on, 356:525
macrophage responses to, 354:179
Macrophage CSF: *see* Macrophage colony-stimulating factor.
Macrophage differentiation, in myeloid cells, CSF receptor and protein phosphatase 2A in, 358:431
Macrophage inflammatory protein 1α, aggregation and proteoglycan binding by, 354:447
Macrophage migration inhibitory factor, from *Trichinella spiralis*, 357:373, 358:791
Mad3 gene, S phase-specific expression of, 359:361
Magnesium, free, adenylate kinase equilibrium and, 360:225
Maize
β-glucosidase Glu1 from, crystal structure of, 354:37
GST in, glutathione-binding residues in, 358:101
profilin mutants of, 358:49
protein synthesis in, IGF in, 358:95
Major histocompatibility complex class I, cytomegalovirus-mediated dislocation of, ubiquitination in, 358:369
Malaria parasite
haem detoxification pathway of, chloroquine and, 355:333
monocarboxylate transport in, 355:733
Malayan krait venom, bucandin from, NMR structure of, 360:539
Male infertility
nonfunctional cyritestin genes and, 357:551
zinc finger protein ZNF230 in, 359:721
Malignant hyperthermia domain, caffeine and cresol sensitivity of ryanodine receptors in, 360:97
Malignant transformation, perlecan structure and, 355:517
Mammal(s), epigenetic states in, marks, mechanisms, and memory of, 356:1
Mammalian cells, phospholipase D-generated phosphatidic acid species in, 360:707
Mammary epithelial cells, TNF-α-related apoptosis-inducing ligand gene in, 360:31
Mammary gland, lactating, DNase I-hypersensitive sites in, 359:557
Manihot esculenta linamarase, active site residues in, 353:199
β-Mannan-binding modules, identification of, 356:791
MAP kinase: *see* Mitogen-activated protein kinase.
Mass spectrometry, tandem, in biochemistry, 355:545
Mast cell exocytosis, regulation by phosphatidylinositol transfer proteins and protein kinase C, 356:287
Matrix metalloproteinase-1
in caveolae, 353:547
processing by calmodulin inhibitors, 359:325
Matrix metalloproteinase-2
in phenotypic transformation of lens epithelial cells, 357:41
promoter of, thrombin activation of, in HUVECs, 357:107
Matrix metalloproteinase-9
perimenstrual activation of progelatinase B by, 358:275
regulation by plasminogen and dipeptidyl peptidase interaction, in prostate cancer cells, 355:397
Matrix metalloproteinase-26, in epithelial cancer cells, 356:705
Maurotoxin, oxidation/folding of, 358:681
Max transcription factor, regulation during apoptosis, by dephosphorylation and cleavage, 358:705
Mcl-1 synthesis, regulation of, ERK, MAP kinase and phosphatidylinositol 3-kinase in, 356:473
Mcm2 protein, Cdc6 protein interaction with, in budding yeast cells, 354:655
MCP-1 receptor: *see* Monocyte chemoattractant protein-1 receptor.
medial-Golgi glycosyltransferase, trafficking of, 358:33
Megakaryocytes, RGS18 in, myeloerythroid lineage specificity of, 359:109
MEK: *see* Mitogen-activated protein kinase/extracellular signal-regulated kinase kinase.
Melanin synthesis, tyrosinase and, 354:131
α-Melanocyte-related tripeptide, in lipopolysaccharide-induced NF-κB translocation/activation, 355:29
Melanoma cells, p27/Kip1 expression and growth in, MAP kinase control of, 357:297
Meloxicam, cyclo-oxygenase-2 inhibition by, 357:709
Membrane binding, thrombin-sensitive protein S region and, 360:499
Membrane blebs, LIM-kinase 2 induction of, 354:149
Membrane depolarisation, methyl pyruvate and, 354:345
Membrane proteins, shedding susceptibility of, recognition sequences and structural elements in, 353:663
Membrane-associated guanylate kinase (MAGUK) family, zonula occludens 2 as, C-terminal region phosphorylation by protein kinase C, 360:295
Menkes/Wilson disease mutation, in copper ATPase, functional analysis of, 357:217
Menstruation, progelatinase B activation by stromelysin 1 in, 358:275
Merlin
actin interaction with, 356:377
β-fodrin interaction with, 358:727

© 2002 Biochemical Society

Metabolic pathways, sustained control in, necessary conditions for, 355:787
Metabotropic glutamate receptors, group 1, properties of, 359:465
Metal regulatory element-binding proteins, in mouse, 353:591
Metalloprotease-disintegrin ADAM: *see* ADAM (a disintegrin and metalloproteinase domain).
Metalloproteinase, snake venom-derived, endothelial cell apoptosis induced by, 357:719
Metallothionein
  nitric oxide-dependent pro-oxidant and pro-apoptotic, 354:397
  of *Notothenia corliceps*, structure and thermal stability of, 354:291
  oxidative dimerisation in, 359:353
Metallothionein-1, localisation of, function and, 355:473
Methionine adenosyltransferase, in Jurkat cells, c-Myb up-regulation of, 353:163
Methionine sulphoxide reductase, GST coinduction with, during chemical stress, 360:675
Methyl pyruvate, B cell stimulation and, 354:345
N-Methyl-D-aspartate receptor, maturation, transport, and assembly of, 356:539
2-*C*-Methyl-D-erythritol 4-phosphate pathway, for isoprenoid biosynthesis, 353:59
Metzincin, pregnancy-associated plasma protein A classification as, 358:359
Mevalonate, synthesis of isopentenyl diphosphate and dimethylallyl diphosphate from, in *Escherichia coli*, 353:59
MHC class I: *see* Major histocompatibility complex class I.
Microsomes, hepatic, GSTs from, 360:345
Microtubule cytoskeleton, in GLUT4 vesicle trafficking and insulin-stimulated glucose uptake, 353:735
Microtubule-associated protein 2B, myosin VIIA association with, 354:267
Migration inhibitory factor, macrophage, from *Trichinella spiralis*, 357:373, 358:791
Mismatch-binding protein MutS, mismatch affinity of, 354:627
Mitochondria
  adenine nucleotide translocator isoform distribution in, 358:349
  in apoptosis, 353:357, 354:727
  apoptosis mediated by, in 1–170 glycoprotein-expressing cells, 355:587
  Bad translocation in, Bcl-2 and, 359:345
  Ca^{2+} stores in, in smooth muscle, 357:363
  cytochrome *c* release from, tributylin and, 356:621
  depolarisation of, human 2-oxoglutarate carrier overexpression and, 353:369
  of liver, protein disulphide isomerase distribution in, 356:567
  NADH:ubiquinone reductase activity in, inhibition by nitric oxide, 359:139
  S-nitrosoglutathione metabolism in, 356:395
  superoxide anion generation by, 353:411
  yeast Tom40p in, self-association and precursor protein binding of, 356:207
Mitochondrial adenylate kinase, structure and expression of, 358:225
Mitochondrial ATP synthase, bovine, DMSO effect on, 353:215
Mitochondrial diseases, binary heteroplasmy in, 357:835
Mitochondrial dysfunction, ceramide signalling and, in anti-Fas-induced apoptosis, 357:407
Mitochondrial function
  and calcium binding and translocation by voltage-dependent anion channel, 358:147
  vitamin E deficiency and, 357:887
Mitochondrial priming, effect on Ca^{2+} oscillations and insulin secretion in B cells, 353:175
Mitochondrial transcription factor A, *Drosophila*, in Kc167 cell DNA transcription, 354:243
Mitochondrial uncoupling artifact, caused by uncoupling protein 1 in yeast, 356:779
Mitogen-activated protein kinase
  activation of
    N-acylethanolamine-mediated cell signalling and, 360:67
    in soya bean oxidative burst signalling pathway, 355:795
  in control of p27/Kip1 expression and growth, in melanoma cells, 357:297
  fibroblast collagenase-1 induction and, 355:437
  GLUT4 activation by, 359:639
  in Mcl-1 synthesis regulation, 356:473
  in oxidised LDL-induced apoptosis, flavonoids in protection against, 358:547
  pathways of, IL-1 activation of, 353:275
  proinsulin C-peptide stimulation of, in fibroblasts, 355:123
Mitogen-activated protein kinase/extracellular signal-regulated kinase kinase, PMA activation of, glucose-6-phosphatase gene expression and, 357:867
Mitogen-stimulated TIS21 protein, rPICK1 protein interaction with, 354:635
Mitomycin C, cell surface P-glycoprotein expression and, 355:617
Mitosis, kinesin superfamily member 4 chromosome association during, 360:549
Mitotic phosphorylation, of HIRA protein, 358:447
MK886, PPARα inhibition by, 356:899
MMP: *see* Matrix metalloproteinase *entries*.
MN/CA 9 promoter, specificity protein and activator protein 1 in, 359:669
MOLT-4 cells, asparaginase-resistant, asparagine synthetase substrate availability in, 358:59
Monocarboxylate transport, in *Plasmodium falciparum*, 355:733
Monocyte(s), pathogen-activated, phospholipase D1 induction in, 358:119
Monocyte chemoattractant protein-1
  multimerisation of, glycosaminoglycan-dependent chemotaxis and, 358:737
  in proline-rich tyrosine kinase-mediated signalling, 355:751
Monocyte chemoattractant protein-1 receptor, homocysteine-stimulated expression of, oxygen free radicals in, 357:233
Morphinone reductase, flavin reactivity in, environmental effects on, 359:315
Mortalin, glucose-regulated protein interactions with, 357:393
mSiglec-E, association with Src homology domain-containing protein tyrosine phosphatases, 353:483
Msx3 protein, interaction with CBP and histone deacetylase, 353:13
Mucin gene, in tracheobronchial epithelial cells, thyroid hormone regulation of, 353:727
Mucin gene *MUC5AC*
  glycopeptide *N*-acetylgalactosaminyltransferase specificity for sites on, 357:313
  organisation of, 358:763
Mucin glycans, from descending colon, Sd^a-antigen-like structures in, 358:657
Mucin protein, C-terminal domain of, dimer formation and secretion of, 357:203
Mucus, biosynthesis and secretion of, in tracheal epithelial cells, 353:23
Multidrug resistance proteins
  ABC signature and allosteric control in, 356:71
  platelet-activating factor secretion by, 357:859
Murine double minute clone 2 protein, protein kinase CK2 phosphorylation of, 355:347
Muscle
  of diabetic, phosphoinositide 3-kinase p85α regulatory subunit in, 360:117
  red cells of, energetic units of, 356:643
  thermogenesis in, uncoupling protein homologue and, 353:441
Muscle cells
  atrial, endothelin-induced GATA-4 phosphorylation in, 359:375
  cardiac, in neonatal rat, angiotensin II-stimulated cyclic ADP-ribose formation in, 354:727
  insulin uptake of glucose in, GLUT4 translocation before, 359:639
Muscle contraction
  dimethyl sulphoxide and, 358:627
  myosin subfragment 1 in, fluorescence temperature-jump study of, 358:165
Mycobacterium tuberculosis
  alkyl hydroperoxidase AhpC from, 354:209
  Cu,Zn superoxide dismutase from, lipid modification of, 359:17
  pyrazinamidase from, structure-activity relationships for, 353:453
Myeloerythroid lineage specificity, of RGS18, in megakaryocytes, 359:109
Myeloid cells, macrophage differentiation in, CSF receptor and protein phosphatase 2A in, 358:431
Myeloma cells, IL-6 receptor shedding in, protein kinase C in, 358:193
Myeloperoxidase, thiocyanate oxidation by, 358:233
Myofibrils, inorganic phosphate activity in, dimethyl sulphoxide and, 358:627
myo-Inositol oxygenase, molecular cloning and expression of, 360:313
Myosin phosphatase targetting (MYPT) subunit 3, cloning and identification of, 356:257
Myosin subfragment 1, fluorescence temperature-jump study of, 358:165
Myosin VIIA, association with calmodulin and microtubule-associated protein 2B, 354:267
MYPT3: *see* Myosin phosphatase targetting subunit 3.

N

Na,K-ATPase
  α subunit of, cofilin interaction with, 353:377
  structural similarities to SERCA, 356:685
Na^+/H^+ exchangers, polar amino acids in, 357:1
NAD, binding of, deoxyhypusine synthase mutation and, 355:841
NAD(P)H, in apoptosis, 353:357, 354:727
NADH:ubiquinone reductase activity, mitochondrial, inhibition by nitric oxide, 359:139
NADPH oxidase
  and H^+ channel associated with, diethyl pyrocarbonate inhibition of, 358:315
  regulation of, neutrophil Rac-GTPase-activating protein in, 355:851

© 2002 Biochemical Society

NADPH-P450 oxidoreductase, effect on cytochrome P450 CYP2D6 holoprotein, 356:613
NapB protein, from *Haemophilus influenzae*, 356:851
Nasopharyngeal cancer cells, telomerase in, protein kinase Cζ regulation of, 355:459
Natriuretic peptide receptor, preference for brain over atrial natriuretic peptide, 358:379
Natural resistance-associated macrophage protein 1, as H^+/bivalent cation antiporter, 354:511
Nck-2, interaction with IRS-1, 354:315
Necrotic cell death, during hypoxia, phosphoinositide 3-kinase and, 358:481
Nematode: *see also specific organism.*
  macrophage migration inhibitory factor from, 357:373, 358:791
  stress-responsive glyoxalase I from, 353:445
Neonatal rat, cardiac myocytes of, angiotensin II-stimulated cyclic ADP-ribose formation in, 354:727
Nephropathy, diabetic, connective tissue growth factor in, 359:77
Nerve growth factor, PC12 cell iron uptake and, 357:881
Neural-specific regulation, of glycine receptor β-subunit gene, 355:179
Neuroblastoma stem cells, differentiation of, Rb2 protein and, 360:569
Neurodegeneration, glycogen synthase kinase-3 and, 359:1
Neuroendocrine secretory protein 7B2, structure and functions of, 357:329
Neurofibromatosis 2 protein merlin, actin interaction with, 356:377
Neurofibromatosis 2 tumour suppressor gene, merlin-I from, β-fodrin interaction with, 358:727
Neuroligin, PSD-95 binding by, 356:581
Neuronal calcium sensor family, of Ca^+-binding proteins, 353:1, 354:727
Neurons, in inhibition of endoplasmic reticulum Ca^{2+}-ATPase, 356:805
Neuron-specific protein BM88, cloning and localisation of, 355:715
Neutrophils
  actin redistribution in, protein kinase Cδ and, 357:39
  Ca^{2+} influx in, inositol trisphosphate binding and, 355:139
  Rac-GTPase-activating protein in, NADPH oxidase regulation and, 355:851
  sulphatide-triggered spreading of, on collagen, 359:621
NF-E2-related factor 2, polyamine-modulated factor-1 interaction with, in regulation of spermidine/spermine N^1-acetyltransferase gene, 355:45
NF-κB: *see* Nuclear factor κB.
NGF: *see* Nerve growth factor.
Nicotiana glutinosa, ornithine decarboxylase from, 360:657
Nicotinic acid-ADP
  calcium signalling and, in mouse submandibular acinar cells, 353:555
  microsomal Ca^{2+} release and, 353:531
Nitration, of iron superoxide dismutase, 360:563
Nitric oxide
  Ca^{2+} release mediated by, in parotid acinar cells, 355:87
  endothelial, synthesis of, glutamine inhibition of, 353:245
  and *Escherichia coli* flavohaemoglobin affinity for dioxygen, 353:207
  in inhibition of mitochondrial NADH: ubiquinone reductase activity, 359:139
  pro-oxidant and pro-apoptotic metallothionein dependent on, 354:397
Nitric oxide synthase
  inducible
    CO binding to haem domain of, 358:201
    expression of, intracellular calcium and, 354:351
    in trout, 358:747
  neuronal
    Ca^{2+}/calmodulin binding to, hsp90 in, 355:357
    6-nitrocatecholamine inhibition of, 356:105
    superoxide generation from, 360:247
  reductase activities of, pterin interactions with, 356:43
  structure, function, and inhibition of, 357:593
Nitrite, inorganic, reduction to nitric oxide, suicide inactivation of xanthine oxidoreductase during, 358:325
Nitrite reductase, type 2 copper centre mutants of, in *Alcaligenes xylosoxidans*, 353:259
Nitrobenzylthioinosine-insensitive nucleoside transporter, equilibrative, 353:387
6-Nitrocatecholamines, neuronal nitric oxide synthase inhibition by, 356:105
Nitrogen, phosphoinositide and inositol trisphosphate signals induced by, in yeast cells, 359:517
Nitrogen species, oxidative stress induced by, glutathione peroxidase-1 gene in, 359:687
Nitrogenase, protonation of iron-molybdenum cofactor by, 355:569
S-Nitrosoglutathione metabolism, in mitochondria, 356:395
S-Nitrosothiols, in aldose reductase modification, 358:111
N-methyl-D-aspartate receptor, maturation, transport, and assembly of, 356:539
Notothenia corliceps, metallothionein of, structure and thermal stability of, 354:291
Nuclear compartments, cellular, functional architecture of, 356:297
Nuclear envelope formation, phosphatidylinositol in, 356:495
Nuclear factor-1, placental hormone gene repression by, in pituitary cells, 354:387
Nuclear factor κB
  IL-1β-stimulated, functional analysis of IRAK-1 from, 359:403
  inhibitor of, M-CSF expression and, 356:525
  lipopolysaccharide-induced translocation/activation of, 355:29
  in synergistic effect of PMA and cytokines on superoxide dismutase induction, 353:147
  TNF-α activation of, thyrotropin and, in thyroid cells, 354:573
Nuclear factor Y, in transcriptional regulation of cystathione β-synthase, 357:97
Nuclear phosphoinositide cycle, regulation of, 357:905
Nucleolar phosphoprotein Nopp140, ectop120 as, 360:579
Nucleolin, as new L-selectin ligand, 360:531
Nucleophile, catalytic, in *Aspergillus niger* α-glucosidase, 359:381
Nucleoside transporter, equilibrative nitrobenzylthioinosine-insensitive, 353:387
Nudix hydrolase, peroxisomal, specific for coenzyme A and derivatives, 357:33
Nudt7 gene, encoding of peroxisomal coenzyme A diphosphatase by, 357:33

O
Ochrobactrum anthropi, methionine sulphoxide reductase coinduction with GST in, during chemical stress, 360:675
Oculocutaneous albinism type 1, molecular basis of, tyrosine transport and, 355:259
Oestrogen formation, 17β-hydroxysteroid dehydrogenase regulation of, 356:269
Oestrogen receptors, caveolin-1 activation of, 359:203
Old Yellow Enzyme family, flavin reactivity in, environmental effects on, 359:315
Oligomerisation, in acetylcholinesterase pharmacokinetics, 354:613
Oligonucleotides, delivery into mammalian cells by anionic peptides, 354:671
Oligosaccharides
  asparagine-linked, in thyrotropin receptor expression, 354:331
  heparan sulphate, purification of, 354:141
Onchocerca volvulus, stress-responsive glyoxalase I from, 353:445
Oncorhynchus mykiss, inducible nitric oxide synthase in, 358:747
Oncostatin M, overexpression in astrocytoma cells, 355:307
Oocyte maturation, *Xenopus*, phosphoinositide 3-kinase-γ induction of, 360:691
Ornithine decarboxylase
  cardiac hypertrophy and, 358:25
  gap junction communication and, 357:489
  in mouse kidney, negative regulation of, 353:317
  from *Nicotiana glutinosa*, 360:657
  polyamine biosynthesis and catabolism accelerated by, 358:343
Ornithine decarboxylase mRNA, 3′-untranslated region of, in translational regulation of enzyme, 356:627
Ornithine transcarbamylase, crystallographic insights into, 354:501
Osmotic stress, phosphatidylinositol 5-monophosphate and, 360:491
Osteoarthritis, cartilage aggrecan in, 358:615
Osteocalcin, as PHEX endopeptidase catalytic activity inhibitor, 355:707
Osteosarcoma cells, hyaluronan synthase regulation and expression in, 354:17
Ovalbumin, uptake and degradation of, wortmannin inhibition of, 357:497
Ovarian cells, phosphatidylglycerophosphate synthase purification from, 354:9
Oxidation
  H-ras modification by, 355:145
  of phospholipids, detection by HPLC and positive ionisation electroscopy MS, 355:449, 357:911
  of pyridine nucleotides, in Jurkat cell apoptosis, 353:357, 354:727
Oxidation/folding, of maurotoxin, 358:681
Oxidative burst signalling pathway, of soya bean, MAP kinase activation in, 355:795
Oxidative damage
  aging-related, of protein, in *Drosophila*, 360:209
  protein [4Fe-4S] cluster sensitivity to, 360:717
Oxidative dimerisation, in metallothionein, 359:353
Oxidative stress: *see also* Low density lipoprotein, oxidised.
  chemokine genetic regulation by, 360:321
  effects on insulin and PDGF signalling, in adipocytes, 355:757
  ferritin and, 357:241

© 2002 Biochemical Society

fibroblast death induced by, epicatechin protection against, 354:493
induced by reactive oxygen and nitrogen species, glutathione peroxidase-1 gene in, 359:687
lipid scavenger induced by, tear lipocalin as, 356:129
and neuronal nitric oxide synthase inhibition by 6-nitrocatecholamines, 356:105
Oxidised LDL: *see* Low density lipoprotein, oxidised.
2-Oxoglutarate carrier, overexpression of, mitochondrial depolarisation and, 353:369
Oxygen free radicals, in homocysteine-stimulated MCP-1 receptor expression, 357:233
Oxytocin receptor, agonist binding to, 354:465

P

p38
fibroblast collagenase-1 induction and, 355:437
GLUT4 activation by, 359:639
phosphospecific cell-based ELISA for, 355:879
p120, as nucleolar phosphoprotein Nopp140, 360:579
p47^{phox}, casein kinase 1 phosphorylation of, in leucocytes, 358:783
p85, β-catenin interaction with, 360:335
p27^{Kip1}, degradation-resistant isoform of, 353:51
p27/Kip1 expression and growth, in melanoma cells, MAP kinase control of, 357:297
p24 cargo receptors, localisation in early secretory pathway, 360:421
p85α regulatory subunit, of phosphoinositide 3-kinase, in muscle and adipose tissue of diabetic, 360:117
p42/p44 MAP kinase, phosphospecific cell-based ELISA for, 355:879
p53 turnover, serine phosphorylation-dependent regulation of, 359:459
p8 gene, Smad transcriptional activity and, 357:249
p21^{Waf1}, thymidine kinase 1 interaction with, 356:829
p73 splicing variants, transcriptional activities of, 356:859
PACE4, regulation by human and mammalian ASH-1, 360:683
Palmitoylethanolamide, breast cancer cell proliferation and, 358:249
Pancreas, membrane zymogen granule in, cholesterol-dependent syncollin interaction with, 356:843
Pancreatic islets: *see* B cells.
Pandinus imperator venom, amphipathic antimicrobial peptides from, 359:35
Papain, catalytic mechanism of, conformational change in, 357:343
Paraoxonase, platelet-activating factor hydrolysis by, 354:1
Parasite
macrophage migration inhibitory factor from, 357:373, 358:791
stress-responsive glyoxalase I from, 353:445
Parathyroid hormone-related peptide, as PHEX endopeptidase catalytic activity substrate, 355:707
Parotid acinar cells, nitric oxide and cGMP-mediated Ca^{2+} release in, 355:87
Parotid gland secretory protein gene enhancer, protein-binding elements in, in salivary gland-specific expression, 357:537
Pasteurella haemolytica, acylneuraminate cytidylyltransferase from, kinetic properties of, 358:585
Pathogen-activated monocytes, phospholipase D1 induction in, 358:119
Paxillin, Crk binding sites of, tyrosine phosphorylation of, 360:57
PDGF: *see* Platelet-derived growth factor.
Pears, hydroxyl radical actions on polysaccharides in, 357:729
Pectate lyase, from *Pseudomonas cellulosa*, carbohydrate-binding module in, 355:155
Peptide library, continuous affinity-based selection in, 357:779
Peptide methionine sulphoxide reductase, aging and, 355:819
Peptide-binding protein 74, glucose-regulated protein interactions with, 357:393
Peptide/histidine transporter, lymphatic, cloning of, 356:53
Peptostreptococcus magnus, protein L from, immunoglobulin binding domain of, 353:395
Perlecan, structure of, malignant transformation and, 355:517
Perlecan protein core, in keratinocyte growth factor receptor activation, 359:153
Peroxisomal lipid-metabolising pathways, prenatal and postnatal development of, 353:673
Peroxisome proliferator-activated receptors
α isoform of
bifunctional enzyme activation of, 353:253
fatty acyl CoA inhibition of, 353:231
MK886 inhibition of, 356:899
in regulation of liver and small intestine fatty acid-binding protein, 355:481
in regulation of platelet-activating factor receptor expression in macrophages, 354:225
δ isoform of, in regulation of liver and small intestine fatty acid-binding protein, 355:481
δ and γ isoforms of, fatty acid translocase promoter and, during adipose differentiation, 360:305
γ isoform of
and arachidonic acid-increased expression of aldehyde dehydrogenase, 357:811
DMA specificity of, retinoid X receptor α and, 353:193
fatty acyl CoA inhibition of, 353:231
Peroxisome proliferator-responsive elements, fatty acid translocase promoter and, during adipose differentiation, 360:305
Peroxisome-targetting signal transport, Pex5p mediation of
in mammals, 357:625
regulation by Hsp70, 357:157
Peroxynitrite
cyto-/geno-toxicity of, ascorbic acid and, 356:509
iron superoxide dismutase nitration induced by, 360:563
mitochondrial enzyme I complex inhibition by, 359:139
Pertussis toxin-sensitive G protein, in proinsulin C-peptide-stimulated MAP kinase, in fibroblasts, 355:123
PEX1-defective Zellweger syndrome, impaired Pex1p-Pex6p interaction in, 357:417
Pex5p, peroxisome-targetting signal transport mediated by
identification in mammals, 357:625
regulation by Hsp70, 357:157
P-glycoprotein
expression on cell surface, mitomycin C and doxorubicin effects on, 355:617
multidrug resistance, platelet-activating factor secretion by, 357:859
pH, hepatic intracellular, lactate and, 358:569
pH optimum, alkaline, engineering glycosidase Family 7 cellobiohydrolase to, 356:19
Phagosomes, coat-protein complex proteins on, regulation by brefeldin A-sensitive ADP-ribosylation factor, 355:409
Phen Green method, to determine subcellular distribution of chelatable iron, 356:61
Phenanthrolinone, prolyl 4-hydroxylase inhibition by, 353:333
Phenylalanine 451, in cytochrome P450 2D6 catalytic activity, 355:373
PHEX endopeptidase, catalytic activity of, substrate and inhibitors of, 355:707
Phorbol ester, effect on insulin regulation of IGFBP-1 and glucose-6-phosphatase gene expression, 359:611
Phorbol myristate acetate
activation of MEK kinase and ERK by, glucose-6-phosphatase gene expression and, 357:867
apoptosis induced by, lysophosphatidic acid and, 359:227
in superoxide dismutase induction, NF-κB and, 353:147
Phosphatase and tensin homologue deleted on chromosome 10 (PTEN), cellular targetting of, 357:427
Phosphate
inorganic, in myofibrils, dimethyl sulphoxide and, 358:627
as PHEX endopeptidase catalytic activity inhibitor, 355:707
Phosphate-binding loop, Rab GTPase function and, 355:681
Phosphatidic acid, phosphatidylethanolamine interaction with, and apocytochrome *c* translocation, 354:681
Phosphatidic acid species, phospholipase D-generated, in mammalian cells, 360:707
Phosphatidylethanolamine, phosphatidic acid interaction with, and apocytochrome *c* translocation, 354:681
Phosphatidylglycerophosphate synthase, purification from Chinese hamster ovary cells, 354:9
Phosphatidylinositol
levels in cellular nuclei, 357:905
in nuclear envelope formation, 356:495
Phosphatidylinositol 3-kinase
GLUT4 translocation induced by, Rab4 inhibition of, 356:143
in Mcl-1 synthesis regulation, 356:473
VEGF receptor Flt-1 binding of, 358:465
Phosphatidylinositol 3-phosphate, cellular functions of, 355:249
Phosphatidylinositol 3,4-bisphosphate-binding pleckstrin homology domain, of TAPP1, structure of, 358:287
Phosphatidylinositol 5-monophosphate, osmotic stress and, 360:491
Phosphatidylinositol 3-phosphate-binding protein, tandem FYVE fingers in, 355:113
Phosphatidylinositol phosphate kinase AtPIP5K1, phosphatidylinositol bisphosphate synthesis by and phosphorylation inhibition of, 359:583
Phosphatidylinositol transfer proteins, mast cell exocytosis and, 356:287
Phosphatidylinositol trisphosphate, DOCK180 binding to, 354:73
Phosphodiesterase 3A, cyclic nucleotide, in vascular smooth muscle cells, 353:41

© 2002 Biochemical Society

Phosphodiesterase 5, cGMP-dependent protein kinase activation of, in smooth muscle, 360:199
6-Phosphofructo-2-kinase/fructose-2,6-bisphosphatase, insulin regulation of, 353:267
Phosphoinositide 3-kinase
in diacylglycerol kinase θ translocation and activation, 353:129
kinase-deficient, cathepsin D maturation and, 353:655
and necrotic cell death during hypoxia, 358:481
in proinsulin C-peptide-stimulated MAP kinase, in fibroblasts, 355:123
p85 subunit of
β-catenin interaction with, 360:335
in muscle and adipose tissue of diabetic, 360:117
in regulation of ERK activation induced by G protein-coupled receptors, 360:77
Xenopus oocyte maturation induced by, 360:691
Phosphoinositide, FYVE zinc-finger proteins binding of, in *Arabidopsis*, 359:165
Phosphoinositide 3-phosphatase, TPIP as, 360:277
Phosphoinositide hydrolysis, bradykinin-mediated, IL-1β enhancement of, 354:439
Phosphoinositide signalling
nitrogen-induced, in yeast cells, 359:517
Phox homology domain in, 360:513
Phospholamban residues, sarcoplasmic reticulum calcium-activated ATPase interaction with, 355:699
Phospholipase $A_2\alpha$, in glomerular epithelial cells, membrane association of, 353:79
Phospholipase C, glycosylphosphatidylinositol-specific, in release of renal dipeptidase from kidney tubules, 353:339
Phospholipase Cδ1, pleckstrin homology domain of, inositol trisphosphate binding by, 356:137
Phospholipase D
isoforms of, regulation by Ras and protein kinase Cι, 359:211
substrate specificity of, 360:707
Phospholipase D, interaction sites for RhoA, 355:779
Phospholipase D1
endosomal localisation of, protein C termini in, 356:727
serine kinase interaction with, 354:369
Phospholipase D2, stimulation by G_{M2} activator, 359:599
Phospholipid bilayers, dansyl-labelled surfactant-associated protein C in, 359:651
Phospholipid hydroperoxide glutathione peroxidase, in platelets, 353:91
Phospholipid oxidation, detection by HPLC and positive ionisation electroscopy MS, 355:449, 357:911
Phospholipid transfer protein, HDL generation and, 360:379
Phosphoprotein(s), in signal transduction, tetanus toxin heavy chain C-terminal portion activation of, 356:97
Phosphorylation
in apolipoprotein B mRNA editing, 357:661
endothelin-induced, of GATA-4, in atrial muscle cells, 359:375
inhibition by phosphatidylinositol phosphate kinase AtPIP5K1, 359:583
of LAT, Zap-70 sites for, 356:461
mitotic, of HIRA protein, 358:447
mutated tau proteins mimicking, 357:759
in regulation of pyruvate dehydrogenase activity, 358:69
of serine, and TNF-α activation of protein kinase B, 359:119
Photosynthesis, adenylate kinase equilibrium and free magnesium in, 360:225
Photosystem I, of cyanobacterial *ycf37*, 357:211
Phox homology domain, in phosphoinositide signalling, 360:513
Physarum polycephalum, GTP cyclohydrolase I mRNA in, 355:499
Phytase mutation, in barley grain, inositol phosphates from, 354:473
Pichia pastoris, glycosylation by, of recombinant carbohydrate-binding module, 358:423
Pituitary cells
nuclear factor-1 repression of placental lactogen in, 354:387
p24 cargo receptor localisation in, 360:421
Placenta
amino acid and iodothyronine transport in, System L permease LAT1 in, 356:719
indoleamine 2,3-dioxygenase and tryptophan 2,3-dioxygenase in, 355:425
iron transfer across, iron deficiency and, 356:883
Placental lactogen, nuclear factor-1 repression of, in pituitary cells, 354:387
Planthopper, pyrethroid resistance in, GST in, 357:65
Plants, *S*-adenosyl-L-methionine decarboxylases in, 353:403
Plasma α_2-Heremans-Schmidt glycoprotein, phosphorylation of, 357:437
Plasma membrane, Ca^{2+} of, catalytic core in activation of, 356:241, 357:911
Plasma membrane-associated protein, in adipocyte, 359:393
Plasminogen, dipeptidyl peptidase interaction with, in matrix metalloproteinase-9 regulation in prostate cancer cells, 355:397
Plasminogen activator, urokinase-type
interaction with plasminogen activator inhibitor-1, in LDL receptor-related protein, 357:289
processing of, 355:639
Plasminogen activator inhibitor-1, interaction with urokinase-type plasminogen activator, in LDL receptor-related protein, 357:289
Plasmodium falciparum
haem detoxification pathway of, chloroquine and, 355:333
haemoglobinase falcipain-3 from, expression and characterisation of, 360:481
monocarboxylate transport in, 355:733
Platelet(s)
glycoprotein GPIb-IX of, maturation of, 358:295
phospholipid hydroperoxide glutathione peroxidase of, 353:91
secretion-like coupling of inositol trisphosphate receptor with transient receptor potential channel in, 356:191
SERCA isoforms in, 358:559
Platelet activation, Hic-5 in, 355:691
Platelet aggregation, dendroaspin inhibition of, proline role in, 355:633
Platelet-activating factor
hydrolysis by paraoxonase, 354:1
secretion by multidrug resistance protein, 357:859
Platelet-activating factor acetylhydrolase and transacetylase, activity in plasma LDL, 357:457
Platelet-activating factor receptor, in macrophages, regulation by oxidised LDL and PPARα, 354:225
Platelet-derived growth factor signalling, oxidative stress and, in adipocytes, 355:757
Pleckstrin homology domain
phosphatidylinositol 3,4-bisphosphate-binding, of TAPP1, structure of, 358:287
of phospholipase Cδ1, inositol trisphosphate binding by, 356:137
translocation of, ceramide and, 354:359
PMA: *see* Phorbol myristate acetate.
Polyamine(s)
biosynthesis and catabolism of, acceleration by ornithine decarboxylase and SSAT, 358:343
in regulation of gap junction communication in connexin-43 expressing cells, 357:489
Polyamine analogues, in inhibition of spermidine/spermine *N*-acetyltransferase ubiquitination, 358:137
Polyamine depletion, caspase activation and, 355:199
Polyamine metabolism, cell cycle progression and, 354:217
Polyamine transport systems, on vacuolar membrane, in yeast, 353:681
Polyamine-modulated factor-1, interaction with NF-E2-related factor 2, in regulation of spermidine/spermine N^1-acetyltransferase gene, 355:45
Polyamine-modulated factor-1 gene, cloning and characterisation of, 359:387
Polyethylene glycol, in chemical modification of recombinant human acetylcholinesterase, 357:795
Polyhydroxyalkanoate synthase class II, matrix-assisted refolding of, 358:263
Polymerising actin, sound attenuation of, 355:771
Polymorphonuclear granulocytes, sulphatide-triggered spreading of, on collagen, 359:621
Polyoma virus-like particles, recombinant, cell-specific targetting of, 356:867
Polysaccharides
capsular, from bacterial strain B33, 357:505
hydroxyl radical action on, in pears, 357:729
Porphyrin substrate-bound variants, ferrochelatase genetic mutation and, 356:217
Porphyromonas gingivalis, proteinases from, coagulation factor IX activation by, 353:325
Potassium, extracellular, apoptosis inhibition by, 357:137
Potassium currents, inwardly rectifying, transient receptor potential 4 and, 354:717
Potato, lipoxygenase from, probing of, 353:345
PPAR: *see* Peroxisome proliferator-activated receptor *entries*.
Pregnancy, uterocalin in, lipid binding by, 356:369
Pregnancy-associated plasma protein A, proteolytic domain of, 358:359
Preptin, insulin secretion and, 360:431
Pressure, butyrylcholinesterase inactivation induced by, 356:487
Profilin
mutations in, in maize, 358:49
and sound attenuation of polymerising actin, 355:771
Progelatinase B, perimenstrual activation by, stromelysin 1 in, 358:275
Proinsulin C-peptide, MAP kinase stimulated by, in fibroblasts, 355:123
Proline(s), functional role in dendroaspin, 355:633
Proline-rich tyrosine kinase, signalling mediated by, MCP-1 in, 355:751

© 2002 Biochemical Society

Prolyl 4-hydroxylase, phenanthrolinone inhibition of, 353:333
Pro-matrix metalloproteinase-2, thrombin activation of, in HUVECs, 357:107
Promyelocytic cell differentiation, retinoid and dihydroxyvitamin D_3 regulation of steroid sulphatase activity during, 355:361
Proprotein convertase(s), viral envelope glycoprotein processing by, 353:537
Proprotein convertase PACE4, regulation by human and mammalian ASH-1, 360:683
Prostacyclin, VEGF-induced production of, protein kinase C and ERK1/2 in, 353:503
Prostaglandin D_2 synthase, GSH-dependent, tissue-specific expression of, 359:507
Prostate, 7α-hydroxylation of 7α-hydroxylation of 25-hydroxycholesterol and dehydroepiandrosterone in, 355:509
Prostate cancer cells, matrix metalloproteinase-9 in, regulation by plasminogen interaction with dipeptidyl peptidase, 355:397
Protease, shedding susceptibility of, recognition sequences and structural elements in, 353:663
Proteases, bacterial, inhibition by caspase inhibitors, 357:575
Proteasomes
  complexes of, level and phosphorylation patterns of, IFN-γ and, 353:291
  spermidine/spermine *N*-acetyltransferase targetting to, polyamine analogue inhibition of, 358:137
  as vinblastine targets, 356:835
Protein(s)
  aging-related oxidative damage to, in *Drosophila*, 360:209
  fluorescent, combining fluorescent Ca^{2+} dyes with, 356:345
  tetrameric, acyl-CoA:diacylglycerol acyltransferase as, 359:707
Protein 68, chondrocyte-expressed, as marker gene, 353:169
Protein 7B2, structure and functions of, 357:329
Protein catabolism, in *ras*-transformed fibroblasts, glucose regulation of, 357:256
Protein disulphide isomerases
  activity differences in, 357:83
  distribution in liver mitochondria, 356:567
  interaction with hydroxyaryl group in ligands, 354:553
Protein dynamics, cell nucleus in, functional architecture of, 356:297
Protein farnesyltransferase, $Lys^{164}\alpha$ in, in substrate binding and catalysis, 360:625
Protein folding, thioredoxin boxes in, 357:83
Protein kinase
  Ca^{2+}/calmodulin-dependent, CD44 phosphorylation and, 357:843
  cGMP-dependent, phosphodiesterase 5 activation and guanylate cyclase inhibition by, 360:199
Protein kinase A, in elongation factor-2 kinase phosphorylation, 353:621
Protein kinase B
  GLUT4 translocation induced by, Rab4 inhibition of, 356:143
  hormone and growth factor-mediated activation of, actin cytoskeleton in, 353:735
  phosphospecific cell-based ELISA for, 355:879
  TNF-α activation of, serine phosphorylation and, 359:119
Protein kinase C
  mast cell exocytosis and, 356:287
  in proinsulin C-peptide-stimulated MAP kinase, in fibroblasts, 355:123
  in signal transduction, tetanus toxin heavy chain C-terminal portion activation of, 356:97
  in VEGF-induced prostacyclin production, 353:503
  zonula occludens 2 C-terminal region phosphorylation by, 360:295
Protein kinase Cα-binding protein rPICK1, mitogen-stimulated TIS21 protein interaction with, 354:635
Protein kinase Cδ
  actin binding and redistribution by, in neutrophils, 357:39
  in IL-6 receptor shedding, in myeloma cells, 358:193
Protein kinase Cη, in IL-6 receptor shedding, in myeloma cells, 358:193
Protein kinase Cι, phospholipase D isoform regulation by, 359:211
Protein kinase CK2
  assembly of, 358:87
  autocatalytic tyrosine phosphorylation of, 357:563
  in phosphorylation of murine double minute clone 2 protein, 355:347
  in regulation of IFI 16 nuclear import, 353:69
Protein kinase Cζ, in telomerase regulation, in nasopharyngeal cancer cells, 355:459
Protein kinase DYRK1A, tyrosine phosphorylation of, 359:497
Protein kinases/phosphatases, TMF-α receptor activation of, 359:525
Protein L, from *Peptostreptococcus magnus*, immunoglobulin binding domain of, 353:395
Protein [4Fe-4S] clusters, sensitivity to oxidative damage, 360:717
Protein phosphatase 1
  focal adhesion kinase association with, cell cycle dependence of, 358:407
  MYPT3 as subunit of, 356:257
  regulatory subunit R5 of, in diabetes and starvation, 360:449
Protein phosphatase 1/2A, inhibition of, hepatocyte nuclear factor 1 activity and, 354:301
Protein phosphatase 2A
  in macrophage differentiation in myeloid cells, 358:431
  recombinant catalytic subunit of, 357:225
Protein phosphatase 2A, structure, function, and regulation of, 353:417
Protein S, thrombin-sensitive region of, membrane binding and, 360:499
Protein synthesis, in maize, IGF in, 358:95
Protein tau, phosphorylation by kinase DYRK, 355:609
Protein tyrosine phosphatases
  Src homology domain-containing, CD33-related sialic acid-binding immunoglobulin-like lectin association with, 353:483
  subcellular localisation of, 354:581
Proteinases, from *Porphyromonas gingivalis*, coagulation factor IX activation by, 353:325
Protein-binding elements, in parotid gland secretory protein gene enhancer, salivary gland-specific expression and, 357:537
Protein-coenzyme interactions, in adenosylcobalamin-dependent glutamate mutase, 355:131
Proteoglycan, MIP-1α binding of, 354:447
Proteolytic domain, of pregnancy-associated plasma protein A, 358:359
Prothrombin mRNA, quantification of, 356:111
Proton permeability, lysosomal membrane thiol groups and, 360:355
Protonation, of iron-molybdenum cofactor, by nitrogenase, 355:569
PSD-95, neuroligin binding of, 356:581
Pseudomonas, rhamnogalacturonan lyases from, cellulose binding by, 355:167
Pseudomonas aeruginosa, polyhydroxyalkanoate synthase class II from, matrix-assisted refolding of, 358:263
Pseudomonas cellulosa
  glycoside hydrolase arabinofuranosidase from, 358:599
  substrate specificity of, 358:607
  pectate lyase from, carbohydrate-binding module in, 355:155
Pseudomonas oleovorans, two-iron rubredoxin of, 354:89
Pseudomonas stutzeri cd$_1$ nitrite reductase, structural relaxations in, 355:39, 356:911
Pseudonajatoxin b precursor, cloning and characterisation of, 358:647
Psoriasis, haem oxygenase-1 in, 353:459
PTEN (phosphatase and tensin homologue deleted on chromosome 10)
  cellular targetting of, 357:427
  in TPIP, 360:277
Pterin, interaction with reductase activities of nitric oxide synthase, 356:43
Pyrazinamidase, from *Mycobacterium tuberculosis*, structure-activity relationships for, 353:453
Pyrethroid resistance, GST in, in planthopper, 357:65
Pyridine nucleotides, oxidation of, in Jurkat cell apoptosis, 353:357, 354:727
Pyrroloquinoline quinone, semiquinone radical of, calcium in stabilisation of, 357:893
Pyruvate dehydrogenase, phosphorylation of, 358:69
Pyruvate kinase gene, L-type, transcription of, Spot 14 protein and chicken ovalbumin upstream promoter-transcription factor 1 in, 358:175
Pyruvate transport, in *Plasmodium falciparum*, 355:733

Q
Quinone oxidoreductase, unfolding and refolding of, α-crystallin in, 359:547

R
Rab4, inhibition of phosphatidylinositol 3-kinase- and protein kinase B-induced GLUT4 translocation, 356:143
Rab GTPase function, phosphate-binding loop and, 355:681
Rac-GTPase-activating protein, in neutrophil granulocytes, NADPH oxidase regulation and, 355:851
Rafts, in synoviocytes, ectopeptidases in, 354:47
Ras, phospholipase D isoform regulation by, 359:211
ras-transformed fibroblasts, protein catabolism in, glucose regulation of, 357:256
Reactive oxygen, oxidative stress induced by, glutathione peroxidase-1 gene in, 359:687
Reactive oxygen intermediates, in tobacco smoke-inducible haem oxygenase-1, 353:475
Reactive oxygen species, in trichosanthin-induced choriocarcinoma cell apoptosis, 355:653, 358:792
Recoverin, as Ca^+-binding protein, 353:1, 354:727
Reductase activities, of nitric oxide synthase, pterin interactions with, 356:43
Refsum disease, infantile, impaired Pex1p-Pex6p interaction in, 357:417
Renal dipeptidase, release from kidney tubules, glycosylphosphatidylinositol-specific phospholipase C in, 353:339

© 2002 Biochemical Society

Renal tubules
gluconeogenesis from glutamine and lactate in, 360:371
renal dipeptidase release from, glycosylphosphatidylinositol-specific phospholipase C in, 353:339
Representational difference analysis, of chondrocyte-expressed protein 68, 353:169
Respiration
adenylate kinase equilibrium and free magnesium in, 360:225
binary mitochondrial heteroplasmy and, 357:835
Respiratory chain activities, lipid peroxidation and, 357:887
Respiratory syncytial virus, surface glycoproteins of, proprotein convertase cleavage of, 353:537
Retina, cyclic GMP phosphodiesterase in, mutations of, 353:467
Retinoblastoma gene family, neuroblastoma stem cell differentiation and, 360:569
Retinoic acid, in regulation of acylation-stimulating protein and complement C3, in adipocytes, 356:445
Retinoid X receptor α, and PPARγ DNA specificity, 353:193
Retinoids, in regulation of steroid sulphatase activity during promyelocytic cell differentiation, 355:361
Retinol, binding by uterocalin, 356:369
Retinol-binding protein, from *Globodera pallida*, 356:387
RGS18, myeloerythroid lineage specificity of, in megakaryocytes, 359:109
Rhamnogalacturonan lyases, from *Pseudomonas*, cellulose binding by, 355:167
Rho GDP dissociation inhibitor-binding-defective mutant, of Cdc42Hs, function of, 359:285
RhoA, interaction sites of phospholipase D for, 355:779
Rhodopsin, transducin subunit interaction with, 358:389
Rhodostomin, binding to integrin αIIbβ3, 357:57
Ribonucleoprotein E1B-AP5, heterogeneous nuclear, arginine methylation of, 358:305
Ribosome-inactivating protein, from iris, genomic DNA fragments that bind to, 357:875
Ricin lipolytic activity, on neutral lipids, 358:773
RNA, laminin assembly interference by, in *Drosophila* cells, 360:167
RNA interference, of *Drosophila* mitochondrial transcription factor A, 354:243
RNA splicing, in regulation of apolipoprotein B mRNA editing, 359:697
rPICK1 protein, TIS21 protein interaction with, 354:635
Rubredoxin, two-iron, of *Pseudomonas oleovorans*, 354:89
Ryanodine, Ca^{2+} stores sensitive to, in smooth muscle, 357:363
Ryanodine receptors
caffeine and cresol sensitivity of, in skeletal muscle calcium channel, 360:97
dihydropyridine receptor interaction with, in brain, 354:597
FK506-binding protein mapping on, 354:413
in regulation of calcium current, in inositol trisphosphate-deficient cells, 360:17

S

S phase, *Mad3* gene expression in, 359:361
SAAT: *see* Spermidine/spermine *N*-acetyltransferase.
Saccharomyces cerevisiae
budding cells of, Cdc6 protein interaction with Mcm2 protein in, 354:655
cytochrome oxidase of, site-directed mutations in, 354:407
GLK1 and *HXK* genes of, hexokinase 2 protein control of, 355:625
glucose-dependent signals in, *FBP1* promoter response to, 359:193
γ-glutamyl transpeptidase in, in vacuolar transport and glutathione metabolism, 359:631
modifying trehalose 6-phosphate level in, 353:157
Tom40p from, self-association and precursor protein binding of, 356:207
S-adenosyl-L-methionine decarboxylases, in plants, 353:403
Saliva, agglutinin in, identical with gp-340, 359:243
Salivary gland, and parotid gland secretory protein gene enhancer protein-binding elements, 357:537
Salt tolerance, polar amino acids and, 357:1
Sarcoplasmic reticulum
calcium-activated ATPase in, interaction of phospholamban residues with, 355:699
Ca^{2+} reuptake by, CaATP and Mg^{2+} effect on, 354:539
Ca^{2+} stores in, in smooth muscle, 357:363
of skeletal muscle, Ca^{2+}-ATPase of, structural similarities with Na,K-ATPase, 356:685
Sarcoplasmic/endoplasmic reticulum Ca^{2+}-ATPase pump (SERCA)
in dental enamel cells, 358:217
isoforms of, in haematopoietic cells, 358:559
in rat basophilic leukaemia-1 cells, 353:561
Scatchard analysis, equilibrium constant calculations in, parameters affecting, 359:411
Scavenger receptor class B, intestinal, down-regulation of, 356:317
Scavenger receptor protein gp-340, salivary agglutinin identical to, 359:243
Schizophyllum commune, trehalose phosphorylase from, 356:757
retaining glucosyl transfer catalysed by, 360:727
Scorpion toxin, oxidation/folding of, 358:681
Scorpion venom, amphipathic antimicrobial peptides from, 359:35
Sd^a-antigen-like structures, from descending colon mucin glycans, 358:657
Secretory component gene, androgen receptor-specific DNA binding to component in, 353:611
Secretory pathway
early, p24 cargo receptor localisation in, 360:421
green fluorescent protein oligomerisation in, 360:645
Selenium
single chain abzyme containing, 359:369
and transcript abundance and translational efficiency of glutathione peroxidase-1 and 4, in liver, 357:851
Self-association, of Tom40p from yeast, 356:207
Semicarbazide, amine oxidase activation sensitive to, adipocyte differentiation and, 358:335
Semiquinone radical, of pyrroloquinoline quinone, calcium in stabilisation of, 357:893
Sepsis, catabolic muscle in, cathepsin L in, 360:143
SERCA (skeletal muscle sarcoplasmic reticulum/endoplasmic reticulum Ca^{2+}-ATPase), structural similarities with Na,K-ATPase, 356:685
Serine kinase, phospholipase D1 interaction with, 354:369
Serine phosphorylation
p53 turnover regulation dependent on, 359:459
and TNF-α activation of protein kinase B, 359:119
Serine protease isoforms, of snake venom, 354:161
Serine/threonine/histidine kinase domains, in cyanobacterial protein HstK, 360:639
7B2 protein, structure and functions of, 357:329
Sex hormone-binding globulin, eukaryotic expression system for, 360:609
Sf9 cells, regulated palmitoylation of 5-hydroxytryptamine 4(a) receptor in, 353:627
Shed furin, mapping cleavage determinants of, 354:689
SHERP gene expression, in *Leishmania* intracellular membranes, 356:335
Sialic acid-binding immunoglobulin-like lectin, CD33-related, association with Src homology domain-containing protein tyrosine phosphatases, 353:483
Sialic acid-binding receptor, Siglec-10 as, leucocyte expression of, 355:489
Sialidases, G_{M1} and G_{M2} degradation by, 360:233
Siglec-10, characterisation and leucocyte expression of, 355:489
Signal transducer and activator of transcription (STAT)-3, IL-3 activation of, IL-11-induced, inhibition of, 323.223
Signal transducer gp130, membrane-proximal extracellular domains of, 356:605
Signal transduction
lipid phosphate phosphohydrolase in, in lungs, 358:637
studies of, recombinant aequorin and green fluorescent protein in, 355:1
tetanus toxin heavy chain C-terminal portion of, 356:97
Skeletal muscle
calcium channel in, caffeine and cresol sensitivity of ryanodine receptors in, 360:97
calcium pump in, structure and mechanism of, 356:665
contractile proteins in, dimethyl sulphoxide and, 358:627
GLUT1 in, characterisation of, 359:443
lipoprotein lipase in, uncoupling protein 3 expression and, 355:647
regeneration of, tensin in, 356:737
System A amino acid transporter in, 355:563
transverse tubule ecto-ATPase activity in, in chicken, 353:521
wasting, cathepsin L in, 360:143
Skeletal muscle sarcoplasmic reticulum/endoplasmic reticulum Ca^{2+}-ATPase (SERCA), structural similarities with Na,K-ATPase, 356:685
Skin
fragile, in inactive alleles for ADAMS, 355:271
healing, dermatan sulphate in, 358:157
SLC2A11 gene, GLUT1 encoded by, characterisation of, 359:443
Slime mould, GTP cyclohydrolase I mRNA in, 355:499
Smad transcriptional activity, TGF-β and p8 gene in, 357:249
Smooth endoplasmic reticulum membrane lipids, cholesterol homoeostasis and, 358:415
Smooth muscle

© 2002 Biochemical Society

aortic, glucose transport in, cAMP and cGMP regulation of, 353:513
caffeine/ryanodine-sensitive Ca^{2+} stores in, 357:363
calponin gene in, G protein-coupled receptor activation of, 357:587
cGMP-dependent protein kinase activation of phosphodiesterase 5 and inhibition of guanylate cyclase in, 360:199
Smooth muscle cells
of aorta, sphingosine 1-phosphate regulation of DNA synthesis and migration in, 353:139
tracheal, bradykinin-mediated phosphoinositide hydrolysis and Ca^{2+} mobilisation in, IL-1β enhancement of, 354:439
vascular, cyclic nucleotide phosphodiesterase 3A in, 353:41
Snake venom, serine protease isoforms in, 354:161
SNAP: *see* Soluble *N*-Ethylmaleimide-sensitive fusion protein attachment protein.
SNARE: *see* Soluble *N*-Ethylmaleimide-sensitive fusion protein attachment protein receptor.
SNARK: *see* Sucrose-nonfermenting protein kinase/AMP-activated protein kinase-related kinase.
S-nitrosoglutathione catabolism, ergothioneine and, 356:799
SOCS-3: *see* Suppressor of cytokine signalling-3.
Soluble *N*-Ethylmaleimide-sensitive fusion protein attachment protein (SNAP), cysteine residues of, in SNARE disassembly and exocytosis, 357:625
Soluble *N*-Ethylmaleimide-sensitive fusion protein attachment protein receptor (SNARE), disassembly and exocytosis of, SNAP cysteine residues in, 357:625
Sorting nexin 1, endosome-localised protein family related to, 358:7
Sound attenuation, of polymerising actin, 355:771
Soya bean, oxidative burst signalling pathway of, MAP kinase activation in, 355:795
Soya bean rhizobia, bacterium B33 from, capsular polysaccharide structure of, 357:505
Sp1, *CYP2B1* gene regulation by, 355:71
Sp1/Sp3, in transcriptional regulation of cystathione β-synthase, 357:97
Sp17, somatic, 357:25
Specificity protein, in MN/CA 9 promoter, 359:669
Spermatogenesis, zinc finger protein ZNF230 and, 359:721
Spermidine, binding of, deoxyhypusine synthase mutation and, 355:841
Spermidine/spermine *N*-acetyltransferase (SAAT)
polyamine biosynthesis and catabolism accelerated by, 358:343
regulating gene for, polyamine-modulated factor-1 interaction with NF-E2-related factor 2 in, 355:45
ubiquitination of, inhibition by polyamine analogues, 358:137
Spermine synthase deficiency, caspase activation and, 355:199
Sphingomonas paucimobilis, β-1,4-glucuronosyltransferase GelK from, biochemical characterisation of, 358:457
Sphingomyelinase, neutral, in microdomains, caveolin-scaffolding domain inhibition of, 355:859
Sphingosine, apoptosis induced by, lysosomal proteases and, 359:335
Sphingosine 1-phosphate, in DNA synthesis and migration, in smooth muscle cells, 353:139
Sphingosylphosphocholine, in regulation of cardiac function, 355:189
Spot 14 protein, in transcription of L-type pyruvate kinase gene, 358:175
Src, in mediation of VEGF-induced focal adhesion kinase phosphorylation, 360:255
Src family tyrosine kinases, in regulation of ERK activation induced by G protein-coupled receptors, 360:77
Src homology domain-containing protein tyrosine phosphatases, CD33-related sialic acid-binding immunoglobulin-like lectin association with, 353:483
Src homology 3 domain, in Nck-2 interaction with IRS-1, 354:315
Sry-type high mobility group box (SOX) transcription factors, in chondrocyte de-differentiation, 360:461
Starch-branching enzyme isoforms, in kidney bean seeds, 359:23
Starvation, protein phosphatase 1 regulatory subunit R5 in, 360:449
STAT-3: *see* Signal transducer and activator of transcription (STAT)-3.
Stearoyl-CoA desaturase gene promoter, analysis of, 357:183
Stellate cells, hepatic, cysteine- and glycine-rich protein 2 as marker of, 359:485
Stem cell differentiation, in neuroblastoma, retinoblastoma gene family and, 360:569
Sterility, male, in inactive alleles for ADAMS, 355:271
Steroid co-activator-1, *CYP2B1* gene regulation by, 355:71
Steroid hormone uptake, eukaryotic expression system for, 360:609
Steroid receptor-mediated and cell membrane receptor-mediated pathway interaction, mouse kidney c-Met and ornithine decarboxylase gene expression and, 353:317
Steroidogenic acute regulatory protein (StAR), molten-globule structure of, 356:151
Sterol Δ^8-isomerase, in liver, molecular characterisation of, 353:689
STIM: *see* Stromal interaction molecule gene family.
Streptococcus pneumoniae, UDP-*N*-acetylenolpyruvylglucosamine reductase from, 355:425
Streptozotocin, diabetogenic action of, potential mechanism of, 356:31
Stress, glyoxalase responsive to, in nematode, 353:445
Stress fibres, LIM-kinase 2 induction of, 354:149
Stromal interaction molecule gene family, identification and characterisation of, 357:673
Stromelysin 1, perimenstrual activation of progelatinase B by, 358:275
Submandibular acinar cells, Ca^{2+} signalling in, effects of inositol trisphosphate, cADP-ribose, and nicotinic acid-ADP on, 353:555
Sucrose
in regulation of UDP-glucose pyrophosphorylase gene, in Arabidopsis, 354:67
in sugar cane culm, 358:437
Sucrose-nonfermenting protein kinase/AMP-activated protein kinase-related kinase (SNARK), identification and characterisation of, 355:297
Sugar cane culm, sucrose accumulation in, 358:437
Sugar transport, intestinal, dietary and developmental regulation of, 360:265
Suicide, xanthine oxidoreductase inactivation by, during inorganic nitrite reduction to nitric oxide, 358:325
SulA, Lon protease cleavage of, histidine regulation of, 358:473
Sulphate transporter SHST1, important proline residues in, 356:589
Sulphatides, neutrophil spreading triggered by and 5-lipoxygenase inhibited by, 359:621
Sulphoacetaldehyde sulpho-lyase, from *Desulfonispora thiosulfatigenes*, 357:581
Sulphotransferase, canine SULT1D1 as new family of, 356:891
SULT1D1, canine, as new family of sulphotransferase, 356:891
Superoxide, generation from neuronal nitric oxide synthase, 360:247
Superoxide anion, mitochondrial generation of, 353:411
Superoxide dismutase, PMA and cytokine synergistic induction of, NF-κB in, 353:147
Suppressor of cytokine signalling (SOCS) in IL-3 and IL-11 negative cross-talk, 353:223
IL-9 signalling and, 353:109
Suramin analogue, calmodulin binding inhibition by, 355:827
Surfactant-associated protein C, dansyl-labelled, in phospholipid bilayers, 359:651
Survival factor-induced Bad phosphorylation, Bcl-2 and, 359:345
Synapsin I peptides, lipid membrane interaction with, 354:57
Synaptotagmin XIII, cloning and characterisation of, 354:249
Syncollin, pancreatic membrane zymogen granule interaction with, cholesterol and, 356:843
Synovial cells
caveolae/lipid rafts in, ectopeptidases in, 354:47
hyaluronan synthase regulation and expression in, 354:17
Synovial fluid, aggrecan core protein proteolysis in, 358:615
System A amino acid transporter, in skeletal muscle and adipose tissue, 355:563
System L permease LAT1, in placental amino acid and iodothyronine transport, 356:719

T
T cell activation, system L amino acid transporter regulation during, 358:693
TA3Ha mammary carcinoma cells, epiglycanin biosynthesis and shedding in, 353:33
Tandem FYVE fingers, in phosphatidylinositol 3-phosphate-binding protein, 355:113
Tandem mass spectrometry, in biochemistry, 355:545
Tandem pleckstrin homology domain-containing protein 1 (TAPP1), phosphatidylinositol 3,4-bisphosphate-binding PH domain of, structure of, 358:287
TAPP1: *see* Tandem pleckstrin homology domain-containing protein 1 (TAPP1).
Tau protein
DYRK kinase phosphorylation of, 355:609
phosphorylation-mimicking mutated, 357:759
TAXI: *see Triticum aestivum* endoxylanase inhibitor.
Tears, lipocalin in, as lipid scavenger induced by oxidative stress, 356:129

© 2002 Biochemical Society

Telomerase, protein kinase Cζ regulation of, in nasopharyngeal cancer cells, 355:459
Temperature, in regulation of UDP-glucose pyrophosphorylase gene, 354:67
Tensin, in skeletal muscle regeneration, 356:737
Tetanus toxin, heavy chain C-terminal portion of, in signal transduction, 356:97
Tetracoordinate transients, active site interactions with, in acetylcholinesterase, 353:645
Tetrahydrobiopterin, synthesis of, GTP cyclohydrolase I mRNA in, 355:499
Tetrameric protein, acyl-CoA:diacylglycerol acyltransferase as, 359:707
Tetratricopeptide repeat-containing proteins, heat shock cognate protein 70 interaction with, 359:419
TGF-β: *see* Transforming growth factor-β.
Thermoascus aurantiacus, β-glucosidase from, 353:117
Thermococcus sp., cold shock-inducible FK506-binding protein from, 357:465
Thermostability, of endoxylanase from *Trichoderma reesei*, 356:453
Thiocyanate, eosinophil peroxidase oxidation of, 358:233
Thiol groups, in lysosomal membrane, proton permeability and, 360:355
Thiol reagent, glycerol-3-phosphate acyltransferase sensitive to, from oleaginous fungus, 355:315
Thioredoxin, from *Chlamydomonas reinhardtii*, crystal structure of, 359:65
Thioredoxin boxes, in protein folding, 357:83
Threonine synthesis pathway, in *Escherichia coli*, 356:425
  control of, 356:433
  enzyme kinetics of, 356:415
Thrombin
  activation of pro-MMP-2 by, in HUVECs, 357:107
  protein S region sensitive to, membrane binding and, 360:499
Thrombin substrates, anhydrothrombin interaction with, 354:309
Thrombopoietin, in cortactin translocation to cytoskeleton, 356:875
Thymidine kinase 1, $p21^{Waf1}$ interaction with, 356:829
Thymineless stress, haematopoietic cell apoptosis and, 353:101
Thyroglobulin, immunoreactive, hydrogen peroxide-induced production of, 360:557
Thyroid cells, TNF-α activation of NF-κB in, thyrotropin and, 354:573
Thyroid hormone, in regulation of tracheobronchial epithelial cell mucin gene expression, 353:727
Thyroid hormone receptor monomers, gene regulation by, 360:387
Thyrotropin, in TNF-α activation of NF-κB, in thyroid cells, 354:573
Thyrotropin receptor expression, asparagine-linked oligosaccharides in, 354:331
TIE1 gene expression, in endothelial cells, regulation of, 360:23
Tilapia, heat shock protein 70 promoter in, regulation of, 356:353
TIS21 protein, rPICK1 interaction with, 354:635
TNF-α: *see* Tumour necrosis factor-α.
Tobacco smoke, haem oxygenase-1 inducible by, transcription factors and reactive oxygen intermediates in, 353:475
Tom40p, from yeast, self-association and precursor protein binding of, 356:207
TPIP (PTEN and TPTE homologous inositol lipid phosphatase), 360:277
TPTE (transmembrane phosphatase with tensin homology), in TPIP, 360:277
Trachea, epithelial cells of, mucin biosynthesis and secretion in, 353:23
Tracheal smooth muscle cells, bradykinin-mediated phosphoinositide hydrolysis and Ca^{2+} mobilisation in, IL-1β enhancement of, 354:439
Tracheobronchial epithelial cells, mucin gene expression in, thyroid hormone regulation of, 353:727
TRAF: *see* Tumour necrosis factor receptor-associated factor.
Transacetylase, activity in plasma LDL, 357:457
trans-acting transcriptional factor, HIV-expressed, angiogenesis and, 353:569
Transcription factor(s), in tobacco smoke-inducible haem oxygenase-1, 353:475
Transcription factor AP-4, as ligand for immunoglobulin-κ promoter E-box elements, 354:431
Transcription factor FKHR, kinase DRK1A phosphorylation by, 355:597
Transcription factor GATA-4, endothelin-induced phosphorylation of, in atrial muscle cells, 359:375
Transcription factor Max, regulation during apoptosis, dephosphorylation and cleavage in, 358:705
Transcriptional repressor of vasoactive intestinal peptide receptor, 360:633
Transducin subunit, rhodopsin interaction with, 358:389
Transferrin, glycans on, in congenital disorders of glycosylation type I, 359:249
Transferrin N-lobe, tryptophan mutants of, 354:423
Transforming growth factor-β
  neutralisation by recombinant baculoviral soluble betaglycan, 355:215
  Smad transcriptional activity enhanced by, p8 gene in, 357:249
  in vascular smooth muscle cell proline transport, 360:507
Transient receptor potential-6 protein, and diacylglycerol-activated calcium inflow in adrenal cells, 358:717
Transient receptor potential-4, inwardly rectifying potassium currents and, 354:717
Transient receptor potential TRP4, as calmodulin-binding protein, 355:663
Translation control, in ischaemia/reperfusion in brain, 357:819
Transmembrane phosphatase with tensin homology (TPTE), in TPIP, 360:277
Transmembrane protein, STIM gene family in, 357:673
Transporter function, cyclosporin A and, 354:591
Transverse tubule ecto-ATPase activity, in chicken skeletal muscle, 353:521
Trehalose 6-phosphate, in yeast, analysing and modifying levels of, 353:157
Trehalose phosphorylase, fungal, 356:757
  retaining glucosyl transfer catalysed by, 360:727
Triacylglycerol biosynthesis, yeast acyl-acyl carrier protein synthetase in, 360:471
Triacylglycerol-rich lipoproteins, macrophage apolipoprotein E and, 356:515, 357:912
Tributylin, and cytochrome *c* release from mitochondria, 356:621
Trichinella spiralis, macrophage migration inhibitory factor from, 357:373, 358:791
Trichoderma reesei, endoxylanase from, thermostability of, 356:453
Trichosanthin, choriocarcinoma cell apoptosis induced by, reactive oxygen species in, 355:653, 358:792
Trichuris trichiura, macrophage migration inhibitory factor from, 357:373, 358:791
Triosephosphate isomerase, aerobic metabolism and, in *Trypanosoma brucei*, 357:117
Triticum aestivum endoxylanase inhibitor (TAXI): *see also* Wheat.
  specificities of, 353:239
Trout, inducible nitric oxide synthase gene in, 358:747
Trypanosoma brucei
  developmentally regulated iron superoxide dismutase in, 360:173
  fatty acyl-CoA synthetases from, 358:757
  triosephosphate isomerase and aerobic metabolism in, 357:117
Trypanosoma cruzi, lysosomal phospholipase A_1 from, Chagas' disease and, 355:765
Tryptophan, conserved in cytochrome *c*, 359:715
Tryptophan 2,3-dioxygenase, in early concepti, 355:425
Tryptophan mutants, of transferrin N-lobe, 354:423
Tubulin, in complex with chloride intracellular channel protein CLIC4, binding to brain dynamin, 359:55
Tumour necrosis factor-α
  NF-κB activation by, thyrotropin and, in thyroid cells, 354:573
  protein kinase B activation by, serine phosphorylation and, 359:119
  shedding susceptibility of, recognition sequences and structural elements in, 353:663
  signalling by, and caveolin-scaffolding domain inhibition of neutral sphingomyelinase, 355:859
Tumour necrosis factor-α receptor, JNK activation by, 359:525
Tumour necrosis factor-α related apoptosis-inducing ligand gene, expression in mammary epithelial cells, 360:31
Tumour necrosis factor-α-converting enzyme, in regulation of amyloid precursor protein ectodomain shedding, 357:787
Tumour necrosis factor receptor-associated factor (TRAF), A20-like protein binding to, 357:617
Tumour suppressor, PTEN as, cellular targetting of, 357:427
Tumourigenesis, BM88 localisation and, 355:715
Tunicamycin, apolipoprotein B ubiquitination and degradation induced by, in HepG2 cells, 353:493
Tyrosinase, DHICA oxidase activity of, 354:131
Tyrosine kinase, proline-rich, signalling mediated by, MCP-1 in, 355:751
Tyrosine phosphorylation
  autocatalytic, of protein kinase CK2, 357:563
  integrin-dependent, platelet activation and, 355:691
  of paxillin Crk binding sites, 360:57
  of protein kinase DYRK1A, 359:497
  and thrombopoietin-stimulated cortactin translocation to cytoskeleton, 356:875
Tyrosine transport, in oculocutaneous albinism type 1, 355:259

U

Ubiquinol, in complex with NADH, mitochondrial, inhibition by nitric oxide, 359:139
Ubiquitin complexes with ubiquitin-conjugating enzyme, isolation from erythroleukaemia cells, 356:199
Ubiquitination

© 2002 Biochemical Society

in MHC class I dislocation mediated by cytomegalovirus, 358:369
of spermidine/spermine *N*-acetyltransferase, polyamine analogue inhibition of, 358:137
tunicamycin-induced, of apolipoprotein B, in HepG2 cells, 353:493
UDP-glucose pyrophosphorylase, in hypertrophic cartilage and hyaluronan synthesis, 360:667
UDP-*N*-acetylenolpyruvylglucosamine reductase, from *Streptococcus pneumoniae*, 355:425
UDP-*N*-acetylglucosamine, in glutamine: fructose-6-phosphate aminotransferase 1 regulation in *Drosophila*, 360: 401
Ultraviolet-induced damage, ascorbate protection against, AP-1 in, 356:77
Uncoupling, of hepatocytes, modulation by substrates in, 355:231
Uncoupling protein 1, in yeast, mitochondrial uncoupling artifact caused by, 356:779
Uncoupling protein 3, skeletal muscle lipoprotein lipase and, 355:647
Uncoupling protein genes, in brown adipose tissue, during lactation, 355:105
Uncoupling protein homologue, muscle-specific avian, 353:441
Unfolded protein response, transcriptional activator of, 355:19
Urea, G protein inactivation by, 354:337
Urease, from jack bean, canatoxin as variant form of, 360:217
Urokinase, cellular uptake and degradation of, plasmin and, 355:639
Urokinase receptor, glycosylphosphatidylinositol-anchored, urokinase cleavage of, 358:673
Urokinase-type plasminogen activator
interaction with plasminogen activator inhibitor-1, in LDL receptor-related protein, 357:289
processing of, 355:639
Uroplakin, pair formation and plaque composition of, 355:13
Urus, ribosome-inactivating protein from, genomic DNA fragments that bind to, 357:875
Usher syndrome, myosin VIIA and, 354: 267
Uterocalin, lipid binding by, 356:369

V

Vacuolar membrane, polyamine transport systems on, in yeast, 353:681
Vacuolar transport, in *Saccharomyces cerevisiae*, γ-glutamyl transpeptidase and, 359:631
Valdecoxib, cyclo-oxygenase-2 inhibition by, 357:709
Valine, yeast acetohydroxyacid synthase regulation by, 357:749
Vascular endothelial cells
cadherin complex disruption in, albumin-derived advanced glycation endproducts in, 359:567
proliferation of, anginex inhibition of, 354:233
Vascular endothelial growth factor
focal adhesion kinase phosphorylation induced by, Src and, 360:255
precursor of, translation and processing of, 359:219
prostacyclin production induced by, protein kinase C and ERK1/2 in, 353: 503
Vascular endothelial growth factor receptor Flt-1, phosphatidylinositol 3-kinase binding by, 358:465
Vascular smooth muscle, glucose transport in, cAMP and cGMP regulation of, 353:513
Vascular smooth muscle cells
cyclic nucleotide phosphodiesterase 3A in, 353:41
diacylglycerol kinase α activation in, fatty acid inhibition of, 357:275
proline transport in, TGF-β in, 360:507
Vasoactive intestinal peptide receptor, transcriptional repressor of, 360:633
Vasopressin receptor, glycosylation sites on, 357:73
VCAM-1, in endothelial cells, HMG-CoA reductase inhibition and, 360:363
VEGF: *see* Vascular endothelial growth factor.
Venom
from Malayan krait, bucandin from, NMR structure of, 360:539
from scorpion, amphipathic antimicrobial peptides from, 359:35
from snake
metalloproteinase from, endothelial cell apoptosis induced by, 357:719
serine protease isoforms in, 354:161
Ventricular myocytes, neonatal, gene expression in, JNK-interacting protein and, 358:489
Very low density lipoprotein, hepatic secretion of, chylomicron remnants and, 357:481
Vinblastine, proteasomes as targets of, 356:835
Virus coat protein, antibody Fv fragment conjugation to, 356:867
Vitamin E deficiency, mitochondrial function and, 357:887
VLDL: *see* Very low density lipoprotein.
Voltage-dependent anion channel, calcium binding and translocation by, mitochondrial function and, 358:147
von Gierke's disease, endoplasmic reticulum glucose 6-phosphate transporters in, 357:557
von Willebrand factor
human, *Drosophila* haemocyte-specific protein similarity to, 359:99
platelet glycoprotein GPIb-IX and, 358: 295
Vps34p, cathepsin D maturation and, 353: 655

W

Warfarin-binding properties, of human serum albumin, 357:269
Wheat: *see also Triticum aestivum* endoxylanase inhibitor (TAXI).
proteins of, specificities of, 353:239
Whey acidic protein domain, in anosmin-1, modelling of, 357:647
Whey acidic protein gene, DNase I-hypersensitive sites in, 359:557
Wnt, glycogen synthase kinase-3 and, 359:1
Wortmannin, endocytosis and, 357:497
Wound, heparin-binding epidermal growth factor-like growth factor expression induced by, in epithelial cell monolayers, 354:99
Wound repair, haem oxygenase-1 in, 353: 459

X

X-linked inhibitor of apoptosis protein, in bone marrow-derived macrophage apoptosis resistance, 353:299
Xanthine oxidoreductase, suicide inactivation of, during inorganic nitrite reduction to nitric oxide, 358:325
Xenobiotic/medium chain fatty acid:CoA ligase, in liver, reaction mechanism for, 357:283
Xenopus oocyte maturation, phosphoinositide 3-kinase-γ induction of, 360:691
Xyloglucan endotransglycosylase, donor substrate cleavage by, 355:671

Y

ycdW and *yiaE* genes, ketoacid reductases encoded by, in *Escherichia coli*, 354: 707
ycf37, cyanobacterial, photosystem I content of, 357:211
Yeast
acyl-acyl carrier protein synthetase from, role in triacylglycerol biosynthesis, 360:471
cytochrome oxidase of, site-directed mutations in, 354:407
Eug1p disulphide isomerase activity in, 358:269
γ-glutamyl transpeptidase in, in vacuolar transport and glutathione metabolism, 359:631
modifying trehalose 6-phosphate level in, 353:157
uncoupling protein 1 in, mitochondrial uncoupling artifact caused by, 356: 779
vacuolar membrane polyamine transport systems in, 353:681
Yeast acetohydroxyacid synthase, valine and ATP regulation of, 357:749
Yeast cells
budding, Cdc6 protein interaction with Mcm2 protein in, 354:655
nitrogen-induced phosphoinositide and inositol trisphosphate signals in, 359: 517

Z

Zap-70 sites, for LAT phosphorylation, 356:461
Zea mays: see Maize.
Zebrafish
caspase-3 in, apoptosis induction and, 360:39
heat shock protein 70 promoter in, regulation of, 356:353
Zellweger syndrome
PEX1-defective, impaired Pex1p-Pex6p interaction in, 357:417
prenatal and postnatal peroxisomal lipid-metabolising pathway development and, 353:673
Zinc finger protein ZNF230, male fertility and, 359:721
Zonula occludens 2, C-terminal region of, protein kinase C phosphorylation of, 360:295
Zymogen granule, in pancreatic membrane, cholesterol-dependent syncollin interaction with, 356:843

© 2002 Biochemical Society

biochemical society

TRANSACTIONS

Editor: John Wrigglesworth

Missed the Biochemical Society Meeting? Don't Miss the Science

Biochemical Society Transactions contains the prestigious proceedings of the Biochemical Society's international main meetings.

The proceedings consist of:

Medal Lectures
The highly cited Medal Lectures delivered by the eminent scientists who are given awards each year by the Biochemical Society.

Prestigious medal lectures published include:

Hopping, Jumping and Looping by Restriction Enzymes S. E. Halford

Discovery of PDK1, One of the Missing Links in Insulin Signal Transduction D. R. Alessi

Society and the Human Genome J. Sulston et al.

Colloquia
The journal also contains short review articles based around the proceedings of the lively and topical colloquia organized by the Society's many and varied scientific interest groups.

Poster Abstracts
Abstracts of posters presented at the Society's meetings are available in the three alternate Parts of each Volume as accompanying camera-ready supplements only.

Forthcoming Issues include:

York (December 2001)
Heriot-Watt (April 2002)
Cardiff (July 2002)

2002: Volume 30 (6 parts) £193 North America US$338 Single issue: £52/US$86
Please quote reference ZPPA 1357 when ordering

Biochemical Society Transactions* Online! – *Free to Members

Biochemical Society Transactions online has a number of benefits and value-added features for subscribers including:

- Access to full proceedings
- Inter-journal linking
- Full text searching
- Medline links
- Speaker abstracts

Join the e-mail current awareness service to receive a copy of the HTML version of the table of contents before the paper copy is published.

Biochemical Society Transactions is published by Portland Press on behalf of the Biochemical Society

http://bst.portlandpress.com

Printed in Great Britain by the University Press, Cambridge